

**SUC91-12 ,Compresseur ,220 w
, 1/4 HP , HBP, or 1/3 HP
,R134a**

written by Lilianne | 9 May 2020

SUC91-12 ,Compresseur ,220 w , 1/4 HP , HBP, or 1/3 HP

**Compresseur, Samsung , 1/5
HP, 155/160w , r600a
,220/240v~50, Mk4a5qr1u,
Mk4a5q-R1u, 5.5Lra, 1PHASE**

written by Lilianne | 9 May 2020

Compresseur, Samsung , 1/5 HP, 155/160w , r600a ,220/240v~50,
Mk4a5qr1u, Mk4a5q-R1u, 5.5Lra, 1PHASE

**Compresseur Embraco ,Aspera,
nbm1118y, nby1118y ,coolant
,R600a ,NBY1118Y ,220-240V**

**50Hz, LBP ,fully hermetic,
10,8kg ,1/4HP**

written by Lilianne | 9 May 2020

ompresseur Embraco ,Aspera, nbm1118y, nby1118y ,coolant ,R600a
,NBY1118Y ,220-240V 50Hz, LBP ,fully hermetic, 10,8kg
,1/4HP,nbt1118y

**MTS 185 MT,S224-20 ,TURK
ELEKTRIK ,1/4 HP,LBP , R600a
,Lra 13.9AMP ,194/220VAC 50Hs
, 170w**

written by Lilianne | 9 May 2020



Private Picture Copyright : WWW.MBSM.PRO

MTS 185 MT,S224-20 ,TURK ELEKTRİK ,1/4 HP,LBP , R600a ,Lra
13.9AMP ,194/220VAC 50Hs



Private Picture Copyright : WWW.MBSM.PRO



Private Picture : www.MBSM.PRO




PICTURES : Jeux mitigeurs encastrée , pour une salle d'eau

written by Lilianne | 9 May 2020
IMAGES FACEBOOK

Les artistes de plomberie et chauffage central

Robinet *Salle de Bain* Matériel: en cuivre. Fonctionnement silencieux. Fonction: mélange d'eau chaude et d'eau froide; Mitigeur monocommande



-
-
-
-
-
-
-
-
-

Tecumseh , CAJ4511A

, Compressor , 1 HP, 208-230V, 1 PHASE, R12, Hermetic , Reciprocating Compressor Replacement

written by Lilianne | 9 May 2020

Tecumseh , CAJ4511A , Compressor , 1 HP, 208-230V, 1 PHASE,
R12, Hermetic , Reciprocating Compressor Replacement

Good quality Reciprocating Compressor , MSS151G-L1U , R134a , LBP , AC 220-240V~50Hz, 1/8 HP , 90w , Samsung

written by Lilianne | 9 May 2020

Good quality Reciprocating Compressor , MSS151G-L1U , R134a
, LBP , AC 220-240V~50Hz, 1/8 HP , 90w , Samsung

**Compressor ,ACC Cubigel
,Huayi Electrolux ,ZEM GL80AA
/ GVY75AA, LBP – R134a, 220 –
240V/1/50Hz, 1/4 HP,
discharge 7.52 cm³, motor
type RSIR / RSCR, oil type
ester, oil charge 180 cm³,
150 W at -25 / +55 °, input
power, current 146 W, 1.16 A,
expansion device: capillary,
cooling: static, weight 8.6
kg**

written by Lilianne | 9 May 2020

Compressor ,ACC Cubigel ,Huayi Electrolux ,ZEM GL80AA /
GVY75AA, LBP – R134a, 220 – 240V/1/50Hz, 1/5 HP, discharge
7.52 cm³, motor type RSIR / RSCR, oil type ester, oil charge
180 cm³, 150 W at -25 / +55 °, input power, current 146 W,
1.16 A, expansion device: capillary, cooling: static, weight
8.6 kg

**Danfoss Refrigeration,
R134a, GL90TG , 220-240V
50-60Hz, R134A , HBP , CSIR
, compressor Haute pression
avec condensateur**

written by Lilianne | 9 May 2020

Danfoss Refrigeration, R134a, GL90TG , 220-240V 50-60Hz, R134A
, HBP , CSIR , compressor Haute pression avec condensateur

**Brandt Compresseur, L.B.P
, HVY67AA , 220-240/50, 1/7 Hp
, Réfrigérateur Congélateur
Indesit, r600 , 107w**

written by Lilianne | 9 May 2020

Brandt Compresseur, L.B.P , HVY67AA , 220-240/50, 1/7 Hp
, Réfrigérateur Congélateur Indesit, r600 , 107w