

**Mbsm.pro, CUBIGEL, NUh55LA,  
compressor, R290, 1/3HP, 1bp,  
220-240V**

written by Lilianne | 29 December 2023

**cubigel**  
compressors

**NUH55LA**

THERMALLY 220-240V~ 50 Hz PH1  
PROTECTED

R290



NUH55LA 17062802121



SHOT ON MI 8 LITE  
AI DUAL CAMERA

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, CUBIGEL, NUH55LA, compressor, R290, 1/3HP, 1bp, 220-240V

---

# **Mbsm.pro, Compressor, Delta, 1/4 hp, r12, D207w, Lbp**

written by Lilianne | 29 December 2023



# صور: قدرة أغلب الضواغط إستعمالا

written by Jamila | 29 December 2023

ELECTROLUX ESPAIN		مهيار خضر الحمود مبيع كافة قطع التكييف والتبريد			الإسباني ٢	
كبيليري	الزيت غ	الأمبير	الوات	BTU	الرمز	الاستطاعة
0.040	475	2.2	225	885	L40 AW	1/10
0.040	475	2.2	255	875	L45 AW	1/8
0.040	475	2.2	255	875	L55 AT	1/6
0.042	475	2.5	325	1110	L76 AT	1/5
0.042	475	2.5	325	1110	L76 AT	1/5 زيت
0.042	475	2.5	325	1110	L76 BW	1/4 عادي
0.054	800	3.5	400	1650	L88 AT	1/4 زيت
0.054	800	4.0	540	2110	L88 BW	1/4 مكثف
0.040	475	2.2	255	885	P12 AT	1/3

SUPER COOL KOREA		مهيار خضر الحمود مبيع كافة قطع التكييف والتبريد			سوبركول	
كبيليري	الزيت غ	الأمبير	الوات	BTU	الرمز	الاستطاعة
0.026	230	0.5	80	275	FL 32 Y	1/10
0.028	230	0.8	100	340	FL 45 Y	1/8
0.031	230	0.9	130	445	FL 56 Y	1/6
0.031	240	1.2	160	545	EL 71 Y	1/5
0.036	240	1.4	180	615	EL 80 Y	1/4
0.040					B 88	1/3

سوبر كول مزود بريليه الكتروني و بأفرلود الكتروني ومكثف زيتي ٤ مكرو فاراد الغاز يجب أن لا يزيد عن ٢٠٠ غرام عند درجة حرارة +٤٢ مئوية

Private Picture Copyright : WWW.MBSM.PRO

صور: أغلب الضواغط إستعمالا



# Mbsm.pro, Comptek, hermetic, compressor , MALQD65UHM, r290, lbp, 1/4 hp

written by Lilianne | 29 December 2023



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Start	RSIR
Cooling	S.
Refrigerant	R290
Performance	175W (-35 ° C), 205W (-30 ° C), 265W (-25 ° C), 295W (-23.3 ° C), 335W (-20 ° C), 395W (-15 ° C), 455W (-10 ° C), 510W (-6.7 ° C), 560W (-5 ° C), 635W (0 ° C)
Oil filling	220g
Power HP	1/4

Input power	196W (- 23.3 ° C), 255W (- 6.7 ° C)
The step size	6.5 cm <sup>3</sup>



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

**Mbsm.pro, Compressor, 1/4 hp,  
Aspera, Embraco NEK1121Z,  
LBP, R134a, NEK1121u, lbp,  
r290**

written by Lilianne | 29 December 2023



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, 1/4 hp, Aspera, Embraco NEK1121Z, LBP, R134a, NEK1121u, lbp, r290

---

**Mbsm.pro, Beko, Compressor, VNTZ165M, VNTZ165MT / VNTZ165M, Tee compressor, R600A, inverter, Blcd, 1/3 hp, lbp, Turk compressor**

written by Lilianne | 29 December 2023





Mbsm.pro, Beko, Compressor, VNTZ165M, VNTZ165MT / VNTZ165M, Tee compressor, R600A, inverter, Blcd, 1/3 hp, lbp, Turk compressor

**Mbsm.pro, LG, MA88LJJP, MA88LHEP, 1/3 hp, Refrigerator, Compressor, (410-450 litre), lbp, 235 (kcal/h), 273W, 933 (Btu/h), 0.367HP, input power 220w**

written by Lilianne | 29 December 2023



Mbsm.pro, LG, MA88LJJP, 1/3 hp, Refrigerator, Compressor, (410-450 litre), lbp, 235 (kcal/h), 273W, 933 (Btu/h), 0.367HP, input power 220w


---

**Mbsm.pro, Compressor, QD52H, QD59H, QD65H, FN77H, FN91H, FN110H, QD128, QD142H, R134a Series, Refrigeration, Compressor, MBP**

written by Lilianne | 29 December 2023

Enregistrer

**OEM BRAND**



R134a220V / 50Hz L/MBP HERMETIC COMPRESSOR FOR REFRIGERATOR

Part No.	Displ. (Cm3)	Power HP	Motor Type	Cooling	Capacity (W/54-110F Condensing Temp)										COP W/W		Input Power (W)	
					35°C	30°C	25°C	21.1°C	20°C	15°C	10°C	6.7°C	5°C	0°C	-23.3°C	-6.7°C	-23.3°C	-6.7°C
QD30H	3.0	1/10	RSIR	S	35	49	63	70	90	112	152	170	188	210	0.85	1.9	82	89
QD35H	3.5	1/8	RSIR	S	40	56	72	80	105	128	176	220	242	275	0.9	1.98	89	111
QD43H	4.3	1/7	RSIR	S	47	65	83	110	121	149	216	270	297	338	0.95	2.01	116	134
QD52H	5.5	1/7	RSIR	S	70	95	123	136	177	218	280	350	385	438	1.15	2.01	118	174
QD59H	6.2	1/6	RSIR	S	85	115	149	165	215	265	312	390	430	488	1.2	2	138	195
QD65H	6.6	1/5	RSIR	S	95	129	167	185	241	297	350	430	473	538	1.25	2.02	148	193
QD75H	7.6	1/5+	RSIR	S/F	105	147	190	210	273	337	387	495	545	618	1.25	2.1	168	236
QD91H	8.8	1/5+	RSIR	S/F	115	160	207	230	300	368	425	530	583	655	1.37	2.12	168	250
QD110H	10.6	1/4+	RSIR	F	135	189	243	285	370	456	520	650	715	813	1.41	2.12	202	307
QD120H	11.6	1/3	RSIR	F	165	231	297	330	430	528	576	720	792	900	1.41	2.12	234	340
QD128H	12.3	3/8	RSIR	F	180	252	324	360	468	576	740	925	1018	1156	1.31	2	275	463
QD142H	13.5	3/8+	CSIR	F	195	273	351	390	507	624	800	1000	1100	1250	1.3	2	300	500
QD158H	15.3	3/8+	CSIR	F	215	300	387	430	560	690	890	1120	1230	1400	1.3	2	331	560
QD168H	16.3	1/2	CSIR	F	230	322	415	460	598	736	976	1220	1340	1530	1.3	2	354	610

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, QD52H, QD59H, QD65H, FN77H, FN91H, FN110H, QD128, QD142H, R134a Series, Refrigeration, Compressor, MBP

**Mbsm.pro, Compressor, AE4430Z, R-404a, 1/4 HP, 230V, hbp**

written by Lilianne | 29 December 2023



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, AE4430Z, R-404a, 1/4 HP , 230V, hbp

---

**Mbsm.pro, COMPRESSOR,  
TECUMSEH, 1/3 hp , TP1413YS,  
R-134A, 220V, lbp**

written by Lilianne | 29 December 2023



Mbsm.pro, COMPRESSOR, TECUMSEH, 1/3 hp , TP1413YS, R-134A,  
220V, lbp