

# Mbsm.pro, COMPRESSOR, HERMETIC, 1/4 hp, 1bp, r134a, UNIT-TECUMSEH, TECUMSEH, AEZ2380Y

written by Lilianne | 22 April 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, COMPRESSOR, HERMETIC, 1/4 hp, 1bp, r134a, UNIT-TECUMSEH, TECUMSEH, AEZ2380Y

# Mbsm.pro, IRIS, CF255, Freezers, 255 L, Compressor 1/8 hp, r600a, 66 G, 89 w

written by Lilianne | 22 April 2023



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, IRIS, CF255, Freezers, 255 L, Compressor 1/8 hp, r600a, 66 G, 89 w

---

**Mbsm.pro, Split Units, T3,  
kt3f-51, kt3f-51w / 18000  
btu, kt3f-61w / 22000 btu,  
kt3f-66w / 24000 btu**

written by Lilianne | 22 April 2023



### Room Air-conditioner

Model	KT3F-51GW	
Model of indoor unit	KT3F-51G	
Model of outdoor unit	KT3F-51W	
Electric shock protection class	I	
Rated volt	220V~	
Rated frequency	60Hz	
Test conditions	T1	T3
Cooling capacity	5100W	4500W
Cooling power input	1950W	2250W
Cooling current input	9.1A	10.2A
EER	8.90(BTU/h)/W	6.81(BTU/h)/W
Indoor discharge air-flow	$\geq 800\text{m}^3/\text{h}$	
Rated power input	2500W	
Rated current input	12.9A	
Indoor/Outdoor noise	37~44/54dB(A)	
Refrigerant	R22/1200g	
HP. PS	3.0MPa	
LP. PS	0.8MPa	
Indoor max operating pressure of heat exchanger	0.8MPa	
Indoor unit weight	13kg	
Date of manufacture		
Number of manufacture		

Made in China

Mbsm.pro, Split Units, T3, kt3f-51, kt3f-51w / 18000 btu,  
kt3f-61w / 22000 btu, kt3f-66w / 24000 btu, r22, 1200 g

---


**Mbsm.pro, QXA-C133B030gA,  
Compressor GREE, PANASONIC,  
12000 Btu, R410,  
2JS464D3CA02, 24000 Btu, r22**


written by Lilianne | 22 April 2023


**2JS464D3CA02**

THERMALLY PROTECTED R22  
1PH 50Hz 220/240V ~

**Matsushita Electric Industrial Co., Ltd.**

SERIAL NO. J46D C0063914  
7077290 MADE IN MALAYSIA 

	<b>WARNING / DANGER</b>
	<b>Danger of Electric Shock</b> <ul style="list-style-type: none"><li>• Earth the equipment.</li><li>• Disconnect power before work.</li><li>• Mount the terminal cover in place.</li></ul>
	<b>Danger of Explosion or Fire</b> <ul style="list-style-type: none"><li>• Do not use unprescribed refrigerants and oils.</li><li>• Do not compress air.</li><li>• Wear protective goggles.</li></ul>
	<b>Caution , Hot Surface</b> <ul style="list-style-type: none"><li>• Do not touch with bare hands.</li></ul>



Mbsm.pro, QXA-C133B030gA, Compressor GREE, PANASONIC, 12000 Btu, R410, 2JS464D3CA02, 24000 Btu,r22

---

# Mbsm.pro, Compressor, Qd52, 1/6 hp , Mini, R134a, 220-240/50, 128 w, 437 btu

written by Lilianne | 22 April 2023




Mbsm.pro, Compressor, Qd52, 1/6 hp , Mini, R134a, 220-240/50,

128 w, 437 btu

---

**Mbsm.pro, LG compressor, R22,  
QK Series, QK222P, 1PH, 1.5  
hp, 220/240V – 50Hz, 12000  
btu, 1 Ton, Capacitor 35 mf**

written by Lilianne | 22 April 2023



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, LG compressor, R22, QK Series, QK222P, 1PH, 1.5 hp, 220/240V – 50Hz, 12000 btu, 1 Ton, Capacitor 35 mf

---



**Mbsm.pro, Compressor,  
Embraco, 1/5 hp, Ffi 6 Hak,  
Ffi6Hak, Ffi6 Hak, Ffi 6Hak,  
FfI 6 Hak, R-134a, 220v, 12  
feet, 340 L**

written by Lilianne | 22 April 2023



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, Embraco, 1/5hp, Ffi 6 Hak, Ffi6Hak, Ffi6 Hak, Ffi 6Hak, FfI 6 Hak, R-134a, 220v

---

# Mbsm.pro, Capillary measurement tables for some compressors Freon R134

written by Lilianne | 22 April 2023

المواصفات الخاصة بضواغط DANFU							
R134a	نوع الفريون		LBP	ضواغط التجميد			
220 - 240 V / 50 Hz							الفولت
Model	Displ. Cm3 الازاحة	Power HP	Cooling capacity W سعة التبريد ( القدرة )	Input Power W الكهرباء المسحوبة	Performance W/W معدل الاداء	Motor type نوع الموتور	Cooling type نوع تبريد الضاغط
PW2.0VKL	2.65	1/11	55	65	0.85	RSIR	S
PW2.5VKL	2.95	1/10	65	72	0.90	RSIR	S
PW3.0VK	3.16	1/9	80	84	0.95	RSIR	S
PW3.5VK	3.66	1/8	95	95	1.00	RSIR	S
PW4.0VKL	4.29	1/6-	112	102	1.10	RSIR	S
PW4.5VK	4.99	1/6+	130	113	1.15	RSIR	S
PW5.5VK	5.68	1/5+	150	122	1.23	RSIR	S
PW6.5VK	6.37	1/4-	170	136	1.25	RSIR	S
PW7.5VK	7.07	1/4	190	152	1.25	RSIR	S
PW8.5VK	8.05	1/4+	220	169	1.30	RSIR	S
DFV95	9.36	1/3	150	192	0.78	RSIR	F
DFV105	10.51	1/3+	185	219	0.84	RSIR	F
DFV115	11.49	1/3+	310	239	1.30	CSIR	F
DFV125	12.477	1/2-	340	262	1.30	CSIR	F

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Capillary measurement tables for some compressors Freon R134

Mbsm.pro, compressor, MSV4A1A-L1B, inverter, Blcdc,

# 1/5 hp, Samsung , 168 w

written by Lilianne | 22 April 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, MSV4A1A-L1B, inverter, Blcdc, 1/5 hp, Samsung , 168 w

---

# Mbsm.pro, Tecumseh, AZ1330Y, Compressor, 1/10 hp, 1bp, R134a, 90w

written by Lilianne | 22 April 2023



Mbsm.pro, Tecumseh, AZ1330Y, Compressor, 1/10 hp, 1bp, R134a,  
90w