

Mbsm.pro, Compressor, embraco, aspera, egas80h1r, 1/4 hp++, 1/3 hp-, R134A, 195W

written by rober us | 29 March 2023



Private Picture Copyright : WWW.MBSM.PRO

Compresseur hermétique Embraco EGAS80HLR – HMBP – R134a
220-240/1/50 – CSIR Volume balayé : 6.36 cm³
Mbsm_dot_pro_private_PDF___egas80h1r
Mbsm_dot_pro_private_PDF__egas80h1r
Mbsm_dot_pro_private_PDF__egas80h1r



Mbsm_dot_pro_private_PDF_egas80h1r

Mbsm.pro, **Compressor,**
aza2370y, **1/6 hp,** **r134a,**
Kulthorn

written by rober us | 29 March 2023


KULTHORN Thermally Protected
AZ A2370Y S88
 220 - 240 V ~ 50Hz R134a CE
 RLA 0.9 LRA 5

 S8824C18000340 RoHS
 KULTHORN KIRBY
 MADE IN THAILAND

คำเตือน WARNING 注意事项
 1. ตัดวงจรไฟฟ้าทุกครั้งก่อนเปิดฝา
 DISCONNECT POWER BEFORE REMOVING COVER
 开盖之前必须关闭电源
 2. การทดสอบแรงดันภายในตัวคอมเพรสเซอร์ต้องไม่เกิน 1000 kPa (150 psig)
 TEST PRESSURE MUST NOT EXCEED 1000 kPa (150 psig)
 气压试验不得超过 1000 kPa (150 psig)
 3. คอมเพรสเซอร์ต้องต่อสายดิน
 THIS COMPRESSOR MUST BE GROUNDED
 压缩机应连接地下线
 --- การละเลยอาจเป็นอันตรายถึงชีวิต ---
 NEGLIGENCE MAY RESULT IN SERIOUS INJURY OR DEATH
 否则有生命危险

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, aza2370y, 1/6 hp, r134a, Kulthorn



Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF__aza2370y

Mbsm_dot_pro_private_PDF_aza2370y

Mbsm.pro, Copeland, Scroll Compressor, série ZB, CR37K6M PFZ-101, 3 hp, r22

written by rober us | 29 March 2023



Copeland Scroll Compressor série ZB – Modèle CR37K6M PFZ-101

Puissance (HP): 3,08

Ampères de charge nominaux (RLA) : 16

Ampères à rotor bloqué (LRA) : 90

Réfrigérant : R22

Alimentation électrique : 220-240V/1P/50Hz

 Mbsm_dot_pro_private_PDF__Cr37k6m 
Mbsm_dot_pro_private_PDF_Cr37k6m

Mbsm.pro, LS19GBBDI, LG Refrigerator, 17.9 Cu.Ft , Silver PCM Color, Smart Inverter, Domper Compressor, vfl110cy1, 1/4 hp, r600a

written by rober us | 29 March 2023




Type	frequency conversion	Model	VFL110CY1
Refrigerant	R600a	Voltage	
Frequency		Application	LBP
HP		Displacement(cm ³)	11
Cooling	ST	Lubricant Type	
Lubricant(ml)		Motor Type	BLDC

Starting Type□

Starter□

Mbsm.pro, Files, PDF, compressori ortiz, all compressor in one file

written by rober us | 29 March 2023

CONDIZIONI DI RESA	ASHRAE	TEMP. EVAPORAZIONE	MOTORE V.220/50Hz
Temp. condens.: + 55		da - 25 a +10°C (MBP-HBP)	CSIR=Condensatore di spunto e relè
Temp. liquido: + 46(32)		da - 40 a -10°C (LBP)	CSR=Condens. di spunto,marcia, relè.
Temp. ambiente: + 35			3Phase= V.380/50Hz
Temp. Gas aspir.: + 35			

ATTACCHI A SALDARE

R. 404

(MBP-HBP) **MEDIA-ALTA TEMPERATURA OLIO ESTERE**

CODICE ASPE-	MODELLO	HP	ASHRAE		CIL. cc	W.assorb.	Tipo Motore V220	PREZZO EURO,00
			Resa -10°	Watt 0°				
404H2105	NB 6144 GK	1/6	297	450	4.38	331	CSIR	142
404H2110	NB 6152 GK	1/5	351	530	4.85	375	CSIR	148
404H2115	NB 6165 GK	1/4	413	611	6.00	511	CSIR	155
404H2120	NB 6181 GK	1/4P	514	774	7.40	567	CSIR	160
404H2125	NE 6210 GK	1/3	595	935	8.90	620	CSIR	168
404H2130	NE 9213 GK	1/2	840	1303	12.00	740	CSR	185
404H2135	T 6217 GK	3/4	961	1515	14.50	1000	CSIR	290
404H2140	T 6220 GK	3/4	1164	1826	17.40	1100	CSR	328
404H2145	T 6222 GK	1	1554	2381	22.30	1500	CSR	340
404H2150	NJ/J 9226 GK	1	1587	2475	21.70	1320	CSR	400
404H2155	NJ/J 9232 GK	1.2	1904	2976	26.20	1620	CSR	406
404H2160	NJ/J 9238 GK	1.5	2420	3705	32.70	2100	CSR	412
404H2165	NJ/J 9226 GS	1	1587	2475	21.70	1280	3 Phase	408
404H2170	NJ/J 9232 GS	1.2	1904	2976	26.20	1600	3 Phase	410
404H2175	NJ/J 9238 GS	1.5	2420	3705	32.70	2000	3 Phase	420

Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_compressori

ortiz

Embraco (32163276)



CONDIZIONI DI RESA	ASHRAE	TEMP. EVAPORAZIONE	MOTORE V.220/50Hz
Temp. condens.: + 55		da - 25 a + 10°C (MBP-HBP)	CSR-Condensatore di spurto e rife
Temp. liquida: + 46(32)		da - 40 a - 10°C (LBP)	CSR-Condens. di spurto,marcia, rife.
Temp. ambiente: + 35			3Phase- V.380/50Hz
Temp. Gas aspir.: + 35			

ATTACCHI A SALDARE

R. 404 (MBP-HBP) MEDIA-ALTA TEMPERATURA OLIO ESTERE

CODICE ASPE	MODELLO	HP	ASHRAE		CIL. cc	W.assorb.	Tipo Motore V220	PREZZO EURO,00
			Resa -10°	Watt 0°				
#0412105	NB 0144 GK	1/6	297	450	4.38	331	CSR	142
#0412110	NB 0152 GK	1/5	351	530	4.85	375	CSR	148
#0412115	NB 0165 GK	1/4	413	611	6.00	511	CSR	155
#0412120	NB 0181 GK	1/4P	514	774	7.40	567	CSR	160
#0412125	NE 0210 GK	1/3	585	935	8.90	620	CSR	168
#0412130	NE 0213 GK	1/2	840	1303	12.00	740	CSR	185
#0412135	T 0217 GK	3/4	961	1515	14.50	1000	CSR	290
#0412140	T 0220 GK	3/4	1164	1826	17.40	1100	CSR	328
#0412145	T 0222 GK	1	1554	2381	22.30	1500	CSR	340
#0412150	NJ1 0226 GK	1	1587	2475	21.70	1520	CSR	400
#0412155	NJ1 0232 GK	1.2	1904	2976	26.20	1620	CSR	406
#0412160	NJ1 0238 GK	1.5	2420	3705	32.70	2100	CSR	412
#0412165	NJ1 0226 GS	1	1587	2475	21.70	1280	3 Phase	408
#0412170	NJ1 0232 GS	1.2	1904	2976	26.20	1600	3 Phase	410
#0412175	NJ1 0238 GS	1.5	2420	3705	32.70	2000	3 Phase	420

Private Picture Copyright : WWW.MBSM.PRO

SAMSUNG RSA1ZTWP

written by rober us | 29 March 2023



Mbsm.pro, regenerator, SAMSUNG, RSA1ZTWP, 555 L, Compressor, 1/3 hp



Mbsm.pro, Compressor, a13rv, 1/2 hp, Capacitor starting 53

to 64 mfr

written by Lilianne | 29 March 2023



Mbsm.pro, Compressor, a13rv, 1/2 hp, Capacitor staring 53 to 64 mrf

**Mbsm.pro, Compressor,
Embraco, EMY3118Y, R600, 1/5
hp, 1bp**

written by Lilianne | 29 March 2023



Mbsm.pro, Compressor, Embraco, EMY3118Y, R600, 1/5 hp, 1bp

**Mbsm.pro, Compressor,
Hdz100a, Zel, R600a, 90 w,
1/12 hp, 1bp**

written by Lilianne | 29 March 2023



Mbsm.pro, Compressor, Hdz100a, Zel, R600a, 90 w, 1/12 hp, 1bp

freezer Kiriazi, E336, E335

written by Lilianne | 29 March 2023



Mbsm.pro, freezer Kiriazi, 336 L, e336, Compressor, 1/5 hp,
r134a, 200 g