

# Mbsm.pro, Compressor, GLY80AA, 1/5 hp, Danfoos

written by Lilianne | 28 March 2023



Mbsm.pro, Compressor, GLY80AA, 1/5 hp, Danfoos

---

# Mbsm.pro, compressor, DG51C69RAU6, 1/3 hp

written by Lilianne | 28 March 2023



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)


Mbsm.pro, compressor, DG51C69RAU6, 1/3 hp

---

# Mbsm.pro, Pictures, Cat5 cabling pin-out configuration

written by Lilianne | 28 March 2023

| Pin ID | side A       | side B       |
|--------|--------------|--------------|
| 1      | Orange-white | green-white  |
| 2      | Orange       | green        |
| 3      | green-white  | orange-white |
| 4      | blue         | brown-white  |
| 5      | blue-white   | Brown        |
| 6      | green        | orange       |
| 7      | brown-white  | Blue         |
| 8      | brown        | blue-white   |




te Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Pictures, Cat5 cabling pin-out configuration

**Mbsm.pro,  
refrigerator  
connection**

**Pictures,  
wiring**

written by Lilianne | 28 March 2023



Mbsm.pro, Pictures, refrigerator wiring connection

**Mbsm.pro, Pictures, machine à laver, mabe olimpia, 228C2032G001, 228C2032 G001**

written by Lilianne | 28 March 2023



Mbsm.pro, Pictures, machine à laver, mabe Olimpia,  
228C2032G001, 228C2032 G001

**Mbsm.pro, Compressor,  
kce431haa, R12, HBP, 1/4  
hp++, 1/3 hp-, 410 w, only  
cooling, kcx serie**

written by Lilianne | 28 March 2023



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, kce431haa, R12, HBP, 1/4 hp++, 1/3 hp-, 410 w, only cooling,

---

## Mbsm.pro, Files, PDF, NUEVA WEB AREA COOLING SOLUTIONS

written by Lilianne | 28 March 2023

Verifique los datos (por ventilador)

R 404A  
R502  
R507A

**1.00 BAJA TEMPERATURA, Monof. 220/240 V 50 Hz**

| Modelo    | Tipo | CV. | Cm3   | Rendimientos en W |     |     |      |      |      | Código | Precio € |
|-----------|------|-----|-------|-------------------|-----|-----|------|------|------|--------|----------|
|           |      |     |       | -40               | -35 | -30 | -25  | -20  | -10  |        |          |
| ML45FB    | F    | 1/6 | 4,6   | 50                | 69  | 95  | 128  | 166  | 265  | 10001  | 134,00   |
| ML60FB    | F    | 1/5 | 5,67  | 66                | 93  | 128 | 170  | 210  | 339  | 10002  | 140,00   |
| ML80FB    | F    | 1/4 | 8,85  | 95                | 133 | 182 | 242  | 312  | 488  | 10003  | 146,00   |
| ML90FB    | F    | 1/3 | 8,85  | 83                | 134 | 193 | 264  | 342  | 529  | 10004  | 151,00   |
| MP12FB    | F    | 3/8 | 12,00 | 74                | 147 | 234 | 335  | 449  | 719  | 10005  | 172,00   |
| MP14FB    | F    | 1/2 | 14,00 | 116               | 195 | 291 | 404  | 536  | 847  | 10006  | 185,00   |
| MX18FB-V* | F    | 5/8 | 18,20 | 99                | 202 | 331 | 492  | 683  | 1155 | 10007  | 330,00   |
| MX23FB-V* | F    | 7/8 | 23,2  | 132               | 280 | 415 | 720  | 828  | 1470 | 10008  | 347,00   |
| MS26FB-V* | F    | 3/4 | 26,15 | 165               | 331 | 525 | 745  | 993  | 1569 | 10009  | 365,00   |
| MS30FB-V* | F    | 7/8 | 30,00 | 198               | 395 | 626 | 890  | 1194 | 1901 | 10010  | 381,00   |
| MS34FB-V* | F    | 1   | 34,25 | 231               | 456 | 729 | 1040 | 1395 | 2229 | 10011  | 415,00   |

R134a

**1.10 BAJA TEMPERATURA, Monof. 220/240 V 50 Hz**

| Modelo   | Tipo | CV.  | Cm3  | Rendimientos en W |     |     |       |     |     | Código | Precio € |
|----------|------|------|------|-------------------|-----|-----|-------|-----|-----|--------|----------|
|          |      |      |      | -35               | -30 | -25 | -23,3 | -20 | -10 |        |          |
| GD24AA** | S    | 1/20 | 2,42 | 12                | 21  | 30  | 40    | 70  | 90  | 10015  | 102,00   |
| GD30AA** | S    | 1/12 | 3,05 | 21                | 33  | 49  | 55    | 68  | 112 | 10016  | 103,00   |
| GD36AA** | S    | 1/12 | 3,58 | 26                | 40  | 58  | 65    | 79  | 130 | 10017  | 104,00   |
| GD40AA** | S    | 1/10 | 4,03 | 31                | 48  | 67  | 74    | 90  | 149 | 10018  | 105,00   |
| GL45AA** | S    | 1/8  | 4,56 | 34                | 54  | 78  | 88    | 108 | 180 | 10019  | 117,00   |
| GL50AA** | S    | 1/7  | 5,12 | 34                | 64  | 91  | 102   | 124 | 207 | 10020  | 121,00   |
| GL60AA** | S    | 1/6  | 5,99 | 50                | 76  | 108 | 120   | 146 | 241 | 10021  | 123,00   |
| GL70AA   | S-OC | 1/5  | 6,64 | 58                | 87  | 122 | 135   | 164 | 270 | 10022  | 126,00   |
| GL80AA   | S-OC | 1/5  | 8,1  | 69                | 102 | 146 | 162   | 197 | 330 | 10023  | 134,00   |
| GL80BH   | OC   | 1/5  | 8,1  | 69                | 102 | 146 | 162   | 197 | 330 | 10024  | 135,00   |
| GL90AA** | S-OC | 1/4  | 9,08 | 83                | 120 | 167 | 184   | 221 | 364 | 10025  | 143,00   |
| GL90BH   | OC   | 1/4  | 9,08 | 83                | 120 | 167 | 184   | 221 | 364 | 10026  | 146,00   |
| GL12AB   | S    | 1/3  | 12   | 84                | 133 | 192 | 214   | 261 | 429 | 10027  | 161,00   |
| GP12BB   | OC   | 1/3  | 12   | 84                | 133 | 192 | 214   | 261 | 429 | 10028  | 165,00   |
| GP12FB   | F    | 1/3  | 12   | 84                | 133 | 192 | 214   | 261 | 429 | 10029  | 172,00   |
| GP14BB   | OC   | 3/8  | 14   | 100               | 159 | 230 | 257   | 313 | 514 | 10030  | 175,00   |
| GP14FB   | F    | 3/8  | 14   | 105               | 167 | 242 | 270   | 329 | 540 | 10031  | 179,00   |

Datos temp. condensación y líquido +55° C / ambiente y aspiración +32° C



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Files, PDF, NUEVA WEB AREA COOLING SOLUTIONS

# Mbsm.pro, Files, Pdf, analog, TECUMSEH, EUROPE, R12

written by Lilianne | 28 March 2023



Mbsm.pro, Files, PDF, analog, TECUMSEH, EUROPE, R12

# Mbsm.pro, Files, PDF,

# HERMETIC COMPRESSORS AND SPARES, EMBRACO

written by Lilianne | 28 March 2023



Mbsm.pro, Files, PDF, HERMETIC COMPRESSORS AND SPARES

---

# Mbsm.pro, Files, Docx, COMPRESSOR EQUIVALENCE, r12

written by Lilianne | 28 March 2023



Mbsm.pro, Files, Docx, COMPRESSOR EQUIVALENCE, r12