

**Mbsm.pro, R600a, Aruki
Compressors, Compressor,
QD65Y(N) (1/9HP), QD75Y(J)
(1/8+HP), QD85Y(J) (1/7+HP),
QD91Y(J) (1/6HP), QD103Y(J)
(1/6+HP)**

written by Lilianne | 31 August 2022

 **QD103Y**
220-240V~50Hz 1PH

     R600a

   Warning: Risk of fire

NO. 15592401
Hangzhou Qianjiang Refrigeration Group Co.,Ltd

Mbsm.pro, R600a, Aruki Compressors, Compressor, QD65Y(N)
(1/9HP) , QD75Y(J) (1/8+HP), QD85Y(J) (1/7+HP), QD91Y(J)
(1/6HP), QD103Y(J) (1/6+HP)

**Mbsm.pro, compressor,
MT160HW4D , 13 hp, MT160,
Displacement: 271.55cm³/rev**

written by Lilianne | 31 August 2022

*Mbsm.pro, Danfoss, Compressor, MT100HS4D, 8.3HP, R22, 380V,
3PH*

Danfoss Commercial Compressors



Model no: MT160HW4EVE



Serial no: EF1007049041



MADE IN FRANCE

380-400V 3- 50 Hz
460V 3- 60 Hz

UL electrical ratings

LR 130A 36A MAX

THERMALLY PROTECTED

P.E.D. LP side HP side


Marking PS 18.4 bar 27.8 bar

TS max 50 °C 68 °C

TS min -35 °C -35 °C

Volume 31 l 1.2 l

Lubricant: MINERAL OIL 160 P



Refrigerant: R22(ULrating)-R417A with 160PZ



WARNING

Installation and servicing must be performed by trained personnel. Improper installation or repair work could cause an electric shock or fire. Read the instructions carefully before using the compressor. Do not touch the compressor when it is running. Do not touch the compressor when it is hot. Do not touch the compressor when it is cold. Do not touch the compressor when it is under pressure. Do not touch the compressor when it is under vacuum. Do not touch the compressor when it is under high or low pressure. Do not touch the compressor when it is under high or low vacuum. Do not touch the compressor when it is under high or low pressure. Do not touch the compressor when it is under high or low vacuum.



CAUTION

Use only manufacturer's approved refrigerants, lubricants and electrical components. Improper use of refrigerant / lubricant / electrical components could cause fire, explosion, shock or death. For details refer to manufacturer's instructions and safety data sheets. Do not touch the compressor when it is under high or low pressure. Do not touch the compressor when it is under high or low vacuum.





Mbsm.pro, Compressor, T3, 3.3 hp, 30000 btu, nht52vbat, 14 A, Mitsubishi Compressor, r22, 4.5 bar

written by Lilianne | 31 August 2022



SIAM COMPRESSOR INDUSTRY

MITSUBISHI ELECTRIC GROUP



REFRIGERANT COMPRESSOR

MODEL **NHT52VBAT**

MANUFACTURING DATE **18052012**

POWER SOURCE

220-240V 1~ 50Hz

POWER INPUT **2970 W** AT **50** Hz

LRA **86/94** A

REFRIGERANT **R-22**


OIL **1.30 L**

AP **2.74** MPa

SP **10.5** MPa

THERMALLY PROTECTED

MADE IN THAILAND



NHT52VBAT-0112051-180512

Mbsm.pro, Compressor, T3, 3.3 hp, 30000 btu, nht52vbat, 14 A,
Mitsubishi Compressor

**Mbsm.pro, Embraco, Aspera,
NEK2150CK, 1/2 hp, freezing
(LBP), 121 cm³, R404A /RS07A
/ R452A**

written by Lilianne | 31 August 2022



Mbsm.pro, Embraco, Aspera, NEK2150CK, 1/2 hp, freezing (LBP),
121 cm³, R404A /RS07A / R452A

Mbsm.pro, Raccord femelle 15 a souder cuivre 14, plomberie

written by Lilianne | 31 August 2022

Mbsm.pro, Raccord femelle a souder cuivre 14





**Mbsm.pro, Compressor,
Mly12LA, 1/3 hp-, Lbp , 404a,
Low Back Pressure R404a/R507
compressors Cubigel – Spain**

written by Lilianne | 31 August 2022

Mbsm.pro, Compressor, Mly12LA, 1/3 hp-, Lbp , 404a

**Mbsm.pro, Compresor, ZMC, 1/5
hp++, 1/4 hp-, High-Medium
Back Pressure, GL80TB,
GL80AA, cooling and freezing**

written by Lilianne | 31 August 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compresor, ZMC, 1/5 hp++, 1/4 hp-, High-Medium Back Pressure, GL80TB, GL80AA, cooling and freezing

Mbsm.pro, Compressor, MK190G-L2u, MK190G, Refrigerator, USA, RS22hknrs, 527 L, r134a, 190g, 230w, Samsung, MK190GL2U/E08, 1/3hp, 200-240V-50Hz, RSCR

written by Lilianne | 31 August 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, MK190G-L2u, MK190G, Refrigerator, USA, RS22hknrs, 527 L, r134a, 190g, 230w, Samsung, MK190GL2U/E08, 1/3hp, 200-240V-50Hz, RSCR

**Mbsm.pro, Copeland,
Reciprocating, Hermetic,
Compressors, CRNQ-0500-TFD, 5
hp, R22, HCFC, R-22, 50 Hz, 3
– Phase, 380/420 V , CR QR
Series**

written by Lilianne | 31 August 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Copeland, Reciprocating, Hermetic, Compressors, CRNQ-0500-TFD, 5 hp, R22, HCFC, R-22, 50 Hz, 3 - Phase, 380/420 V , CR QR Series

Mbsm.pro, compressor, nly12ng, 1/2 hp-, 3/8 hp++, r290, 12,55cm³, LBP, 230V, Secop, Danfoss, CUBIGEL

written by Lilianne | 31 August 2022



Mbsm.pro, compressor, nly12ng, 1/2 hp-, 3/8 hp++, r290, 12,55cm³, LBP, 230V, Secop, Danfoss