

**Mbsm.pro, Freezer,
Electrostar, 210 L, ES210ST,
Compressor, Donper, L65CZ1,
1/5 hp, lbp, R134 A, 130 G,
220-244V, 50Hz, 140 w, 1 A,
Class T**

written by Lilianne | 22 May 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Freezer, Electrostara, 210 L, ES210ST, Compressor, Donper, L65CZ1, 1/5 hp, lbp, R134 A, 130 G, 220-244V, 50Hz, 140 w, 1 A, Class T

**Mbsm.pro, Compressor,
QBH73C13GAE, 1/4 hp, RSIR,
Reciprocating Compressors,
Fixed Speed, Q Series, R134a,
LBP**

written by Lilianne | 22 May 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, QBH73C13GAE, 1/4 hp, RSIR, Reciprocating Compressors, Fixed Speed, Q Series, R134a, LBP

**Mbsm.pro, Compressor, Gree,
Rotary Compressors, QXSH-
F42E030, 24000 BTU/HR, 2 ton,
3 Hp, 1PH / 220 v, r22**

written by Lilianne | 22 May 2022




Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, Gree, Rotary Compressors, QXSH-F42E030,
24000 BTU/HR, 2 ton, 3 Hp, 1PH / 220 v, r22

**Mbsm.pro, compressor,
qp325pba, 2 hp, 1856 w, r22,**

20000 btu/h, 1PH, 220-240V, 50Hz , QJ series LG compressor

written by Lilianne | 22 May 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, qp325pba, 2 hp, 1856 w, r22, 20000
btu/h, 1PH, 220-240V, 50Hz , QJ series LG compressor

**Mbsm.pro, Compressor, SM185,
DANFOSS REFRIGERATION, Scroll
compressor, SM185S4RC,
Danfoss Scroll, 188000 btu/h,
R22, 15 hp, 3 ph / 400 v**

written by Lilianne | 22 May 2022

Danfoss
MADE IN CHINA

Model no: **SM185S4RC**



Serial no: **GC2503075828**



M 380-400 V 3 ~ 50 Hz
460 V 3 ~ 60 Hz UL electrical ratings
LR 175 A **MAX OPER. 35 A**
Thermally protected system
P.E.D. LP side HP side
Marking
PS 25 bar 27.8 bar
TS max 63 °C 150 °C
TS min -35 °C -35 °C
Volume 31.0 L 2.0 L
Lubricant: MINERAL OIL 160P

CE **UL** **EAC**
0062



2016 Refrigerant: R22 (UL rating) - R417A with 160SZ
PROTECTED BY DOMESTIC AND FOREIGN PATENTS

CAUTION
Use only manufacturer's approved refrigerants, lubricants and electrical components. Unauthorized refrigerant / lubricant / electrical components could cause fires, explosions, electrical shorting.

Installation and servicing shall be performed by trained personnel only. Failure to observe these safety warnings could result in serious injury or death.
ELECTRIC SHOCK HAZARD: Turn off power before servicing. (Discharge all capacitors.)
Keep terminal cover in place and securely fastened whenever power is applied to the compressor. Use this equipment on a grounded system only.
HIGH PRESSURE: System contains refrigerant and oil under pressure. Remove pressure from both the high and low side before servicing. Wear safety goggles.
FIRE HAZARD: Use tubing cutter to remove compressor. Do not use torch as oil may catch fire.



For details refer to multi language instructions and technical documentation available on Danfoss website at <http://res.danfoss.com>

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, SM185, DANFOSS REFRIGERATION, Scroll compressor, SM185S4RC, Danfoss Scroll, 188000 btu/h, R22, 15 hp, 3 ph / 400 v

**Mbsm.pro, Air conditioner,
Sharp, AE-a12fme, 12000 btu,
r22, 860 g, 1.5 hp, 1 ton,
cooling, heating, T1, PH 1**

written by Lilianne | 22 May 2022

SHARP

SPLIT TYPE ROOM AIR-CONDITIONER

MODEL AE-A12FME (OUTDOOR UNIT) **IPX 4**

ISO 5151 TYPE T1
ES 4814-2005

220-240V ~50Hz 1 ϕ

COOLING CAPACITY 3.50kW
(12000BTU/h)

HEATING CAPACITY 4.00kW
(13700BTU/h)

R22 860g

WEIGHT 37kg

MAXIMUM INPUT 1.6kW/7.5A

RATED INPUT POWER

COOLING 1.13-1.20kW

HEATING 1.10-1.18kW

RATED INPUT CURRENT

COOLING 5.2-5.5A

HEATING 5.2-5.5A

L.R.C 34A

 15A

MAXIMUM OPERATING PRESSURE
Hi: 2.3MPa LO:1.5MPa

إنتاج شركة العربي لصناعة التكييف والتبريد
Produced By EL ARADY CO. FOR AIR-CONDITIONING & COOLING INDUSTRY

MADE IN A.R.E

صنع في ج.م.ع



CAUTION



• Make sure that the compressor is
the refrigerant pipes. Otherwise, it

من العمل قبل فك مواسير التبريد والتكييف

• Do not take air or gas into the refrig

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Air conditioner, Sharp, AE-a12fme, 12000 btu, r22, 860 g, 1.5 hp, 1 ton, cooling, heating, T1, PH 1

**Mbsm.pro, compressor,
nht52vbet, 4 hp, SIAM, 2970w,
12000 btu, 1 ton, r22,
capillarie 0.064, 220V – 240V
50Hz, SIAM COMPRESSOR,
MITSUBISHI**

written by Lilianne | 22 May 2022



SIAM COMPRESSOR
INDUSTRY CO., LTD.

REFRIGERANT COMPRESSOR
MODEL **NHT52VBET**

MANUFACTURING DATE **06032021**

POWER SOURCE
220-240V ~ 50Hz

POWER INPUT **2970 W** AT **50** Hz

LRA **86/94** A

REFRIGERANT **R-22**

OIL **1.30 L** MPa

AP **2.74** MPa

SP **10.5**

THERMALLY PROTECTED



NHT52VBET 06032021 2970W 86/94 R-22 1.30L 2.74 10.5

WARNING

Read the instruction manual carefully before using the compressor. Do not use the compressor if you are not qualified to do so. Do not touch the compressor with bare hands. Do not use the compressor for purposes other than those specified in the instruction manual. Do not use the compressor in a confined space. Do not use the compressor in a flammable or explosive atmosphere. Do not use the compressor in a high temperature environment. Do not use the compressor in a high humidity environment. Do not use the compressor in a high altitude environment. Do not use the compressor in a high vibration environment. Do not use the compressor in a high noise environment. Do not use the compressor in a high pressure environment. Do not use the compressor in a high speed environment. Do not use the compressor in a high acceleration environment. Do not use the compressor in a high deceleration environment. Do not use the compressor in a high shock environment. Do not use the compressor in a high impact environment. Do not use the compressor in a high torque environment. Do not use the compressor in a high force environment. Do not use the compressor in a high stress environment. Do not use the compressor in a high strain environment. Do not use the compressor in a high deformation environment. Do not use the compressor in a high failure environment. Do not use the compressor in a high risk environment. Do not use the compressor in a high hazard environment. Do not use the compressor in a high danger environment. Do not use the compressor in a high threat environment. Do not use the compressor in a high attack environment. Do not use the compressor in a high defense environment. Do not use the compressor in a high security environment. Do not use the compressor in a high protection environment. Do not use the compressor in a high safety environment. Do not use the compressor in a high health environment. Do not use the compressor in a high environment.

MADE IN THAILAND

MADE IN THAILAND

Mbsm.pro, compressor, nht52vbet, 4 hp, SIAM, 2970w, 12000 btu,
1 ton, r22, capillarie 0.064, 220V – 240V 50Hz, SIAM
COMPRESSOR, MITSUBISHI

**Mbsm.pro, compressor,
gvs198kac, 20500 btu, 6008 w,
r410, 1 piston, 1 phase, 230v
/ 60 hz, 1.7 ton, 8 hp**

written by Lilianne | 22 May 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, gvs198kac, 20500 btu, 6008 w, r410, 1 piston, 1 phase, 230v / 60 hz, 8 hp

Mbsm.pro, compressor, Hermetic, Tecumseh, 2 HP, Tecumseh Refrigeration Compressor, Fh4524f, r22, MHBP, ++big

written by Lilianne | 22 May 2022



Mbsm.pro, compressor, Hermetic, Tecumseh, 2 HP, Tecumseh
Refrigeration Compressor, Fh4524f, r22, MHBP, ++big

Mbsm.pro, compressor, 3/8 hp, cae2412a, r12, lbp, Freezing, 310 w

written by Lilianne | 22 May 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, 3/8 hp, cae2412a, r12, lbp, Freezing, 310 w