

**Mbsm.pro, Air Conditioner,
GAC-C12A4, General Gold,
12000 btu/h, Cooling,
Heating, 1.5 hp, 1 ton, R22,
580 g, T1**

written by Lilianne | 24 April 2022



Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Air Conditioner, GAC-C12A4, General Gold, 12000 btu/h, Cooling, Heating, 1.5 hp, 1 ton, R22, 580 g, T1

**Mbsm.pro, Iris refrigerator,
BCD-480E, 420 L, 0.81 A, 170
W, Compressor, 1/4 Hp,
220v-50hz, R600a, 47 G**

written by Lilianne | 24 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Iris refrigerator, BCD-480E, 420 L, 0.81 A, 170 W, Compressor, 1/4 Hp, 220v-50hz, R600a, 47 G

**Mbsm.pro, air conditioner,
cu-yc12MKF, 12000 btu/h, 1
ton, Cooling only, 8 A, R22,
870 G, 220 v 50 htz, T1, 1/2
copper suction, 1/4 copper
discharge**

written by Lilianne | 24 April 2022

Panasonic

AIR CONDITIONER

OUTDOOR UNIT

Model No. CU-YC12MKF

PHASE 1

VOLTAGE 220-240V-

FREQUENCY 50 Hz

MAXIMUM INPUT 1.75kW/8.1A

COOLING CAPACITY 3.52-3.54kW
12670-12740kJ/h

CURRENT 5.9-5.7A

POWER INPUT 1.25-1.29kW

EER 2.82-2.74

(ISO 5151)

REFRIGERANT R22 870g

MWP

H.P 2.9 MPa

L.P 2.0 MPa

IPX4

SERIAL NO.

7891522067

PRODUCTION DATE 0313

Panasonic Appliances
Air-Conditioning Malaysia
Sdn. Bhd.
Shah Alam Malaysia
Made in Malaysia

PC000002

SHOT ON MI 9 LITE
AI TRIPLE CAMERA

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, air conditioner, cu-yc12MKF, 12000 btu/h, 1 ton, Cooling only, 8 A, R22, 870 G, 220 v 50 htz, T1, 1/2 copper suction, 1/4 copper discharge

**Mbsm.pro, All Compressor in
one file,
r134a/R404a/R507/r600a/r22/r4
10a compressors Cubigel, lbp,
hbp, hmbp, LeeK , Daikin,
Copeland ZP, Danfoss MLZ
series, InvoTech for air-
conditioning, Semi-hermetic
compressors, Rotary
compressors for air-
conditioning**

written by Lilianne | 24 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, All Compressor in one file, r134a/R404a/R507 compressors Cubigel, lbp, hbp, hmbp, LeeK , Daikin, Copeland ZP, Danfoss MLZ series, InvoTech for air-conditioning, Semi-hermetic compressors, Rotary compressors for air-conditioning

Mbsm.pro, Compressors for domestic refrigeration

written by Lilianne | 24 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressors for domestic refrigeration

Mbsm.pro, Compressor,
Zhejiang Asbeila
Refrigeration Technology, B

Series

written by Lilianne | 24 April 2022



Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_zhejiang-asbeila-refrigeration-technology-co.-ltdTélécharger

Mbsm.pro, Moteur , LG Drive 21 Kg, WST2112XMN, washer, inverter

written by Lilianne | 24 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Moteur , LG Drive 21 Kg, WST2112XMN, washer,
inverter

Mbsm.pro, JS-C186VA , air
conditioner, 18000 Btu/h,
York , Cooling Only, r22,

1100 G gaz, T3 , 9A

written by Lilianne | 24 April 2022



**WALL SPLIT UNIT
OUTDOOR UNIT**

Model

JS-C186VA

Rated voltage	220-240V-
Rated Freq.	50Hz
Cooling Cap.	18000 Btu/h
Heating cap.	-
Current	9(A)
Sound Pres. Level	56dB(A)
Refrigerant	R22/1.1Kg
Weight	45 Kg
Climate	T3
Moisture Protection	IP24

**Johnson
Controls**



Made for JCI-USA



63229953602

Made in China

Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, JS-C186VA , air conditioner, 18000 Btu/h, York ,
Cooling Only, r22, 1100 G gaz, T3 , 9A

**MBSM.pro, Compressor, 13HP,
Danfoss, Performer, Scroll
Compressor, Sm160, Sm161t4vc,
Refrigeration Chiller, 3 ph,
380 v, 38BB 055 – 240,
38bb-250 9e/k, 38BB 250, 250
= 250000 kBtu/hr, 30 Ton,
r22, 19 Kg, suction 1-1/8"–2,
refoulement 5/8"–2**

written by Lilianne | 24 April 2022



Model no: SM161T4VC



Serial no: GD2503110072



Danfoss
MADE IN CHINA

M	380-400 V 3 ~ 50 Hz	UL electrical
	460 V 3 ~ 60 Hz	LR 145 A MAX OPER. 31 A
	Thermally protected system	
P.E.D.	LP side	HP side
Marking	25 bar	27.8 bar
PS	63 °C	150 °C
TS max	-35 °C	-35 °C
TS min	17.8 L	2.0 L
Volume	Lubricant: MINERAL OIL 1600	

CE US EAC
0062



Refrigerant: R22 (UL rating) - R417A with 160S2
PROTECTED BY DOMESTIC AND FOREIGN PATENTS

WARNING

Installation and servicing shall be performed by trained personnel only. Failure to observe these safety warnings could result in serious injury or death.
ELECTRIC SHOCK HAZARD: Turn off power before servicing. Disconnect all connections.
Keep terminals under all caps and securely fastened whenever power is applied to the compressor. Use the equipment only as provided system only.
HIGH PRESSURE: System contains refrigerant and oil under pressure. Release pressure from both the high and low side before servicing when using any tool.
FIRE HAZARD: Use rating codes for correct temperature. Do not use liquid or solid state.

MAX

Use only manufacturer's recommended lubricants. Do not use mineral oil. Do not use synthetic oil. Do not use vegetable oil. Do not use animal oil. Do not use any other oil.

Private Picture Copyright: WWW.MBSM.PRO

MBSM.pro, Compressor, 13HP, Danfoss, Performer, Scroll Compressor, Sm160, Sm161t4vc, Refrigeration Chiller, 3 ph, 380 v, 38BB 055 - 240, 38bb-250 9e/k, 38BB 250, 250 = 250000 kBtu/hr, 30 Ton, r22, 19 Kg, suction 1-1/8"-2, refoulement

**Mbsm.pro, Compressor, atk72x,
HuaGuang, cmA069LHEM, LG,
1bp, 1/4 hp, 205 W, 699
Btu/h, 220-240V 50HZ,
Refrigerator, Fresh, FNT-
BR470K, 1 A, 376 L, R134a, 95
G, freezer**

written by Lilianne | 24 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, atk72x, HuaGuang, cmA069LHEM, LG, 1bp, 1/4 hp, 205 W, 699 Btu/h, 220-240V 50HZ, Refrigerator, Fresh, FNT-BR470K, 1 A, 376 L, R134a, 95 G, freezer