

**Mbsm.pro, KIRIAZI,  
REFRIGERATOR, 16 FEET, NO  
FROST, E450N, Compressor, 1/4  
hp, R134a, 180 g**

written by Lilianne | 8 June 2022



Mbsm.pro, KIRIAZI, REFRIGERATOR, 16 FEET, NO FROST, E450N, Compressor, 1/4 hp, R134a, 180 g

# Mbsm.pro, compressor, EM Series, Embraco, EMY75HLC, 211 w, 1/4 hp, 1bp, 750 btu, r134a

written by Lilianne | 8 June 2022

R	Series	Model	Temp Range	Performance				ISO	Certification	Weight	Volume			
				Capacity	Power	Current	Start Current							
R 134a	EMX	EMZ 66 CLP	220~240/50	10.61	190	163.4	1.74	1.50	4	ISO 5	CCC/VDE	171	6.73	
		EMX 32 CLC	220~240/50	5.96	102	87.7	1.78	1.53	2.5	ISO 5	CCC	166	6.54	
		EMX 40 CLC	220~240/50	7.24	128	110.1	1.80	1.55	4	ISO 5	CCC	166	6.54	
	EMB	EMB 32 CLC	220~240/50	5.96	103	88.6	1.88	1.62	2.5	ISO 5	CCC	166	6.54	
		EMB 40 CLC	220~240/50	7.24	128	110.1	1.92	1.65	4	ISO 5	CCC/VDE	171	6.73	
		EMB 46 CLC	220~240/50	7.96	142	122.1	1.90	1.63	4	ISO 5	CCC/VDE	171	6.73	
		EMB 55 CLC	220~240/50	9.05	163	140.2	1.88	1.62	4	ISO 5	CCC/VDE	171	6.73	
		EMB 66 CLC	220~240/50	10.61	190	163.4	1.87	1.61	4	ISO 5	CCC/VDE	171	6.73	
		EMU	EMT 45 HLP	220~240/50	4.85	145	124.7	1.40	1.20		ISO 7	CCC/VDE	158	6.22
	EMU 45 HLP		220~240/50	4.85	145	124.7	1.50	1.29		ISO 7	CCC/VDE	158	6.22	
	EMU 55 HLP		220~240/50	5.20	161	138.5	1.50	1.29		ISO 7	CCC/VDE	166	6.54	
	EMU 65 HLP		220~240/50	5.96	185	159.1	1.47	1.26		ISO 7	CCC/VDE	166	6.54	
	EMU 45 HLP		200~230/50	4.85	145	124.7	1.45	1.25		ISO 22	CCC/VDE	158	6.22	
	EMU 55 HLP		200~230/50	5.20	161	138.5	1.45	1.25		ISO 22	CCC/VDE	166	6.54	
	EMU 65 HLP		200~230/50	5.96	185	159.1	1.45	1.25		ISO 22	CCC/VDE	166	6.54	
	EMU 55 HLP		115~127/60	4.15	148	127.3	1.46	1.26		ISO 7	UL	158	6.22	
	EMY		EMY 55 HLC	220~240/50	5.20	161	138.5	1.60	1.38	4	ISO 7	CCC/VDE	166	6.54
			EMY 65 HLC	220~240/50	5.96	185	159.1	1.60	1.38	4	ISO 7	CCC/VDE	166	6.54
EMY 75 HLC			220~240/50	7.00	215	184.9	1.60	1.38	4	ISO 7	CCC/VDE	171	6.73	
EMY 50 HLP			115~127/60	4.15	140	120.4	1.60	1.38	12	ISO 7	UL	158	6.22	
EMY 55 HLP		115~127/60	4.50	160	137.6	1.60	1.38	12	ISO 7	UL	158	6.22		
EMY 60 HLP		115~127/60	4.85	180	154.8	1.60	1.38	12	ISO 7	UL	166	6.54		
EMH	EMH 60 HER	115~127/60	5.19	189	162.5	1.47	1.26		ISO 7	CCC	166	6.54		
	EMT 2121 U	220~240/50	5.57	256	220.0	1.42	1.22	48	ISO 22	CCC/VDE	166	6.54		
R 290	EMT	EMT 2125 U	220~240/50	5.96	301	259.0	1.48	1.28	58	ISO 22	CCC/VDE	166	6.54	

测试条件: 蒸发-23.3° C (-10° F) 冷凝54.4° C (130° F) 吸气/环境32.2° C (90° F) 液体32.2° C (90° F)  
 Test Conditions: Evaporating: -23.3°C (-10°F) | Condensing: 54.4°C (130°F) | Gas and Ambient: 32.2°C (90°F) | Liquid: 32.2°C (90°F)

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, compressor, EM Series, Embraco, EMY75HLC, 211 w, 1/4 hp, 1bp, 750 btu, r134a

---

**Mbsm.pro, Freezer, 420 L, regeneration, using Cooling, Aluminium Plated, Roll Bonded, Evaporator Plate, Compressor, L72cZ1 , 1/4 hp, r134a, capillarie 3 M, 0.032**

written by Lilianne | 8 June 2022



Mbsm.pro, Freezer, 420 L, regeneration, using Cooling, Aluminium Plated, Roll Bonded, Evaporator Plate, Compressor, L72cZ1 , 1/4 hp, r134a, capillarie 3 M, 0.032

---

# Mbsm.pro, Compressor, Aspera, B3119Z, 234 w, 1/4 hp, r134a

written by Lilianne | 8 June 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, Aspera, B3119Z, 234 w, 1/4 hp, r134a

---

# Mbsm.pro, Compressor, QBH73C13GAE, 1/4 hp, RSIR,

# **Reciprocating Compressors, Fixed Speed, Q Series, R134a, LBP**

written by Lilianne | 8 June 2022





Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, QBH73C13GAE, 1/4 hp, RSIR, Reciprocating Compressors, Fixed Speed, Q Series, R134a, LBP

# Mbsm.pro, PDF, compressor, C-BZN200L6X, 1/4 hp, LBP, 826 btu

written by Lilianne | 8 June 2022

C-QH40L6*	1/19	LBP	2.77	46	54	157	183	1.30	1.34	4.44	4.57	RSCR	N	**	**	3-5	350	167
C-QH50L6*	1/15	LBP	3.58	59	69	203	237	1.30	1.34	4.44	4.57	RSCR	N	**	**	3-5	350	177
C-QH60L6*	1/12	LBP	3.92	65	76	222	260	1.33	1.35	4.54	4.61	RSCR	N	**	**	3-5	350	177
C-QH75L6*	1/10	LBP	4.36	72	85	247	289	1.33	1.35	4.54	4.61	RSCR	N	**	**	3-5	350	177

C-B Type

Models	Power (HP)	App.	Disp. (cc)	Cooling (w)		Cooling (Btu)		COP (w/w)		EER (Btu/w)		Motor type	Cooling Type	Start Cap		Run Cap		Dim. "H1"
				50 Hz	60 Hz	50 Hz	60 Hz	50 Hz	60 Hz	50 Hz	60 Hz			mF	vac	mF	vac	


**C-BZN Series (Standard Performance) R134a**

100V / 50Hz, 60Hz.																		
C-BZN100L0*	1/8	LBP	4.50	109	131	372	447	1.14	1.19	3.89	4.06	RSIR/CSIR	N	75	125	**	**	175
C-BZN110L0*	1/7	LBP	5.20	142	170	485	580	1.20	1.24	4.10	4.23	RSIR/CSIR	N	75	125	**	**	175
C-BZN120L0*	1/6	LBP	5.70	156	190	532	648	1.23	1.25	4.20	4.27	RSIR/CSIR	N	75	125	**	**	188
C-BZN140L0*	1/6	LBP	6.08	170	194	580	662	1.25	1.27	4.27	4.33	RSIR/CSIR	N	75	125	**	**	188
C-BZN150L0*	1/5	LBP	6.65	192	232	655	792	1.27	1.29	4.33	4.40	RSIR/CSIR	N	75	125	**	**	188
C-BZN175L0*	1/5	LBP	7.24	210	247	717	843	1.30	1.31	4.44	4.47	RSIR/CSIR	FIO	75	125	**	**	195
C-BZN200L0*	1/4	LBP	8.37	242	295	826	1,007	1.32	1.33	4.50	4.54	RSIR/CSIR	FIO	75	125	**	**	195
C-BZN225L0*	1/3	LBP	9.03	261	318	891	1,086	1.33	1.35	4.54	4.61	RSIR/CSIR	FIO	75	125	**	**	198
C-BZN250L0*	1/3	LBP	9.82	284	346	969	1,181	1.33	1.35	4.54	4.61	RSIR/CSIR	FIO	75	125	**	**	198

100V / 50Hz., 115-127V / 60Hz.																		
C-BZN100L2*	1/8	LBP	4.50	109	131	372	447	1.14	1.19	3.89	4.06	RSIR/CSIR	N	100	125	**	**	175

C-B Type



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, PDF, compressor, C-BZN200L6X, 1/4 hp, LBP, 826 btu



C-QH40L6*	1/19	LBP	2.77	46	54	157	183	1.30	1.34	4.44	4.57	RSCR	N	**	**	3-5	350	167
C-QH50L6*	1/15	LBP	3.58	59	69	203	237	1.30	1.34	4.44	4.57	RSCR	N	**	**	3-5	350	177
C-QH60L6*	1/12	LBP	3.92	65	76	222	260	1.33	1.35	4.54	4.61	RSCR	N	**	**	3-5	350	177
C-QH75L6*	1/10	LBP	4.36	72	85	247	289	1.33	1.35	4.54	4.61	RSCR	N	**	**	3-5	350	177

C-B Type

Models	Power (HP)	App.	Disp. (cc)	Cooling (w)		Cooling (Btu)		COP (w/w)		EER (Btu/w)		Motor type	Cooling Type	Start Cap		Run Cap		Dim. "H1"
				50 Hz	60 Hz	50 Hz	60 Hz	50 Hz	60 Hz	50 Hz	60 Hz			mF	vac	mF	vac	

C-BZN Series (Standard Performance)

R134a

100V / 50Hz, 60Hz.

C-BZN100L0*	1/8	LBP	4.50	109	131	372	447	1.14	1.19	3.89	4.06	RSIR/CSIR	N	75	125	**	**	175
C-BZN110L0*	1/7	LBP	5.20	142	170	485	580	1.20	1.24	4.10	4.23	RSIR/CSIR	N	75	125	**	**	175
C-BZN120L0*	1/6	LBP	5.70	156	190	532	648	1.23	1.25	4.20	4.27	RSIR/CSIR	N	75	125	**	**	188
C-BZN140L0*	1/6	LBP	6.08	170	194	580	662	1.25	1.27	4.27	4.33	RSIR/CSIR	N	75	125	**	**	188
C-BZN150L0*	1/5	LBP	6.65	192	232	655	792	1.27	1.29	4.33	4.40	RSIR/CSIR	N	75	125	**	**	188
C-BZN175L0*	1/5	LBP	7.24	210	247	717	843	1.30	1.31	4.44	4.47	RSIR/CSIR	FIO	75	125	**	**	195
C-BZN200L0*	1/4	LBP	8.37	242	295	826	1,007	1.32	1.33	4.50	4.54	RSIR/CSIR	FIO	75	125	**	**	195
C-BZN225L0*	1/3	LBP	9.03	261	318	891	1,086	1.33	1.35	4.54	4.61	RSIR/CSIR	FIO	75	125	**	**	198
C-BZN250L0*	1/3	LBP	9.82	284	346	969	1,181	1.33	1.35	4.54	4.61	RSIR/CSIR	FIO	75	125	**	**	198

100V / 50Hz, 115-127V / 60Hz.

C-BZN100L2*	1/8	LBP	4.50	109	131	372	447	1.14	1.19	3.89	4.06	RSIR/CSIR	N	100	125	**	**	175
-------------	-----	-----	------	-----	-----	-----	-----	------	------	------	------	-----------	---	-----	-----	----	----	-----

C-B Type

28

Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO

Mbsm\_dot\_pro\_private\_PDF\_C-BZN200L6XTélécharger

Mbsm.pro, Compressor,  
LX72LAT, 1/4 hp, LX Capacity,

**7.2 cc, R134a, LBP,  
220-240V, 50Hz 220V, 60Hz,  
CSIR, PTC**

written by Lilianne | 8 June 2022



Mbsm.pro, Compressor, LX72LAT, 1/4 hp, LX Capacity, 7.2 cc,  
R134a, LBP, 220-240V, 50Hz 220V, 60Hz, CSIR, PTC

---

**Mbsm.pro, compressor,  
PW12.0B, 1/4 hp, 182 w, R600a  
LBP Series**

written by Lilianne | 8 June 2022



Mbsm.pro, compressor, PW12.0B, 1/4 hp, 182 w, R600a LBP Series

---

**Mbsm.pro, Congélateur GN-  
bd(w)-370, Gean Electronique,  
Made in Chine, T classe, 370**

**L, Compressor, 1/4 Hp, R134A,  
105 G, 1.3 A, 220 V, Freezer  
horizontal, Filtre 20 G,  
Capilaire 0.036, 2 M,  
Thermostat mecanique**

written by Lilianne | 8 June 2022



Mbsm.pro, Congélateur GN-bd(w)-370, Gean Electronique, Made in  
Chine, T classe, 370 L, Compressor, 1/4 Hp, R134A, 105 G, 1.3  
A, 220 V, Freezer horizontal, Filtre 20 G, Capilaire 0.036, 2  
M, Thermostat mecanique

---

**Mbsm.pro, SWZ12, 000DK02D,  
2eDM02000, Intercold,  
Freezer, swz1/170, 222 w,  
230v, Compressor, 1/4 hp,  
R134a, 210 G, 290 L,  
Intercold horizontal freezers  
for frozen**

written by Lilianne | 8 June 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, SWZ12, 000DK02D, 2EDM02000, Intercold, Freezer, swz1/170, 222 w, 230v, Compressor, 1/4 hp, R134a, 210 G, 290 L, Intercold horizontal freezers for frozen