

**Mbsm.pro, LG, Compressor,
cma075laem, 1/4 Hp, rscr,
220-240 v, 50 hz, 185 kcal/h,
734 btu/h, 215 w, r134a,
Fixed Speed**

written by Lilianne | 13 February 2022

| | | |
|----------------------|----------------------|----------|
| برچسب انرژی | | |
| کمپرسور هرمتیک خانگی | | انرژی |
| CMA075LAEM | | |
| A B C D E F G | | A |
| (W/W) | COP ضریب عملکرد | 1.67 |
| وات | ظرفیت برودتی کمپرسور | 215.1 |
| وات | توان ورودی کمپرسور | 129 |

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, LG, Compressor, cma075laem, 1/4 Hp, rscr, 220-240 v, 50 hz, 185 kcal/h, 734 btu/h, 215 w, r134a, Fixed Speed

Mbsm.pro, Compressor, cGMCC, refrigerator, SZ90E1H-SCL, 1/4 Hp, R600 A , 220 v 60 Hz, 1bp

written by Lilianne | 13 February 2022



Mbsm.pro, Compressor, cGMCC, refrigerator, SZ90E1H-SCL, 1/4 Hp, R600 A , 220 v 60 Hz

Mbsm.pro, Compressor, Mk172Q-L2U, 1/4 Hp, 205 W, 699 BTu/H, Samsung Compressor, Mk Serie, R134A, 7.21 cc, 220-240 v, LBP, Static Compressor, RSIR

written by Lilianne | 13 February 2022



Mbsm.pro, Compressor, Mk172Q-L2U, 1/4 Hp, 205 W, 699 BTu/H, Samsung Compressor, Mk Serie, R134A, 7.21 cc, 220-240 v, LBP, Static Compressor, RSIR

Mbsm.pro, Compressor, inverter, LG Refrigerator, BMG110NHMV, BMG/BMA LG, Lbp,

1/4 Hp , R600A

written by Lilianne | 13 February 2022



Mbsm.pro, Compressor, inverter, LG Refrigerator, BMG110NHMV, BMG/BMA LG, Lbp, 1/4 Hp , R600A

**Mbsm.pro, Hitachi,
compressor, for refrigerator
water, FL1875-SY, FL1875, 1/4
Hp, Lbp, 717btu**

written by Lilianne | 13 February 2022

Mbsm.pro, Hitachi, compressor, for refrigerator water, FL1875-SY, FL1875, 1/4 Hp, Lbp, 717btu

**Mbsm.pro, DL25YE-4, 1/4 hp ,
1Ph, DAEW00, COMPRESSOR R12,
CSR, compressor, LBp, 220V
60hz**

written by Lilianne | 13 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, DL25YE-4, 1/4 hp , 1Ph, DAEWOO,COMPRESSOR, R12, CSR, compressor, LBp, 220V 60hz

COMPRESSOR, EMBRACO, 1/4 HP++ (big), 220V, R134A, EGAS 80HLR, FREEZER MOTOR

written by Lilianne | 13 February 2022

#mbsmpro

TECHNICAL SPECIFICATIONS

- Voltage: 220V 50 / 60Hz
- Refrigerant: R-134A
- Evaporation temperature range: -35 ° C to -10 ° C

- Power: 1/4 +

Mbsm_dot_pro_private_PDF_pdf_embraco-compressor-egas-80-hlrTélécharger



**Embraco, VEGY 8H, VEGZ 8H,
Inverter Compressor, R134A,
Refrigerator General
Electric,110, 1/4++ HP, 1/3
hp, Variable Speed Compressor**

written by Lilianne | 13 February 2022

Embraco, VEGY 8H, Inverter Compressor, R134A, Refrigerator
General Electric,110, 1/4 HP,Variable Speed Compressor



**Compressor, 103U2954,
Danfoss, fr10B, 103u, 2954,**

**1/3 HP, lbp, r12, FR10B
COMPRESSOR 220V,
103U2954FR10B, FR11B
Compressor R-12 3/8 HP 230V,
fr21b Compressor R134a 3/4
HP++/ 1 hp-, 230V, hbp++**

written by Lilianne | 13 February 2022



Compressor, 103U2954, Danfoss, fr10B, 103u, 2954, 1/4 HP, lbp,
r12, FR10B COMPRESSOR 220V, 103U2954FR10B

**no frost, egl99aa zmc
refrigerator, DF40, silver,
ideal, zanussi, IDEAL
ZANUSSI, EGL99AA ZMC, DF 40
Elgance, Compressor, ACC
Cubigel, Huayi, Electrolux,
ZEM GL99AA, GL99AA, LBP ,**

R134a, 220-240V/1/50Hz, 1/4 HP, discharge 9.93 cm³, motor type RSIR, LRA 14.4A

written by Lilianne | 13 February 2022



Mbsm_dot_pro_private_PDF_GL99AA-compresseur-acc-cubigel-gl99aaTélécharger

Mbsm_dot_pro_private_PDF_GL99AATélécharger

Compressor ACC Cubigel Huayi Electrolux ZEM GL99AA, LBP – R134a, 220-240V/1/50Hz, 1/4 HP, discharge 9.93 cm³, motor type RSIR, LRA 14.4A, expansion device: capillary, cooling: static, weight 11 kg, the statutory warranty period shall apply (24 months), Delivery time Info: with “immediately available” and “scarce stock”, usually delivery within 2 days. For “currently not available” delivery time usually 2 weeks or delivery time in urgent cases contact us.

| | |
|------------------------|----------------|
| Refrigerant: | R134a |
| Power range(W): | 101 – 200 W |
| Performance range (C): | -35 C to -10 C |
| Connecting size: | 4,9 mm |
| Suction: | 6,5 mm |
| Working area: | LBP |
| Design type: | Hermetic |
| Model series: | GL |
| Use with: | Capillary |
| Power range(HP): | 0-2 |

| | |
|---|-------------------------------------|
| Power supply: | 230 V |
| Oil type: | ISO VG 22 Ester |
| Engine type: | RSIR |
| Article condition: | New |
| Info: | Oil filled |
| Shipping weight: | 13,00 Kg |
| Dimensions (length × width × height): | 23,10 × 16,20 × 18,60 cm |
| Cooling capacity condition: | T0 -25 C, Tk +55 C |
| Manufacturer: | ACC Cubigel Huayi Electrolux ZEM |
| Model: | GL99AA |
| Stroke volume (cm ³): | 9,93 |
| Cooling capacity (W): | 174 |
| Power (HP): | 0,25 |
| Max. Starting current (A): | 14,4 |
| Max. Operating current (A): | 1,31 |
| Engine type: | RSIR |
| COP: | 0,92 |
| Note: | Static cooling |
| Conveying and suction volume (m ³): | 1,72 |
| Oil quantity (l): | 0,295 |
| Compressor type: | Piston |
| Cooling: | Static |
| RPM: | 2900 |
| Power range: | -35 C to -10 C |
| Alternative: | HLY90AA, NL11F |
| Pressure line (mm): | 4,9 |
| Suction line (mm): | 6,5 |



