

Mbsm.pro, Freeser, Ariston, ECH240s1, 240 L, Compressor, TECUMSEH BRASIL, THb1355y, 1/5 hp, LBP, R134A, 100g, replaced by, egm70af, gl70aa, capillarie 0.026, 1.2 m, Alert -10

written by Lilianne | 7 May 2022



REDMI NOTE 9
WWW.MBSM.PRO IMAGE

2022/5/6 01:50

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Freeser, Ariston, ECH240s1, 240 L, Compressor, TECUMSEH BRASIL, THb1355y, 1/5 hp, LBP, R134A, 100g, replaced by, egm70af, gl70aa, capillarie 0.026, 1.2 m, Alert -10

**Mbsm.pro, Air Conditioner,
GAC-C12A4, General Gold,
12000 btu/h, Cooling,
Heating, 1.5 hp, 1 ton, R22,
580 g, T1**

written by Lilianne | 7 May 2022



Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Air Conditioner, GAC-C12A4, General Gold, 12000 btu/h, Cooling, Heating, 1.5 hp, 1 ton, R22, 580 g, T1

Mbsm.pro, Compressor, High Temperature, 1 1/2 hp, 1.5 hp, 19000 btu/h, r22, AJA5519EXD, TECUMSEH

written by Lilianne | 7 May 2022

R22 Compressor Reciprocating										
High/Commercial Temperature Rated @ 45°F										
AE4430E-DS1A	AE1320E-212-J7	115-127/60/1	1/3	CSIR	High	3200	5/16 ODF	1/4 ODF	22	
AE4440E-DS1A	AE1483E-209-J7	115-127/60/1	1/3	CSIR	High	4,000	5/16 ODF	1/4 ODF	24	
AE4450E-DS1B	AE1363E-209-J7	115-127/60/1	1/2	CSIR	High	5100	5/16 ODF	1/4 ODF	24	
AE4456E-DS1B	AE1364E-214-J7	115-127/60/1	1/2	CSIR	High	5800	3/8 ODF	1/4 ODF	25	
R22 Compressor Reciprocating (model begins with "A") and Rotary (model begins with "R")										
High Temperature and A/C Rated @ 45°F										
RGAS460EXA	RG121AR-001-J7LN	115/60/1	1/2	PSC	Normal	6,000	3/8 ODF	5/16 ODF	25	
AKA5470EXA*	AK120AT-004-J7	115/60/1	1/2	PSC	Normal	7,000	3/8 ODF	1/4 ODF	37	
RGAS480EXA	RG151AR-003-J7LN	115/60/1	3/4	PSC	Normal	8,000	3/8 ODF	5/16 ODF	26	
AKA5483EXA*	AK130AT-004-J7	115/60/1	3/4	PSC	Normal	8,300	3/8 ODF	1/4 ODF	36	
AKA5483EXD*	AK130ET-004-J7	208-230/60/1	3/4	PSC	Normal	8,300	3/8 ODF	1/4 ODF	37	
RKA5490EXD	RK124ET-020-J7	208-230/60/1	3/4	PSC	Normal	9,100	1/2 ODF	5/16 ODF	28	
RKA5490EXV	RK124JB-020-J7	265/60/1	3/4	PSC	Normal	9,100	1/2 ODF	5/16 ODF	28	
RKA5490EXA	RK124AT-020-J7	115/60/1	3/4	PSC	Normal	9,200	1/2 ODF	5/16 ODF	28	
RGAS510EXA	RG181AR-006-J7LN	115/60/1	1	PSC	Normal	10,000	1/2 ODF	5/16 ODF	27	
AKA5510EXA*	AK100AT-004-J7	115/60/1	1	PSC	Normal	10,000	3/8 ODF	1/4 ODF	38	
AKA5510EXD*	AK100ET-004-J7	208-230/60/1	1	PSC	Normal	10,000	3/8 ODF	1/4 ODF	38	
AKA5510EXV*	AK100JB-004-J7	265/60/1	1	PSC	Normal	10,000	3/8 ODF	1/4 ODF	37	
AKA5511EXA*	AK110AT-004-J7	115/60/1	1	PSC	Normal	11,000	3/8 ODF	1/4 ODF	38	
RKA5512EXA	RK147AT-021-J7	115/60/1	1	PSC	Normal	11,700	1/2 ODF	5/16 ODF	33	
RKA5512EXD	RK147ET-021-J7	208-230/60/1	1	PSC	Normal	11,700	1/2 ODF	5/16 ODF	30	
RKA5512EXV	RK147JB-021-J7	265/60/1	1	PSC	Normal	11,750	1/2 ODF	5/16 ODF	30	
AKA5512EXA*	AK111AT-004-J7	115/60/1	1	PSC	Normal	12,000	3/8 ODF	1/4 ODF	38	
AKA5512EXD*	AK111ET-004-J7	208-230/60/1	1	PSC	Normal	12,000	3/8 ODF	1/4 ODF	37	
AKA5512EXV*	AK111JB-004-J7	265/60/1	1	PSC	Normal	12,000	3/8 ODF	1/4 ODF	39	
RKB5513EXA	RK160AT-024-J7	115/60/1	1	PSC	Normal	13,000	3/8 ODF	5/16 ODF	30	
RKA5513EXD	RK157ET-021-J7	208-230/60/1	1	PSC	Normal	13,200	1/2 ODF	5/16 ODF	28	
AJB5515EXD*	AJ600FT-205-J7	208-230/60/1	1 1/4	PSC	Normal	15,000	1/2 ODF	5/16 ODF	49	
AJB5515EXV*	AJ600JB-205-J7	265/60/1	1 1/4	PSC	Normal	15,000	1/2 ODF	5/16 ODF	48	
AWG5515EXN	AW700ET-111-J7	208-230/60/1	1 1/4	PSC	Normal	15,200	1 1/4 RL	7/16 ODF	63	
AWG5515EXN	AW700ET-129-J7	208-230/60/1	1 1/4	PSC	Normal	15,200	5/8 ODF	3/8 ODF	63	
AWG5515EXT	AW700RT-121-J7	200-230/60/3	1 1/4	3 PH	3 PH	15,500	7/8 ODF	3/8 ODF	61	
RKA5515EXD	RK222ET-022-J7	208-230/60/1	1 1/4	PSC	Normal	15,500	5/8 ODF	5/16 ODF	30	
RKA5515EXV	RK222JB-022-J7	265/60/1	1 1/4	PSC	Normal	15,500	5/8 ODF	5/16 ODF	30	
RKC5515EXA	RK225AT-026-J7	115/60/1	1 1/4	PSC	Normal	15,500	1/2 ODF	3/8 ODF	28	
AWF5516EXN	AW500ET-089-J7	208-230/60/1	1 1/2	PSC	Normal	16,300	3/4 ODF	3/8 ODF	64	
AJA5517EXD*	AJ210FT-206-J7	208-230/60/1	1 1/2	PSC	Normal	16,600	1/2 ODF	5/16 ODF	51	
RKA5518EXD	RK233ET-022-J7	208-230/60/1	1 1/2	PSC	Normal	17,700	5/8 ODF	5/16 ODF	33	
AJA5518EXV*	AJ200JB-206-J7	265/60/1	1 1/2	PSC	Normal	18,500	1/2 ODF	5/16 ODF	53	
AJA5519EXD*	AJ220FT-206-J7	208-230/60/1	1 1/2	PSC	Normal	19,300	1/2 ODF	5/16 ODF	50	

*These models are not heat pump approved, A/C only


RL = Roto Lock



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, AJ220FT-206-J7, High Temperature, 1 1/2 hp, 1.5 hp, 19000 btu/h, r22, AJA5519EXD, TECUMSEH

Mbsm.pro, SFW13C/IW, Air conditioner, Fresh, 12500 btu/h, Cooling, heating, 3664 w, r22, t1 ,1.5 hp, 1 Ton

written by Lilianne | 7 May 2022



FRESH		
Model / الموديل	SFW13C/IW	
Cooling Capacity / سعة التبريد	12500Btu/h 3664 W	
Heating Capacity / سعة التدفئة	
Refrigerant / فريون	R22	
Max Operating Pressure for the Discharge / suction Side	2.5Mpa 0.6Mpa	
Weight / وزن الوحدة	10Kg	
Rated Voltage / الجهد المقنن	220-240V~	
Rated Frequency / التردد	50Hz	
Rated Current / التيار المقنن	Cooling	8 A
	Heating
Rated Input / القدرة الكهربائية	Cooling	1400W
	Heating
Max current / تيار بدء التشغيل	22 A	
Isolation	I	
Climate Type / مناخ التبريد	T1	
Sound Pressure Level	38dB(A)	
Moisture Protection	IP24	
SPLIT AIR CONDITIONER INDOOR UNIT		
		
0111100111100116000429		
		
63229966203		

FRESH

Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, SFW13C/IW, Air conditioner, Fresh, 12500 btu/h, Cooling, heating, 3664 w, r22, t1 ,1.5 hp, 1 Ton

Mbsm.pro, Compressor, ns11116,1/5 hp, Lbp, R600A, 186 W, 220-240~/50hz, R600, 10.50cc, JIAXIPERA Compressor

written by Lilianne | 7 May 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, ns11116,1/5 hp, Lbp, R600A, 186 W, 220-240~/50hz, R600, 10.50cc, JIAXIPERA Compressor

**Mbsm.pro, RL34SCSW, RL-34
SCSW, refrigerator freezer no
frost, 286 L, 10 feet,
Compressor , 1/5 hp, r600a,
0.6 a, 0.055 kg (55g)**

written by Lilianne | 7 May 2022



Mbsm.pro, RL34SCSW, RL-34 SCSW, refrigerator freezer no frost,
286 L, 10 feet, Compressor , 1/5 hp, r600a, 0.6 a, 0.055 kg
(55g)

**Mbsm.pro, Compressor,
THA125YP, 1/5 Hp, 145 W, Tee
compressor, 125 Kcal/c,
R134A, Lra 12.6 A, 208-220
vac 50 hz**

written by Lilianne | 7 May 2022



Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, THA125YP, 1/5 Hp, 145 W, Tee compressor, 125 Kcal/c, R134A, Lra 12.6 A, 208-220 vac 50 hz

**Mbsm.pro, Compressor, NL60FB,
1/5 Hp, Lbp, R290, 220v, 1
phase 50 hz**

written by Lilianne | 7 May 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, NL60FB, 1/5 Hp, Lbp, R290, 220v, 1 phase
50 hz

**Mbsm.pro, Compressor,
Gtm75aa, HERMETIC, Freezer,
COMPRESSOR, ZEL, 1/5 hp,
R134a, 220-240V/50HZ, Ariston
no frost**

written by Lilianne | 7 May 2022



Private Picture Copyright: WWW.MBSM.PRO

<https://www.mbsmgrouppro.com/2433.htm>



Private Picture Copyright: WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_GTM

75

AA

	a 134	LBP			68	232	58		2,8			GML 70 A
C R MF 2	a 134	LBP			92	314	79		3,4			GML 90 A
C R MF 2.5	a 134	LBP			113	386	97		4,1			GML 110 A
	a 134	LBP			120	409	103		4,1			GML 125 A
	a 134	LBP			140	478	120		4,9		1/6	GML 140 A
C R MF 5	a 134	LBP			140	478	120		4,9		1/6	GML 140 A/I
					160	546	138		5,7		1/6	GML 160 A
C R MF 5	a 134	LBP			180	614	155		6,5		1/5	GML 180 A
C R MF 5	a 134	LBP			200	682	172		7		1/5	GML 200 A
C R MF 6	a 134	LBP			210	716	181		7		1/5	GML 200 A/I
					65				2,6		1/9	GTM 26 AA
					200				7,5		1/5	GTM 75 AA
					280				10		1/3	GTM 93 AA
					300				10,6		1/3	GTM 10 AA
					320				12		1/3	GTM 12 AA
C R MF 4	a 134	LBP			167	570	144		5,7			GDL160 A
C R MF 5	a 134	LBP			165	563	142		6,5			GDL200 A
C R MF 4	a 134	LBP			106	362	91		4,1			GXL100 A
C R MF 5	a 134	LBP			123	420	106		4,3			GXL125 A
C R MF 5	a 134	LBP			138	471	119		4,6			GXL140 A
C R MF 4	a 134	LBP			160	546	138		5,7			GXL160 A
C R MF 5	a 134	LBP			195	665	168		7			GXL 200 A
C R MF 5	a 134	LBP			240	819	206		8,6			GXL 240 A



Private Picture Copyright: WWW.MBSM.PRO

model	motor	Exhaust volume	Motor power	Motor type	frequency	Cooling capacity	input power	Input power (RC)	Coefficient of performance	Performance coefficient (RC)	run capacitor	high	net weight
GTM12AA	With	12	1/3	CSIR	50	320	241	0	1.33	0	50	184	10
GTM10AA	With	10.6	1/3	CSIR	50	300	226	0	1.33	0	50	184	10
GTM93AA	With	10	1/3	hatch	50	280	207	0	1.35	0	0	184	9.5
GTM75AA	To the	7.5	1/5	CSIR	50	200	160	0	1.25	0	50	184	9
GTM26AA	Cu / AL	2.6	1/12	hatch	50	65	59	0	1.1	0	0	163	7.5
GL10TB	With	9.3	1/2	CSIR	50	880	429	0	2.05	0	50	184	10.2
GL90TB	To the	9.3	1/2	CSIR	50	860	420	0	2.05	0	50	184	10
GL80TB	With	7.5	1/2	CSIR	50	740	326	0	2.27	0	50	184	10
HKD12FSL		12		PPM	0	96	49~122	0	Upto1.97	0	0	184	8.5
HKD10FSK		10		PPM	0	83	44~122	0	Upto1.97	0	0	184	8
HKD86FSL		8.6		PPM	0	67	34~88	0	Upto1.97	0	0	184	8.6
GKD93AA	With	9.3	1/4	RSCR	50	270		163		1.66	6	184	10.4
GTT75AA	With	7.5	1/5	RSCR	50	210		134		1.57	4	184	10.1
GTT66AA	Cu / AL	6.6	1/6	RSCR	50	200		125		1.6	4	184	9.5
GTH93AA	Cu / AL	9.3	1/4	RSIR/RSCR	50	260	187	174	1.39	1.49	5	184	9.7
GTH86AA	Cu / AL	8.6	1/4	RSIR/RSCR	50	240	175	163	1.37	1.47	5	174	9
GVY75AA	Cu / AL	7.5	1/5	RSIR/RSCR	50	200	153	140	1.31	1.43	4	174	8.9

GVY66AA	Cu / Al	6.6	1/5	RSIR/RSCR	50	180	134	124	1.34	1.45	4	174	8.6
---------	------------	-----	-----	-----------	----	-----	-----	-----	------	------	---	-----	-----

Mbsm_dot_pro_private_picture_GTM 75 AATélécharger

**Mbsm.pro, Compressor,
Kiriazi, refrigerator,
Defrost, k350, 1/5 ++ Hp, 1/4
– Hp, embraco, ff17.5hak,
tw146-gy-486, twb1374ygs,
tles7ft.4, r134a**

written by Lilianne | 7 May 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, Kiriazi, refrigerator, Defrost, k350,
1/5 ++ Hp, 1/4 - Hp, embraco, ff17.5hak, tw146-gy-486,
twb1374ygs, tles7ft.4, r134a