

Mbsm.pro, Compressor, FF8.5AT, 103U2860, 1/5 hp, lbp, r12, 150 w

written by Lilianne | 6 September 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, FF8.5AT, 103U2860, 1/5 hp, lbp, r12, 150
w

Mbsm.pro, compressor, Secop, GTK55AT, 170W, R134, LBP, 1/5 HP, RSIR, 579 BTU

written by Lilianne | 6 September 2022




Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, Secop, GTK55AT, 170W, R134, LBP, 1/5 HP, RSIR, 579 BTU

**Mbsm.pro, refrigerator, No
frost, brf-44wa, 44wa-140,12
feet, 340wL, 140 w,
Compressor, 1/5 hp, r134a,
140 G, defrost power 155 w**

written by Lilianne | 6 September 2022



BEAC

MODEL BRF-44WA

| | |
|--|-------------|
| CLIMATIC CATEGORY | T |
| PROTECTIVE CLASSIFICATION OF ELECTRIC SHOCK RESISTANCE | I |
| GROSS CAPACITY | 440L |
| NET CAPACITY | 340L |
| RATED VOLTAGE | 220-240V |
| RATED FREQUENCY | 60Hz |
| TOTAL INPUT POWER | 140W |
| DEFROST POWER | 155W |
| RATED POWER OF LAMP | 10W |
| ENERGY CONSUMPTION | 1.35kW/24h |
| REFRIGERANT | R134a(140g) |
| FREEZING CAPACITY | 4.5kg/24h |
| MADE IN CHINA | |
| SERIAL No. | 44WA 140 |
| | Z/187 |

Keep the key out of reach of children and not in the vicinity of the refrigerator
 نگه دارید کلید را دور از دسترس کودکان و در نزدیکی یخچال نگذارید

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, refrigerator, No frost, brf-44wa, 44wa-140,12 feet, 340wL, 140 w, Compressor, 1/5 hp, r134a, 140 G, defrost power 155 w

**Mbsm.pro, PDF, Personnel DOC,
Files, DAEWOO COMPRESSOR ,FOR
REFRIGERATOR , 220/240 V ,
R12, jx46lcs5, 1/6 Hp, 127 w,
109 kcal/h, 433 byu/h, lbp,
Jx58lhs5-k, 1/5 Hp, R134A**

written by Lilianne | 6 September 2022

JX46LCS5

AC 220-240V 50Hz (J19)
LRA 4.3 R12 RoHS

THERMALLY PROTECTED
DAEWOO ELECTRONICS Corp.

MADE IN KOREA DAEWOO DC

K90100999

Mbsm.pro, PDF, Personnel DOC, Files, DAEW00 COMPRESSOR ,FOR REFRIGERATOR , 220/240 V , R12, jx46lcs5, 1/6 Hp, 127 w, 109 kcal/h, 433 byu/h, lbp, Jx58lhs5-k, 1/5 Hp, R134A

**Mbsm.pro, compressor,
erue70hlp, Embraco, 1/5 hp,
lbp, r134a**

written by Lilianne | 6 September 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, erue70hlp, Embraco, 1/5 hp, 1bp, r134a

Mbsm.pro, Freeser, Ariston, ECH240s1, 240 L, Compressor, TECUMSEH BRASIL, THb1355y, 1/5 hp, LBP, R134A, 100g, replaced by, egm70af, gl70aa, capillarie 0.026, 1.2 m, Alert -10

written by Lilianne | 6 September 2022



REDMI NOTE 9
WWW.MBSM.PRO IMAGE

2022/5/6 01:50

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Freeser, Ariston, ECH240s1, 240 L, Compressor, TECUMSEH BRASIL, THb1355y, 1/5 hp, LBP, R134A, 100g, replaced by, egm70af, gl70aa, capillarie 0.026, 1.2 m, Alert -10

**Mbsm.pro, Air Conditioner,
GAC-C12A4, General Gold,
12000 btu/h, Cooling,
Heating, 1.5 hp, 1 ton, R22,
580 g, T1**

written by Lilianne | 6 September 2022



Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Air Conditioner, GAC-C12A4, General Gold, 12000 btu/h, Cooling, Heating, 1.5 hp, 1 ton, R22, 580 g, T1

Mbsm.pro, Compressor, High Temperature, 1 1/2 hp, 1.5 hp, 19000 btu/h, r22, AJA5519EXD, TECUMSEH

written by Lilianne | 6 September 2022

| R22 Compressor Reciprocating | | | | | | | | | | |
|---|------------------|--------------|-------|------|--------|--------|----------|----------|----|--|
| High/Commercial Temperature Rated @ 45°F | | | | | | | | | | |
| AE4430E-DS1A | AE1320E-212-J7 | 115-127/60/1 | 1/3 | CSIR | High | 3200 | 5/16 ODF | 1/4 ODF | 22 | |
| AE4440E-DS1A | AE1483E-209-J7 | 115-127/60/1 | 1/3 | CSIR | High | 4,000 | 5/16 ODF | 1/4 ODF | 24 | |
| AE4450E-DS1B | AE1363E-209-J7 | 115-127/60/1 | 1/2 | CSIR | High | 5100 | 5/16 ODF | 1/4 ODF | 24 | |
| AE4456E-DS1B | AE1364E-214-J7 | 115-127/60/1 | 1/2 | CSIR | High | 5800 | 3/8 ODF | 1/4 ODF | 25 | |
| R22 Compressor Reciprocating (model begins with "A") and Rotary (model begins with "R") | | | | | | | | | | |
| High Temperature and A/C Rated @ 45°F | | | | | | | | | | |
| RGAS460EXA | RG121AR-001-J7LN | 115/60/1 | 1/2 | PSC | Normal | 6,000 | 3/8 ODF | 5/16 ODF | 25 | |
| AKA5470EXA* | AK120AT-004-J7 | 115/60/1 | 1/2 | PSC | Normal | 7,000 | 3/8 ODF | 1/4 ODF | 37 | |
| RGAS480EXA | RG151AR-003-J7LN | 115/60/1 | 3/4 | PSC | Normal | 8,000 | 3/8 ODF | 5/16 ODF | 26 | |
| AKA5483EXA* | AK130AT-004-J7 | 115/60/1 | 3/4 | PSC | Normal | 8,300 | 3/8 ODF | 1/4 ODF | 36 | |
| AKA5483EXD* | AK130ET-004-J7 | 208-230/60/1 | 3/4 | PSC | Normal | 8,300 | 3/8 ODF | 1/4 ODF | 37 | |
| RKA5490EXD | RK124ET-020-J7 | 208-230/60/1 | 3/4 | PSC | Normal | 9,100 | 1/2 ODF | 5/16 ODF | 28 | |
| RKA5490EXV | RK124JB-020-J7 | 265/60/1 | 3/4 | PSC | Normal | 9,100 | 1/2 ODF | 5/16 ODF | 28 | |
| RKA5490EXA | RK124AT-020-J7 | 115/60/1 | 3/4 | PSC | Normal | 9,200 | 1/2 ODF | 5/16 ODF | 28 | |
| RGAS510EXA | RG181AR-006-J7LN | 115/60/1 | 1 | PSC | Normal | 10,000 | 1/2 ODF | 5/16 ODF | 27 | |
| AKA5510EXA* | AK100AT-004-J7 | 115/60/1 | 1 | PSC | Normal | 10,000 | 3/8 ODF | 1/4 ODF | 38 | |
| AKA5510EXD* | AK100ET-004-J7 | 208-230/60/1 | 1 | PSC | Normal | 10,000 | 3/8 ODF | 1/4 ODF | 38 | |
| AKA5510EXV* | AK100JB-004-J7 | 265/60/1 | 1 | PSC | Normal | 10,000 | 3/8 ODF | 1/4 ODF | 37 | |
| AKA5511EXA* | AK110AT-004-J7 | 115/60/1 | 1 | PSC | Normal | 11,000 | 3/8 ODF | 1/4 ODF | 38 | |
| RKA5512EXA | RK147AT-021-J7 | 115/60/1 | 1 | PSC | Normal | 11,700 | 1/2 ODF | 5/16 ODF | 33 | |
| RKA5512EXD | RK147ET-021-J7 | 208-230/60/1 | 1 | PSC | Normal | 11,700 | 1/2 ODF | 5/16 ODF | 30 | |
| RKA5512EXV | RK147JB-021-J7 | 265/60/1 | 1 | PSC | Normal | 11,750 | 1/2 ODF | 5/16 ODF | 30 | |
| AKA5512EXA* | AK111AT-004-J7 | 115/60/1 | 1 | PSC | Normal | 12,000 | 3/8 ODF | 1/4 ODF | 38 | |
| AKA5512EXD* | AK111ET-004-J7 | 208-230/60/1 | 1 | PSC | Normal | 12,000 | 3/8 ODF | 1/4 ODF | 37 | |
| AKA5512EXV* | AK111JB-004-J7 | 265/60/1 | 1 | PSC | Normal | 12,000 | 3/8 ODF | 1/4 ODF | 39 | |
| RKB5513EXA | RK160AT-024-J7 | 115/60/1 | 1 | PSC | Normal | 13,000 | 3/8 ODF | 5/16 ODF | 30 | |
| RKA5513EXD | RK157ET-021-J7 | 208-230/60/1 | 1 | PSC | Normal | 13,200 | 1/2 ODF | 5/16 ODF | 28 | |
| AJB5515EXD* | AJ600FT-205-J7 | 208-230/60/1 | 1 1/4 | PSC | Normal | 15,000 | 1/2 ODF | 5/16 ODF | 49 | |
| AJB5515EXV* | AJ600JB-205-J7 | 265/60/1 | 1 1/4 | PSC | Normal | 15,000 | 1/2 ODF | 5/16 ODF | 48 | |
| AWG5515EXN | AW700ET-111-J7 | 208-230/60/1 | 1 1/4 | PSC | Normal | 15,200 | 1 1/4 RL | 7/16 ODF | 63 | |
| AWG5515EXN | AW700ET-129-J7 | 208-230/60/1 | 1 1/4 | PSC | Normal | 15,200 | 5/8 ODF | 3/8 ODF | 63 | |
| AWG5515EXT | AW700RT-121-J7 | 200-230/60/3 | 1 1/4 | 3 PH | 3 PH | 15,500 | 7/8 ODF | 3/8 ODF | 61 | |
| RKA5515EXD | RK222ET-022-J7 | 208-230/60/1 | 1 1/4 | PSC | Normal | 15,500 | 5/8 ODF | 5/16 ODF | 30 | |
| RKA5515EXV | RK222JB-022-J7 | 265/60/1 | 1 1/4 | PSC | Normal | 15,500 | 5/8 ODF | 5/16 ODF | 30 | |
| RKC5515EXA | RK225AT-026-J7 | 115/60/1 | 1 1/4 | PSC | Normal | 15,500 | 1/2 ODF | 3/8 ODF | 28 | |
| AWF5516EXN | AW500ET-089-J7 | 208-230/60/1 | 1 1/2 | PSC | Normal | 16,300 | 3/4 ODF | 3/8 ODF | 64 | |
| AJA5517EXD* | AJ210FT-206-J7 | 208-230/60/1 | 1 1/2 | PSC | Normal | 16,600 | 1/2 ODF | 5/16 ODF | 51 | |
| RKA5518EXD | RK233ET-022-J7 | 208-230/60/1 | 1 1/2 | PSC | Normal | 17,700 | 5/8 ODF | 5/16 ODF | 33 | |
| AJA5518EXV* | AJ200JB-206-J7 | 265/60/1 | 1 1/2 | PSC | Normal | 18,500 | 1/2 ODF | 5/16 ODF | 53 | |
| AJA5519EXD* | AJ220FT-206-J7 | 208-230/60/1 | 1 1/2 | PSC | Normal | 19,300 | 1/2 ODF | 5/16 ODF | 50 | |

*These models are not heat pump approved, A/C only

RL = Roto Lock

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, AJ220FT-206-J7, High Temperature, 1 1/2 hp, 1.5 hp, 19000 btu/h, r22, AJA5519EXD, TECUMSEH

Mbsm.pro, SFW13C/IW, Air conditioner, Fresh, 12500 btu/h, Cooling, heating, 3664 w, r22, t1 ,1.5 hp, 1 Ton

written by Lilianne | 6 September 2022



| FRESH | | |
|--|----------------------|-------|
| Model / الموديل | SFW13C/IW | |
| Cooling Capacity / سعة التبريد | 12500Btu/h 3664 W | |
| Heating Capacity / سعة التدفئة | | |
| Refrigerant / فريون | R22 | |
| Max Operating Pressure for the Discharge / suction Side | 2.5Mpa 0.6Mpa | |
| Weight / وزن الوحدة | 10Kg | |
| Rated Voltage / الجهد المقنن | 220-240V~ | |
| Rated Frequency / التردد | 50Hz | |
| Rated Current / التيار المقنن | Cooling | 8 A |
| | Heating | |
| Rated Input / القدرة الكهربائية | Cooling | 1400W |
| | Heating | |
| Max current / تيار بدء التشغيل | 22 A | |
| Isolation | I | |
| Climate Type / مناخ التبريد | T1 | |
| Sound Pressure Level | 38dB(A) | |
| Moisture Protection | IP24 | |
| SPLIT AIR CONDITIONER INDOOR UNIT | | |
|  | | |
| 0111100111100116000429 | | |
|  | | |
| 63229966203 | | |

FRESH

Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, SFW13C/IW, Air conditioner, Fresh, 12500 btu/h, Cooling, heating, 3664 w, r22, t1 ,1.5 hp, 1 Ton

Mbsm.pro, Compressor, ns11116,1/5 hp, Lbp, R600A, 186 W, 220-240~/50hz, R600, 10.50cc, JIAXIPERA Compressor

written by Lilianne | 6 September 2022



Mbsm.pro, Compressor, ns11116,1/5 hp, Lbp, R600A, 186 W, 220-240~/50hz, R600, 10.50cc, JIAXIPERA Compressor