

Mbsm.pro, Compressor, refrigerante, R600a, A140CY1, Donper, 140W, 1/6HP, RSIR, 8,4cm³, 7,5kg, lbp

written by Amina | 11 October 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, refrigerante, R600a, A140CY1, Donper,
140W, 1/6HP, RSIR, 8,4cm³, 7,5kg, lbp

Mbsm.pro, Compressor, Lennox, 1/3HP, QD120, 1/4HP, QD 90, 1/5HP, QD 70 , 1/6HP, QD 59

written by Lilianne | 11 October 2023



Mbsm.pro, Compressor, Lennox, 1/3HP, QD120, 1/4HP, QD 90,
1/5HP, QD 70 , 1/6HP, QD 59

Compresor LG 1/6HP MA53LAUG r134

written by Lilianne | 11 October 2023



Mbsm.pro, Compresor, LG, 1/6HP, MA53LAUG, r134, lbn

**Mbsm.pro, FN Series,
Commercial, Refrigerator,
Compressor, R134A, fn73f17S,
1/5 hp, FN75H, 1/6HP, FN77H,
1/4 hp, R12, LBP,
220V-50/60HZ**

written by Lilianne | 11 October 2023



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, FN Series, Commercial, Refrigerator, Compressor, R134A, fn73f17S, 1/5 hp, FN75H, 1/6HP, FN77H, 1/4 hp, R12, LBP, 220V-50/60HZ

**Mbsm.pro, Fn Series,
Compressor, FN75H,
Refrigerator, 1/6HP, R134A,
130W**

written by Lilianne | 11 October 2023



Mbsm.pro, Fn Series, Compressor, FN75H, Refrigerator, 1/6HP,
R134A, 130W

**Mbsm.pro, COMPRESSOR, ZEM,
E59801, L55AV, 220-230/50-60,
1/6HP, 132W, Indesit,
C00104761, r12, LBP**

written by Lilianne | 11 October 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, COMPRESSOR, ZEM, E59801, L55AV, 220-230/50-60, 1/6HP, 132W, Indesit, C00104761, r12, LBP

**Hermetic compressors, Cubigel
Compressors, LBP , L55BV,**

1/6hp, r12

written by Lilianne | 11 October 2023

R12				-35	-30	-25	-23,3	-20	-15	-10	R12							
CU01-L35AU	L35AU	1/12	S 3,66	44	62	83	92	109	138	170	C	270	8,6	RSIR	P		•	
CU01-L45AV	L45AV	1/8	S 4,50	39	56	79	87	105	136	171	C	300	8,4	RSIR	R			•
CU01-L45AW	L45AW	1/8	S 4,50	39	56	79	87	105	136	171	C	300	8,4	RSIR	R	•		•
CU01-L55AT	L55AT	1/6	S 5,47	49	73	101	112	134	171	212	C	470	9,5	RSIR	R	•		•
CU01-L55AV	L55AV	1/6	S 5,47	49	73	101	112	134	171	212	C	470	9,5	RSIR	R			•
CU01-L55BV	L55BV	1/6	OC 5,47	49	73	101	112	134	171	212	C	470	9,5	RSIR	R			•
CU01-L55BW	L55BW	1/6	OC 5,47	49	73	101	112	134	171	212	C	300	8,4	RSIR	R	•		•
CU01-L76AT	L76AT	1/5	S 7,57	58	88	125	139	168	217	272	C	530	10,0	RSIR	R	•		•
CU01-L76AV	L76AV	1/5	S 7,57	58	88	125	139	168	217	272	C	530	10,5	RSIR	R			•
CU01-L76BV	L76BV	1/5	OC 7,57	58	88	125	139	168	217	272	C	530	10,5	RSIR	R			•
CU01-L6BW	L76BW	1/5	OC 7,57	58	88	125	139	168	217	272	C	470	9,5	RSIR	R	•		•
CU01-L88AV	L88AV	1/4	S 8,85	69	106	150	166	200	255	317	C	530	11,0	RSIR	R			•
CU01-L88BV	L88BV	1/4	OC 8,85	69	106	150	166	200	255	317	C	530	11,0	RSIR	R			•
CU01-L88BW	L88BW	1/4	OC 8,85	69	106	150	166	200	255	317	C	530	10,0	RSIR	R	•		•

Private Picture Copyright: WWW.MBSM.PRO



Cooling:	0C
Maximum ambient temperature [°C]:	43

Compressor's data

Cylinder capacity [cm ³]:	5,5
Displacement [m ³ /h]:	0,9
Weight [kg]:	9,5
Oil charge [cm ³]:	470
Oil type:	ISO VG 46 MINERAL

Engine's data

Engine type:	RSIR
Power [KM]:	1/6
Starting element:	LST
Power supply:	200V 50Hz
Voltage range:	180-242
Locked rotor current [A]:	10,9
Running winding resistance (25°C) [Ω]:	10,81
Starting winding resistance (25°C) [Ω]:	34,36

Electrical data

Relays:	9660 B 118, MTRP 33
Shielding element:	MRP63AMK, T0069
Starting capacitor volume [μF]:	

Connections

	millimeters	inches
Suction/service tube:	6,5	
Service/suction tube:	6,5	
Discharge tube:	4,9	
Oil cooler tube:		4,9

**LG, CSB075NJEG, 1/6HP, R600A,
alu wire, refrigerator,
compressor, refrigerator,
BBS130, BBD230, BBC208S**

written by Lilianne | 11 October 2023

-+ CSB057NJEG 1 / 10HP

-+ CSB069NJEG 1 / 8HP

-+ CSB075NJEG 1 / 6HP



BUD-DC1AE186	19	CC125-BB	25	CPP330	280	DCPL166-2BD-ETP	33	DCTCE146	15	DR
BUD-DC1AE167	19	CC125-BP	25	CPP470	280	DCPL166-2BD	33	DCTCE147	15	DR
BUD-DC1AE186	19	CC128-BB	25	CPP650	280	DCPL166-2BD-ETP	33	DCTCE148	15	DR
BUD-DC1AE187	19	CC128-BP	25	CPP11000	280	DCPL166-2BD-ETP	33	DCTCE149	15	DR
BUD-DC1AE206	19	CC155-BB	25	CPP12000	280	DCPL166-2BD-ETP	33	DCTCE150	15	DR
BUD-DC1AE207	19	CC155-BP	25	CPP13000	280	DCPL166-2BD	33	DCTCE151	15	DR
BUD-DCTCE66	19	CC156-BB	25	CPP14000	280	DCPL166-2BD-ETP	33	DCTCE152	15	DR
BUD-DCTCE77	19	CC156-BP	25	CPP16000	280	DCPL166-2BD-ETP	33	DCTCE153	15	DR
BUD-DCTCE106	19	CC186-BB	25	CPP19000	280	DCPL167-2BD	33	DCTCE154	15	DR
BUD-DCTCE107	19	CC186-BP	25	CRP5A	337	DCPL167-2BD-ETP	33	DCTCE155	15	DR
BUD-DCTCE128	19	CCA	337	CRP20	337	DCPL167-2BD	33	DCTCE156	15	DR
BUD-DCTCE127	19	CDD1/1	171	CS6/10	151	DCPL167-2BD-ETP	33	DCTCE157	15	DR
BUD-DCTCE146	19	CDD1/2	171	CS10	151	DCPL167-2BD	33	DCTCE158	15	DR
BUD-DCTCE147	19	CDD1/3	171	CS70	235	DCPL167-2BD-ETP	33	DCTCE159	15	DR
BUD-DCTCE157	19	CDD1/4	171	CSB075NJEG	235	DCPL186-2BD	33	DCTCE160	15	DR
BUD-DCTCE166	19	CDD1/6	171	CSR16	48	DCPL186-2BD-ETP	33	DECEP14-PM	44	DR
BUD-DCTCE167	19	CDD2/1	171	CSR18	48	DCPL186-2BD	33	DECEP-PM	44	DR
BUD-DCTCE186	19	CDD2/3	171	CSR/20	48	DCPL186-2BD-ETP	33	DEF	44	DR
BUD-DCTCE187	19	CD-GH-818	137	CT 1758TD	113	DCPL187-2BD	33	DEL-0500	343	DR
BUD-DCTCE206	19	CDR-1	90, 229	CT 1760TD	113	DCPL187-2BD-ETP	33	DESSUS-TH168	361	DR
BUD-DCTCE207	19	CDR-2	90, 229	CTR11000	175	DCPL187-2BD	33	DESSUS-TH207	361	DR
BUD-ETPL83	63	CF4-78ET	338	CTR12000	175	DCPL187-2BD-ETP	33	DEV-FIC	21, 305	DR
BUD-ETPL84	63	CF4-78GP	338	CTR13000	175	DCPL206-2BD	33	DIFP90BI	88	DR
BUD-ETPL103	63	CF0380-37	388	CTR14000	175	DCPL206-2BD-ETP	33	DIFP90BL	88	DR
BUD-ETPL104	63	CF0380-50	388	CTR16000	175	DCPL206-2BD	33	DIFP90R	88	DR
BUD-ETPL123	63	CH11000	171	CTR19000	175	DCPL206-2BD-ETP	33	DIFP90VE	88	DR
BUD-ETPL124	63	CH12000	171	CTR21000	175	DCPL207-2BD	33	DIFP90YE	88	DR
BUD-ETPL143	63	CH13000	171	CTRE11000	175	DCPL207-2BD-ETP	33	DIPA	163	DR
BUD-ETPL144	63	CH14000	171	CTRE12000	175	DCPL207-2BD	33	DIPA600	163	DR
BUD-ETTU104	63	CH16000	171	CTRE13000	175	DCPL207-2BD-ETP	33	DIST91	94	DR
BUD-ETTU124	63	CH21000	171			DCPLV128-1BD	37	DIST91A	94	DR

Private Picture Copyright : WWW.MBSM.PRO

Pièces détachées

▼ PIÈCES DÉTACHÉES POUR ARRIÈRES DE BAR

DÉSIGNATION	RÉF.	€	DÉSIGNATION	RÉF.	€
Compresseurs			Joint de porte		
Compresseur LG modèle CMA098NHEM (R600A) pour BBT350, BBC330S	CMA098NHEM	266	Joint de porte pour BBD230, BBT350	BBT350L.28	8,80
Compresseur LG modèle CSB075NJEG (R600A) pour BBS130, BBD230, BBC208S	CSB075NJEG	153	Joint de porte pour BBS130	BBS130L.25	14,00
Condenseurs			Portes vitrées		
Condenseur pour BBC208S, BBD230	BBD230L.08	59	Porte vitrée battante droite pour BBD230, BBT350	BBD230L.25.1	222
Condenseur pour BBC330S, BBT350	BBT350L.09	53	Porte vitrée battante gauche pour BBD230, BBT350	BBD230L.25	222
Condenseur pour BBS130	BBS130L.07	59	Porte vitrée battante pour BBS130	BBS130L.24	222
Évaporateurs			Porte vitrée coulissante pour BBC208S	BBD230S.26	205
Évaporateur pour BBC208S	BBD230S.47	117	Porte vitrée coulissante avec serrure pour BBC208S	BBD230S.26.1	205
Évaporateur pour BBC330S, BBT350	BBT350L.53	141	Porte vitrée coulissante gauche pour BBC330S	BBT350S.26.1	222
Évaporateur pour BBS130	BBS130L.47	117	Porte vitrée coulissante droite pour BBC330S	BBT350S.26.3	222
			Porte vitrée coulissante milieu pour BBC330S	BBT350S.26.2	222
			Roulette pour porte coulissante pour BBC208S, BBC330S	BBD230S.26.01	1,70
			Thermostat DIXELL XR02CX pour BBS130, BBD230, BBT350, BBC208S, BBC330S	XR02CX	158

Private Picture Copyright : WWW.MBSM.PRO

RÉFRIGÉRATEUR NIKAI,
nrf480fn4, 165W, Compressor,
ATD60L, Wanbao Huaguang

Refrigerator, 1/5Hp, R134A, 120G, 1.25A, 220V/50HZ

written by Lilianne | 11 October 2023



RÉFRIGÉRATEUR NIKAI, nrf480fn4, 165W, Compressor, ATD60L, Wanbao Huaguang Refrigerator, 1/6Hp, R134A, 120G, 1.25A, 220V/50HZ

Compressor, ACC, Cubigel,

GL60AN, R134a, 220-240V, HMBP, 1/6HP

written by Lilianne | 11 October 2023

Type: Hermetic piston compressors Producer: ACC Series: HMBP

Model: GL60AN

General data

Refrigerant:	R134a
Discharge element:	C
Cooling:	S
Maximum ambient temperature [°C]:	50

Compressor's data

Cylinder capacity [cm ³]:	6
Displacement [m ³ /h]:	1
Weight [kg]:	9,9
Oil charge [cm ³]:	345
Oil type:	ISO VG 19 ESTER

Engine's data

Engine type:	RSIR
Power [KM]:	1/6
Starting element:	LST
Power supply:	220V 50Hz
Voltage range:	170-264
Locked rotor current [A]:	14,6
Running winding resistance (25°C) [Ω]:	9,33
Starting winding resistance (25°C) [Ω]:	10,81

Electrical data

--	--

Relays:	3003	
Shielding element:	MRA38085, T0515, AF11BJ	
Starting capacitor volume [μ F]:		

Connections

	millimeters	inches	
Suction tube:	6,5		
Service tube:	6,5		
Discharge tube:	4,9		



Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_GL60ANTélécharger