

**Mbsm.pro, compressor,  
MT160HW4D , 13 hp, MT160,  
Displacement: 271.55cm<sup>3</sup>/rev**

written by Lilianne | 30 August 2022

*Mbsm.pro, Danfoss, Compressor, MT100HS4D, 8.3HP, R22, 380V,  
3PH*

Danfoss Commercial  
Compressors



Model no: MT160HW4EVE



Serial no: EF1007049041



MADE IN FRANCE

380-400V 3~ 50 Hz  
460V 3~ 60 Hz

UL electrical  
ratings

LR 130A 36A MAX

THERMALLY PROTECTED

P.E.D. LP side HP side

Marking PS 18.4 bar 27.8 bar

TS max 50 °C 68 °C

TS min -35 °C -35 °C

Volume 31 l 1.2 l

Lubricant: MINERAL OIL 160 P



Refrigerant: R22(ULrating)-R417A with 160PZ



**WARNING**

Unauthorized and careless work performed by trained personnel or persons without adequate safety training could cause death or serious injury or death.  
Always follow the instructions in the user manual.  
Always wear appropriate eye protection when working with high pressure refrigerant or any other pressure-bearing part.  
Always wear appropriate safety shoes when working with high pressure refrigerant or any other pressure-bearing part.  
Always use appropriate tools when working with high pressure refrigerant or any other pressure-bearing part.  
Always use appropriate safety equipment when working with high pressure refrigerant or any other pressure-bearing part.



**CAUTION**

Use only manufacturer's approved replacement lubricants and electrical components. Unauthorized refrigerant / lubricant / electrical components could cause fires, explosions, release of toxic fumes.  
For details refer to manufacturer's safety manual and safety data sheets. Always read and follow safety instructions of all components. Distributor network at <http://www.danfoss.com>

MT160HW4EVE

