

**Mbsm.pro, Danfoss,
Compressor, 1/4hp++, hbp, 1/3
hp-, Fr10g, 134a,
103g6880, 103g6890,
220v/1ph/50-60h**

written by Lilianne | 17 January 2024



Mbsm.pro, Danfoss, Compressor, 1/4hp++, hbp, 1/3 hp-, Fr10g,
134a, 103g6880, 103g6890, 220v/1ph/50-60h

**Mbsm.pro, Compressor,
AZ1339Y, 134a, Replaced by,
THB1340Y, 1/8 Hp, PTCSIR, Lbp**

written by Lilianne | 17 January 2024



UH0120006 THB1335Y 1/12 3,58 250 C 41 58 81 109 142 181 PTCSIR
220/1/50 84,7 0,53 7,25
UH0120041 THB1340Y 1/10 4,23 250 C 49 72 99 132 170 213 PTCSIR
220/1/50 93 0,59 9
UH0120076 THB1350Y 1/8 5,6 250 C 56 83 118 162 214 275 PTCSIR
220/1/50 108 0,71 9
UH0120111 THB1360Y 1/6 6,1 250 C 76 105 141 185 238 300 PTCSIR
220/1/50 129 0,88 11
UH0120146 AZ1320Y 1/15 2,95 270 C 19 32 48 69 95 125 PTCSIR
220/1/50 67,3 0,47 7,3

UH0120181 AZ1330Y 1/12 3,6 270 C 34 51 73 99 130 166 PTCSIR
220/1/50 81,7 0,51 6,9
UH0120216 AZ1335Y 1/10 4 250 C 41 58 81 109 142 181 PTCSIR
220/1/50 87,2 0,56 10
UH0120251 AZ1339Y 1/8 5 270 C 45 69 99 135 178 228 PTCSIR
220/1/50 102 0,72 10
UH0120286 AZ1348Y 1/6 5,6 250 C 59 83 116 158 209 271 PTCSIR
220/1/50 123 0,87 11
UH0120321 AZ1355Y 1/6 5,9 300 C 70 101 141 189 246 312 PTCSIR
220/1/50 127 0,87 11
UH0120356 AEZ1370Y 1/5 8,1 450 C 98 133 180 239 311 397 PTCSIR
220/1/50 172 1,19 11
UH0120391 AEZ1365Y 1/5 8,9 450 C 85 129 185 254 335 430 PTCSIR
220/1/50 181 1,20 10

Highlights Fagor Compressor Az1339y-f R134a



Mbsm_dot_pro_private_PDF_THB1340Y-Tecumseh-do-BrazilTélécharger

Mbsm_dot_pro_private_PDF_Coldco-Fridgecare-Tecumseh-2017Télécharger

Mbsm_dot_pro_private_PDF_az1339y1Télécharger

Mbsm_dot_pro_private_PDF_az1339yTélécharger

Please check that this part is compatible with your device model. Our customer service can advise you.

Appliance models affected:

- CB1290SI – CB1290SIH (BRANDT),
- CB195 – CB195H (BRANDT),
- CC1950 – CC1950J (BRANDT),
- CCSI1290 – CCSI1290J (BRANDT),
- CFG24N – CFG24NG (FAGOR),
- CFH24 – CFH24J (FAGOR),

- CFH24 / 1 – CFH24 / 1J (FAGOR),
- CFS15 – CFS15J (FAGOR),
- CFSA15 – CFSA15G (FAGOR),
- DUN1912B – DUN1912BA (BRANDT),
- DUN1917B – DUN1917BA (BRANDT),
- DUN2412B – DUN2412BA (BRANDT),
- DUN99B – DUN99BA (BRANDT),
- DU03666 – DU03666A (BRANDT),
- DU03676 – DU03676A (BRANDT),
- RB315 – RB315A (BRANDT),
- RB316 – RB316A (BRANDT),
- RB348 – RB348A (BRANDT),
- RB349 – RB349A (BRANDT),
- RBM355 – RBM355A (BRANDT),
- RBM356 – RBM356A (BRANDT),
- RS2180 – RS2180A (BRANDT),
- RS2180C – RS2180CA (BRANDT),
- RS6287 – RS6287A (BRANDT),
- RS6310 – RS6310A (BRANDT),
- SFB310KIT – SFB310KITA (BURNING).

**ZMC, zanussi, Made in Egypt,
Compressor, Frost Free
Freezer, GM90AZ, EGM90AZ,
155W, 1/5Hp, 134A, 150G,
Electrostar Freezer, 260L**

Cross, 235L Storage, 220v-50H, 1.2A, Class T

written by Lilianne | 17 January 2024

COMPRESSOR TECHNICAL DATA

General Data

Refrigerant:	R134a
Application:	LBP
Evaporating Temperature Range:	-30°C to -10°C
Voltage/Frequency:	220/240V/50 HZ
Compressor Cooling:	Static
Expansion Device:	Capillary Tube
Packaging Quantity:	Multi – 96:120 pcs
Approvals:	CE-VDE-GOST

Mechanical Data

Oil Charge:	300 cm ³
Oil Type Configuration:	ester
Oil Type Viscosity:	19 cSt
Weight:	10 kg

Electrical Data

Motor Type:	RSIR / RSCR*
Voltage working range at 50 Hz:	187-264V
Maximum Motor Temperature:	130°C
Locked Rotor Current:	14.46 / 9.86 A
Start Winding Resistance:	23.40Ω at 25°C

Run Winding Resistance:	8.08 Ω at 25°C
Phase:	1 ph

External Characteristics

Internal Diameter	(mm)
Suction Connector	6.5
Discharge Connector	4.9
Process Connector	6.5
Material	Copper

Electrical Components

Starting Device:	PTC 14 Ω
Motor Protection:	T0490/xx



Mbsm_dot_pro_private_PDF_EGM90AZTélécharger

**Compressor, Daewoo,
Hfl27Ye-5-k, 134a, RSIR, LBP,
1/3HP, Ye série, 220-240V
50hz, 287 w**

written by Lilianne | 17 January 2024



Mbsm_dot_pro_private_PDF_Hfl27YeTélécharger

Mbsm_dot_pro_private_PDF_Hfl27YeTélécharger

Mbsm_dot_pro_private_PDF_Mbsm_dot_pro_private_PDFdocument-

Hfl27YeTélécharger

Mbsm_dot_pro_private_PDF_R134a-LBP-Hfl27YeTélécharger

Mbsm_dot_pro_private_PDFMbsm_dot_pro_private_PDFdocument-

Hfl27YeTélécharger