

Congélateur, glacière, 180 à 280 litres, Compresseur LG MA57, 130 W, 1/6Hp, LBP, R134, 220-240V

written by Lilianne | 25 December 2020

| | |
|------------------------------------|---|
| Application Réfrigérateur FF | MA57LBJG, MA57LHJG |
| Capacité | 280 litres |
| Application Congélateur profond | MA57LBJG, MA57LHJG |
| Capacité | 250 litres |
| Déplacement | 5,7 |
| Capacité de refroidissement | 138 (kcal / h), 160 W, 548 (Btu / h), 0,215 HP |
| La puissance d'entrée | 130 W |
| COP W / W | 1.2 |
| EER Btu / Wh | 4,21 |
| Type de moteur | RSIR-PTC |
| Dispositif de démarrage (PTC) | QP2-33MC1 |
| Protecteur de moteur (OLP) | 4TM232TFB |
| (Condensateur) Runnig / surtension | 4uF / 400 |
| (HUILE) Viscosité cst / Qté (cc) | 22/220 |
| Type de refroidissement | ST |
| Hauteur du compresseur | 177 mm |
| Poids net | 9,1 kg. |

| | | | | | | | | | | | |
|-----------|-----|---------|--------|-----------|--------|------------|--------|-------|------|-----|----|
| NS30LBJG | LBP | 220 | 50 | RSIR | P470MC | 4TM213SFB | | | 22 | 180 | ST |
| NS36LBJG | | | | RSIR | P470MC | 4TM213SFB | | | 22 | 180 | ST |
| MA53LAJG | | | | RSIR | P330MC | 4TM222VFB | | | dix | 220 | ST |
| MA57LAJG | | RSIR | P470MC | 4TM213SFB | | | dix | 220 | ST | | |
| NS24LADG | | 220 | 60 | RSIR | P220MC | 4TM101RFB | | | 22 | 180 | ST |
| NS36LADG | | | | RSIR | P220MC | 4TM174TFB | | | 22 | 180 | ST |
| NS36LADG | | | | RSCR | P220MD | 4TM174TFB | | 4/400 | 22 | 180 | ST |
| MA53LADG | | | | RSIR | P330MC | 4TM232NFB | | | dix | 220 | ST |
| MA53LADM | | | | RSCR | P330MD | 4TM232NFB | | 5/400 | dix | 220 | ST |
| MA57LADM | | | | RSCR | P330MD | 4TM213SFB | | 5/400 | dix | 220 | ST |
| NS24LABG | | 220 | 50-60 | RSIR | P330MC | 4TM149NFB | | | 22 | 180 | ST |
| NS30LABG | | | | RSIR | P220MC | 4TM158RFB | | | 22 | 180 | ST |
| NS36LABG | | | | RSIR | P220MC | 4TM174TFB | | | 22 | 180 | ST |
| MA53LABM | | | | RSCR | P330MD | 4TM232NFB | | 5/400 | dix | 220 | ST |
| MA57LABM | | | | RSCR | P330MD | 4TM213SFB | | 5/400 | dix | 220 | ST |
| NS24LAEG | | 220-240 | 50 | RSIR | P220MC | 4TM1175FVB | | | 22 | 180 | ST |
| NS24LBEG | | | | RSIR | P330MC | 4TM1175FVB | | | 22 | 180 | ST |
| NS30LAEG | | | | RSIR | P330MC | 4TM149NFB | | | 22 | 180 | ST |
| MSA30LAEG | | | | RSIR | P330MC | 4TM149NFB | | | 22 | 180 | ST |
| NS36LAEG | | | | RSIR | P220MC | 4TM149NFB | | | 22 | 180 | ST |
| MSA43LBEG | | | | RSIR | P330MC | 4TM166RFB | | | 22 | 180 | ST |
| MSA43LAEM | | | | RSCR | P330MD | 4TM205RFB | | 4/400 | 22 | 180 | ST |
| MA53LAEC | | | | RSIR | P330MC | 4TM158RFB | | | dix | 220 | ST |
| MA53LAEM | | | | RSCR | P330MD | 4TM232TFB | | 5/400 | dix | 220 | ST |
| MSB53LAJG | | | | RSIR | P330MC | 4TM213SFB | | | dix | 180 | ST |
| MA57LAEG | | | | RSIR | P330MC | 4TM158RFB | | | dix | 220 | ST |
| MA57LAEM | | | | RSCR | P330MD | 4TM205RFB | | 5/400 | dix | 220 | ST |
| MA57LBEG | | | | RSIR | P330MC | 4TM149NFB | | | dix | 200 | ST |
| MC57LAEM | | | | RSCR | P330MD | 4TM166RFB | | 4/400 | sept | 200 | ST |
| MSB57LAEG | | | | RSIR | P330MC | 4TM166RFB | | | dix | 180 | ST |
| MSB57LAEM | | | | RSCR | P330MC | 4TM166RFB | | 4/400 | dix | 180 | ST |
| MA62LCEG | | | | RSIR | P330MC | 4TM232VFB | | | dix | 220 | ST |
| MA62LCEM | | | | RSCR | P330MD | 4TM205RFB | | 5/400 | dix | 220 | ST |
| MA62LDEG | | | | RSIR | P330MC | 4TM232VFB | | | dix | 220 | ST |
| MA69LDEG | | | | RSIR | P330MC | 4TM232VFB | | | dix | 220 | ST |
| MA69LCEG | | | | RSIR | P330MC | 4TM232VFB | | | dix | 220 | ST |
| MA69LCEM | | | | RSCR | P330MD | 4TM232NFB | | 4/400 | dix | 220 | ST |
| MA98LAEM | | | | RSCR | P470MD | 4TM265RFB | | 4/400 | dix | 220 | ST |
| MC98LAEM | | | | RSCR | P470MD | 4TM265RFB | | 5/400 | dix | 220 | ST |
| MQ98LAEM | | | | RSCR | P470MB | 4TM265RFB | | 5/400 | dix | 220 | ST |
| MA108LAEH | | | | RSE | P470MB | 4TM276VFB | 30/300 | 5/400 | dix | 220 | ST |



Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_LG_Refrigerator_Compressor_CatalogueT
élécharger