


**Mbsm.pro, Kiriazi,
Refrigerator, 2 Doors, 335
Liter – E335 N/3, 14 feet**

written by Lilianne | 2 September 2023



Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

https://www.mbsm.pro/wp-content/uploads/2022/08/Mbsm_dot_pro_private_picture__THG1374YFS-2-745x1024.jpg

**Mbsm.pro, Compressor,
D91c21rax5, 1/4 hp, Lbp, 230
w, R134a, 135 G,
refrigerator, Goldi, Nt1800,
no frost, 2 doors, 509 L,
replaced by GL99aa**

written by Lilianne | 2 September 2023



Mbsm.pro, Compressor, D91c21rax5, 1/4 hp, Lbp, 230 w, R134a, 135 G, refrigerator, Goldi, Nt1800, no frost, 2 doors, 509 L, replaced by G199aa

**Mbsm.pro, Kiriazi, E280/2,
Refrigerator, 2 Doors, 10
Feet, ZMC, EGL60AF,
compressor, r134a, 140g, 1/6
hp, LBP**

written by Lilianne | 2 September 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Kiriazi, E280/2, Refrigerator, 2 Doors, 10 Feet,
ZMC, EGL60AF, compressor, r134a, 140g, 1/6 hp, LBP

**Mbsm.pro, Huayi, Compressor,
HY131MTU, 235 w, 1/3 hp, lbp,
30 feets, Unionaire, 2 doors,
r600a**

written by Lilianne | 2 September 2023

China Appliance Supplier Inform	HYS69MGU	220~240°	50	ST	6.9	120	1.60	RSCR	
	HYS69MKU	220~240°	50	ST	6.9	120	1.65	RSCR	
	HYS81MKU	220~240°	50	ST	8.1	138	1.65	RSCR	
	HY55MTU	220~240°	50	ST	5.5	92	1.74	RSCR	
	HYS60MTU	220~240°	50	ST	6.0	100	1.74	RSCR	
	HYS69MTU	220~240°	50	ST	6.9	120	1.72	RSCR	
	HYS81MTU	220~240°	50	ST	8.1	138	1.72	RSCR	
	HY55MSU	220~240°	50	ST	5.5	93	1.83	RSCR	
	HYS60MSU	220~240°	50	ST	6.0	100	1.83	RSCR	
	HYS69MSU	220~240°	50	ST	6.9	120	1.83	RSCR	
	HYS55MXU	220~240°	50	ST	5.5	93	1.88	RSCR	
	HYS60MXU	220~240°	50	ST	6.0	102	1.88	RSCR	
	HYS69MXU	220~240°	50	ST	6.9	120	1.88	RSCR	
	HYS69MDU	220~240°	50	ST	6.9	122	1.95	RSCR	
	HYS69MKUL42	115°	60	ST	6.9	140	1.65	RSCR	
	HY系列 (L.B.P)								
	HY113MKU	220~240°	50	ST	11.3	203	1.65	RSCR	
	HY113MKU	220~240°	50	ST	13.1	235	1.65	RSCR	
	HY153MKU	220~240°	50	ST	15.3	270	1.65	RSCR	
	HY113MTU	220~240°	50	ST	11.3	203	1.73	RSCR	
HY131MTU	220~240°	50	ST	13.1	235	1.75	RSCR		
HY153MTU	220~240°	50	ST	15.3	270	1.72	RSCR		
HY113MSU	220~240°	50	ST	11.3	205	1.85	RSCR		
HY131MSU	220~240°	50	ST	13.1	240	1.85	RSCR		
HY153MSU	220~240°	50	ST	15.3	272	1.80	RSCR		
HY113MXU	220~240°	50	ST	11.3	208	1.90	RSCR		
HY131MXU	220~240°	50	ST	13.1	245	1.90	RSCR		

型号	电压 (V)	频率 (Hz)	冷却方式	汽缸容积 (cm ³)	制冷量 (W)	COP (W/W)	电机类型
HYE系列 (L.B.P)							
HYE55Y63	220~240°	50~60	ST	5.5	150	1.28	RSIR
HYE55Y63	220~240°	50~60	ST	5.5	150	1.35	RSCR
HYE55Y	220~240°	50	ST	5.5	150	1.28	RSIR
HYE60Y63	220~240°	50~60	ST	6.0	170	1.28	RSIR

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Huayi, Compressor, HY131MTU, 235 w, 1/3 hp, lbp, 30 feet, Unionaire, 2 doors, r600a

Mbsm.pro, Compressor, DB110C19RAW5, 1/3 hp, LBP, R134a, 200g, D series, Refrigerators, Smeg, 2 Doors, 18 feet, no-frost freezer

written by Lilianne | 2 September 2023



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, DB110C19RAW5, 1/3 hp, LBP, R134a, 200g, D series, Refrigerators, Smeg, 2 Doors, 18 feet, no-frost freezer

Mbsm.pro, Compressor, D77C18RAX5, RSIR, 1/4 Hp, D Series, r134a, LBP, 186 W, Toshiba, Refrigerator, 14 Feet, GR-EF40, 2 Doors, New Compressor, PE75H1C, 250 w, 1/4 hp

written by Lilianne | 2 September 2023

Performance								
Application : Low Back Pressure								
Refrigerant : R134a (CF ₃ CH ₂ F)								
Evaporator Temperature Range : -35°C to -5°C								
Series	Model	Displacement (cm ³)	Voltage / Frequency	Motor Type	ASHRAE		CECOMAF	
					Capacity W	COP W/W	Capacity W	COP W/W
	D77C15RAW5	7.7	220/240V 50Hz	RSIR	186 / 186	1.27 / 1.24	-	-
				RSCR	186 / 186	1.32 / 1.27	-	-
	D77C17GAX6	7.7	220V 60Hz	RSIR	236	1.25	-	-
				RSCR	-	-	-	-
	D77C17RAT6	7.7	110V 60Hz	CSIR	-	-	-	-
				CSCR	236	1.34	-	-
	D77C18RAX5	7.7	220V 50Hz	RSIR	186	1.24	-	-
				RSCR	186	1.31	-	-
	D91C18RAW5	9.1	220/240V 50Hz	RSIR	227 / 227	1.29 / 1.24	-	-
				RSCR	227 / 227	1.37 / 1.31	-	-
	D91C18TA00	9.1	100V 50/60Hz	CSIR	-	-	-	-

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, D77C18RAX5, RSIR, 1/4 Hp, D Series, r134a, LBP, 186 W, Toshiba, Refrigerator, 14 Feet, GR-EF40, 2 Doors, New Compressor, PE75H1C, 250 w, 1/4 hp