

Mbsm.pro, Compressor, ZMC, coolant R134a, 150 G, EGL80AA, GL80AA, 220-240V 50Hz, fully hermetic, 9kg, 1/5 HP, power input 162W, EGYPTIAN CO. FOR INDUSTRIALIZATION, FB30, 280L

written by Lilianne | 21 July 2024



Mbsm.pro, Compressor, ZMC, coolant R134a, 150 G, EGL80AA, GL80AA, 220-240V 50Hz, fully hermetic, 9kg, 1/5 HP, power input 162W, EGYPTIAN CO. FOR INDUSTRIALIZATION, FB30, 280L

Mbsm.pro, compressor, L118CY, QD100, 193 w, r600a, 1/4 hp, 220-240V 50Hz, 1PH, LC-318, LC-368

written by Lilianne | 21 July 2024



Mbsm.pro, compressor, L118CY, 193 w, r600a, 1/4 hp, 220-240V
50Hz, 1PH, LC-318, LC-368

**Mbsm.pro, Compressor, 1/4 hp,
1bp, Refrigerant, R134a,
EMT65HLR, 220-240V 50Hz, 1PH,
Embraco, 182 w, 5.96 cm³, 157
kcal**

written by Lilianne | 21 July 2024



Mbsm.pro, Compressor, 1/4 hp, lbp, Refrigerant, R134a, EMT65HLR, 220-240V 50Hz, 1PH, Embraco, 182 w, 5.96 cm³, 157 kcal

Mbsm.pro, Compressor, Refrigerant, 1/5 hp, R134a, EMT55HLR, 220-240V 50Hz, 1PH, Embraco

written by Lilianne | 21 July 2024



Mbsm.pro, Compressor, Refrigerant, 1/5 hp, R134a, EMT55HLR, 220-240V 50Hz, 1PH, Embraco

Mbsm.pro, Compressor, KONOR,

**GQR90AA, ERU280HSP, R134a,
220-240V 50Hz, 10,1kg, 1/4HP,
Refrigerator, Condor, 420 L**

written by Lilianne | 21 July 2024

420

 **Condor**
Hisense



Mbsm.pro, Compressor, KONOR, GQR90AA, ERU280HSP, R134a, 220-240V 50Hz, 10,1kg, 1/4HP, Refrigerator, Condor, 420 L

Mbsm.pro, Compressor Lg, 26000 btu/h, QP442PBA, LG, AC Rotary Compressor, Rotary Scroll Compressor, 220-240V 50HZ, 2 ton, 3 Hp++, 1 PH, Cappilary 070 Two pieces, 45 cm long

written by Lilianne | 21 July 2024

QP442PBG A31MRC


THERMALLY PROTECTED R22

1 PH 50 Hz 220-240V ~ LRA 75



SERIAL NO. 7DE02730-A-1TA23-A0126

LG Electronics Inc. MADE IN KOREA



WARNING

Service should be performed by trained persons



ELECTRIC SHOCK HAZARD

- Ground the equipment securely.
- Turn off the power before servicing.
- Retain Terminal Cover in position whenever power is applied to this compressor.



BURN HAZARD

- Do not touch the Compressor with bare hands during operation or after stoppage instantly.



EXPLOSION OR FIRE

- Wear safety goggles and gears as system contains oil and refrigerant under pressure.
- Do not compress air.
- Do not use refrigerant and lubricants besides those specified.
- Make sure to connect right way with valves.

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor Lg, 26000 btu/h, QP442PBA, LG, AC Rotary Compressor, Rotary Scroll Compressor, 220-240V 50HZ, 2 ton, 3 Hp, 1 PH

**Mbsm.pro, Compressor,
HXK95AA, Secop, Danfoss,
KAPPA, LBP, R600a, 220-240V
50Hz, 1/6 hp, 129 w**

written by Lilianne | 21 July 2024



Mbsm.pro, Compressor, HXK95AA, Secop, Danfoss, KAPPA, LBP,
R600a, 220-240V 50Hz, 1/6 hp, 129 w

**Mbsm.pro, Compressor,
FGV60HAW, FGV 60 HAW,
EMBRACO, 1/5 hp, r134a,
220-240V 50Hz, 1bp, 147 w,
500 btu**

written by Lilianne | 21 July 2024



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, FGV60HAW, EMBRACO, 1/5 hp, r134a, 220-240V 50Hz, lbp, 147 w, 500 btu

Mbsm.pro, compressor, HUAYI, R600a, HYB81MHU a, 220-240V 50Hz, 5,5kg, 1/8HP, 8,1cm³, SGL, CHEST, FREEZER, 200L,

SGLFR-200E

written by Lilianne | 21 July 2024



Mbsm.pro, compressor, HUAYI, R600a, HYB81MHU a, 220-240V 50Hz, 5,5kg, 1/8HP, 8,1cm³, SGL, CHEST, FREEZER, 200L, SGLFR-200E

**Compresseur, Mitsubishi,
Electric MITSUBISHI,
RH174VHAC, 9000 BTU/heure
(2,6 kW), 220-240V 50Hz, R22**

written by Lilianne | 21 July 2024

Modèle – Mitsubishi Electric RH 174 VHAC (9000Btu)

Productivité – 9000 BTU/heure (2,6 kW)

Alimentation – 220-240V 50Hz

Réfrigérant (fréon) – R22

Entre vannes – 15 cm

Hauteur compresseur – 22 cm

Diamètre compresseur – 13 cm

#mbsmpro

Mbsm_dot_pro_private_PDF_pdf_RH174VHACTélécharger

Mbsm_dot_pro_private_picture_RH174VHACTélécharger

