

**Compresseur Embraco ,Aspera,  
nbm1118y, nby1118y ,coolant  
,R600a ,NBY1118Y ,220-240V  
50Hz, LBP ,fully hermetic,  
10,8kg ,1/4HP**

written by Lilianne | 9 May 2020

ompresseur Embraco ,Aspera, nbm1118y, nby1118y ,coolant ,R600a  
,NBY1118Y ,220-240V 50Hz, LBP ,fully hermetic, 10,8kg  
,1/4HP,nbt1118y

---

**AEA3440YXC ,Tecumseh Product  
Co ,HBP ,Moteur HP , 1Phase,  
1/3HP , High Back Pressure  
,R134a ,220-240V ~ 50Hz  
,Reciprocating Compressor  
,996W**

written by Lilianne | 9 May 2020

AEA3440YXC ,HBP ,Moteur HP , 1HP, 1/HP , High Back Pressure  
,R134a ,220-240V ~ 50Hz ,Reciprocating Compressor

---

**DAEW00 Compressor ,  
HSL25YE-5, 1/5 hp++, 1/4HP- ,  
1PH, R134a , 220-240V  
50Hz, Puissance frigorifique  
176 W , 690 BTU**

written by Lilianne | 9 May 2020



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)


DAEWOO Compressor , HSL25YE-5, 1/5HP , 1PH, R134a ,220-240V  
50Hz,Puissance frigorifique 176 W

---

**ZEL , Refrigeration  
, Compressor , Gm1200a , 152w ,  
1/5 Hp , 220/240V/50Hz , R134a**

written by Lilianne | 9 May 2020

**MADE IN EGYPT**



**unionaire**

**SPECIFICATIONS**

<b>MODEL</b>	<b>RD 310</b>
<b>REFRIGERANT/AMOUNT</b>	<b>R134a / 100g</b>
<b>RATED INPUT OF LAMP</b>	<b>15 W</b>
<b>RATED VOLTAGE</b>	<b>220-240V~</b>
<b>RATED CURRENT</b>	<b>1.1A</b>
<b>RATED FREQUENCY</b>	<b>50HZ</b>
<b>CLIMATE CLASS</b>	<b>T</b>
<b>POWER INPUT</b>	<b>130 W</b>
<b>GROSS VOLUME</b>	<b>310 L</b>
<b>CAPACITY (NET)</b>	<b>290 L</b>
<b>GROSS VOLUME cabinet</b>	<b>227</b>
<b>Net volume cabinet</b>	<b>210</b>
<b>PRODUCTION DATE</b>	<b>JULY/2108</b>

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

ZEL , Refrigeration , Compressor , Gml200a , 152w , 1/5 Hp , 220/240V/50Hz , R134a

---

**WHIRLPOOL , COMPRESSEUR R600  
, 1/8 HP , HKK80AA, LBP  
Compressor, Top Efficiency ,  
220-240V 50Hz**

written by Lilianne | 9 May 2020



PictureS Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)

WHIRLPOOL , COMPRESSEUR R600 , 1/8 HP , HKK80AA

R600a • 220-240 V • 50 Hz • KAPPA																				
Compressor	Code number	Application	CECOMAF Capacity [W] T <sub>c</sub> =55°C, T <sub>lq</sub> =55°C, T <sub>suc</sub> =32°C Evaporating temperature [°C]						CECOMAF						ASHRAE Capacity [W] T <sub>c</sub> =54.4°C, T <sub>lq</sub> =32.2°C, T <sub>suc</sub> =32.2°C Evaporating temperature [°C]					
									LBP rating point -25°C / 55°C		MBP rating point -10°C / 55°C		HBP rating point 5°C / 55°C							
			-35	-15	-5	0	10	15	Cooling capacity [W]	COP [W/W]	Cooling capacity [W]	COP [W/W]	Cooling capacity [W]	COP [W/W]	-35	-15	-5	0	10	15
HMK80AA	15950000	LBP	55	170				102	1.18	211	1.68					67	207			
HMK95AA	15460700	LBP	67	207				125	1.20	257	1.72					81	253			
HMK12AA	16236200	LBP	82	239				149	1.21	292	1.66					100	291			
HTK55AA	16122700	LBP	32	119				69	1.20	150	1.79					39	146			
HTK70AA	16106100	LBP	44	150				87	1.26	185	1.85					54	182			
HTK80AA	16068300	LBP	55	170				102	1.26	212	1.83					67	207			
HTK95AA	16068200	LBP	71	207				126	1.29	258	1.82					86	252			
HTK12AA	16111600	LBP	82	239				149	1.29	292	1.77					100	291			
HKK55AA	16124400	LBP	32	120				69	1.37	150	2.00					39	146			
HKK70AA	16124500	LBP	44	148				87	1.40	186	1.98					54	181			
HKK80AA	16072100	LBP	55	170				102	1.40	212	1.99					67	207			
HKK95AA	16049700	LBP	69	207				126	1.42	256	1.95					84	252			
HKK12AA	16065900	LBP	82	239				149	1.42	292	1.93					100	291			
HXX55AA	15650400	LBP	36	122				72	1.45	152	2.00					44	149			
HXX70AA	15690400	LBP	47	149				88	1.47	186	2.02					57	181			
HXX80AA	15621800	LBP	58	173				105	1.50	214	2.05					71	210			
HXX95AA	15592900	LBP	73	209				129	1.51	258	2.05					89	255			
HXX12AA	15593100	LBP	83	245				152	1.50	300	2.04					101	299			
HZK95AA	16313100	LBP	73	208				128	1.58	257	2.15					89	254			

PictureS Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)

**MBSM.PRO , Zel Compressors  
,Low back pressure, gml200a  
152W , gml200a 152W, GML180A  
144W, gml160g 129W, gml140a  
108W, GML110A 90W, R134a ,  
220-240V 50HZ**

written by Jamila | 9 May 2020

MBSM.PRO , Zel Compressors ,Low back pressure, gml200a 152W ,  
gml200a 152W, GML180A 144W, gml160g 129W, gml140a 108W,  
GML110A 90W, R134a , 220-240V 50HZ



# Zel gml200a gml180a gml160g gml140a gml110a r134a Compressors

- gml200a 152W
- GML180A 144W
- gml160g 129W
- gml140a 108W
- GML110A 90W

Place of purchase:  
Mainland China

Brand:  
West of Monza


Color classification:  
gml200a 152wgml180a 144wgml160g 129wgml140a 108wgml110a 90W

Refrigeration Agent:  
R134a

Voltage:  
220-240V 50HZ

Working conditions:  
Low back pressure





Picture5 Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)

---

**Mbsm.pro, DAEWOO Compressor ,  
HSL27YE-5, 1/4HP , 1PH, R134a  
, 220-240V 50Hz, Puissance  
frigorigifique 244 W, 833 Btu /  
h**

written by Jamila | 9 May 2020



Mbsm.pro, DAEW00 Compressor , HSL27YE-5, 1/4HP , 1PH, R134a ,220-240V 50Hz,Puissance frigorifique 244 W, 833 Btu / h

---

**Mbsm.pro, QA57C12GAX5 , 1PH ,  
1/6 HP ,Panasonic ,Matsushita  
Electric, Company, Malaysia ,  
R134a , 220/240V 50Hz**

written by Jamila | 9 May 2020

Mbsm.pro, QA57C12GAX5 , 1PH , 1/6 HP ,Panasonic ,Matsushita  
Electric, Company, Malaysia , R134a , 220/240V 50Hz

MODEL QA57C12GAX5  
220 V ~ 50Hz 1PH R134a  
THERMALLY PROTECTED  
MATSUSHITA ELECTRIC IND. CO., LTD.  
MADE IN MALAYSIA