

**ACC, Compressor, Cubigel,
ML80TG, 3/8 hp++, HMBP, 1/2
hp-, R404a / R507, 220-240V
50Hz**

written by Lilianne | 15 November 2023



ACC, Compressor, Cubigel, ML80TG, 3/8 hp++, HMBP, 1/2 hp-,
R404a / R507, 220-240V 50Hz

**Mbsm.pro, Danfoss, sc15g,
compressor, sc15gx, 104g8525,
GP14TB, CAJ4452Y, GP14PB,
GP14PT, sc15g, 104g 8525, 3/8
hp++, lbp/hbp, 1/2 hp-, 424 W**

written by Lilianne | 15 November 2023



Mbsm.pro, Danfoss, sc15g, compressor, sc15gx, 104g8525,
GP14TB, CAJ4452Y, GP14PB, GP14PT, sc15g, 104g 8525, 3/8 hp++,
lbp/hbp, 1/2 hp-, 424 W

**Mbsm.pro, Compressor,
coolant, Cubigel, R134a,
GL18AA, 220-240V, 50Hz, 3/8
hp++, 1/2HP-**

written by Lilianne | 15 November 2023



Mbsm.pro, Compressor, coolant, Cubigel, R134a, GL18AA,
220-240V, 50Hz, 3/8 hp++, 1/2HP-

**Mbsm.pro, Compressor,
tgl27878, tgl27 878, VEB dkk
Scharfenstein,1993, R12, 3/8
hp++, 1/2 hp-, 385 w, Cooling
Compressor, 0 °C 10 °C,
Replaced by GP12TB**

written by Lilianne | 15 November 2023



Mbsm.pro, Compressor, tgl27878, tgl27 878, VEB dkk
Scharfenstein,1993, R12, 3/8 hp++, 1/2 hp-, 385 w, Cooling
Compressor, 0 °C 10 °C, Replaced by GP12TB

**Mbsm.pro, Compressor,
AE4440YS, AE630KS501,
Tecumseh compressor, 3/8
hp++, 1/2 hp-, MHBP, R-134a**

written by mahdi miled | 15 November 2023



Mbsm.pro, Compressor, AE4440YS, AE630KS501, Tecumseh
compressor, 3/8 hp++, 1/2 hp-, MHBP, R-134a

**Mbsm.pro, Cubigel, GP16TB,
hermetic, compressor, 3/8
hp++, 1/2 hp-, HBP, R134a,
R1234yf, CSIR,**

written by Lilianne | 15 November 2023



Mbsm.pro, Cubigel, GP16TB, hermetic, compressor, 3/8 hp++, 1/2
hp-, HBP, R134a, R1234yf, CSIR,

Mbsm.pro, SC10DL, Compressor, R-404A, R-507A, 3/8 HP++, 1/2 hp-, MHBP

written by Lilianne | 15 November 2023



Mbsm.pro, SC10DL, Compressor, R-404A, R-507A, 3/8 HP++, 1/2 hp-, MHBP

Mbsm.pro, upright, double door, cooler, ev32dds, visi cooler, makeeverest, captive, consumption, EV 32 DDS, 825 L, Compressor, 3/8 Hp++, R134A, 460 G, 0.9/1.2 bar, Filtre 30Gr, Capillary, 0.42, 180 psi

written by Lilianne | 15 November 2023



Mbsm.info, upright, double door, cooler, ev32dds, visi cooler, makeeverest, captive, consumption, EV 32 DDS, 825 L, Compressor, 3/8 Hp++, R134A, 460 G, 0.9/1.2 bar, Filtre 30Gr, Capillary, 0.42, 180 psi