

**Mbsm.pro, Compressor, DONPER,
NE 2125 CE, NE2125CE, r22,
3/8hp++, HMBP, 266 w**

written by Lilianne | 2 June 2022



NE2125CE 220V-50Hz 1PH

CSR 3/8+HP



THERMALLY PROTECTED
MADE IN CHINA-TECH OF ITALY



H140422568320302154

R22

Mbsm.pro, Compressor, DONPER, NE 2125 CE, NE2125CE, r22,
3/8hp++, 1bp HMBP

**GP14TB, R-134a, 3/8HP++,
230V, Haute Pression,
CUBIGEL/HUAYI,
Décalage: 14.17 cm³**

written by Lilianne | 2 June 2022

- **CUBIGEL/HUAYI**
- **Original**

Données techniques

- **Modèle: GP14TB**
- **Gaz: R-134a**
- **Température/Pression: Haute Pression**
- **Puissance: 3/8 HP**
- **Type De Courant: Monophasé**
- **Fréquence: 50 Hz**
- **Type De Compresseur: Hermétique**
- **Décalage: 14.17 cm³**
- **Cons.Énergie -10°C: 366 W**
- **Cons.Énergie -5°C: 406 W**
- **Cons.Énergie 0°C: 448 W**
- **Cons.Énergie +5°C: 491 W**
- **Cons.Énergie +10°C: 536 W**
- **T° De Condensation: 40 °C**
- **Capacidad Frigorífica -15°C: 489 Kcal/h**

- Capacidad Frigorífica -10°C: **634 Kcal/h**
- Capacidad Frigorífica -5°C: **800 Kcal/h**
- Capacidad Frigorífica 0°C: **986 Kcal/h**
- Capacidad Frigorífica 5°C: **1193 Kcal/h**
- Capacidad Frigorífica 7.2°C: **1291 Kcal/h**
- Capacidad Frigorífica 10°C: **1421 Kcal/h**
- Tipo Test: **Ashare 46**





3070051	alternative part number	605011	رقم القطعة
GP14TB	type	R134a	refrigerant
W 566	power input	HP 3/8	power
CSIR	motor system	cm ³ 14	cylinder capacity
mm 203.6	height	V 220-240	voltage
W 643	power at -5°C	W 497	power at -10°C
W 999	power at +5°C	W 810	power at 0°C
W 271	power at -20°C	W 191	power at -25°C
W 1209	power at +10°C	W 373	power at -15°C
HMBP	application	ASHRAE	test method
C° 43	.ambient temperature max	Hz 50	frequency
		kg 11.5	weight

Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_gp14tb-3Télécharger
Mbsm_dot_pro_private_PDF_gp14tb-1Télécharger
Mbsm_dot_pro_private_PDF_gp14tbTélécharger