

# Tecumseh, Compressor, 5/8HP, HMBP – R404A , R448A , R449A, MBP, CAJ9480Z, 230V

written by Lilianne | 18 March 2021

## Caractéristiques techniques

- Marque : TECUMSEH UNITÉ HERMÉTIQUE
- Modèle : CAJ9480Z-R
- CYLINDRÉE (CM<sup>3</sup>) 15,2
- FLUIDER404A , R448A , R449A
- APPLICATIONHMBP
- PLAGÉ D'APPLICATION-25/+15
- PUISSANCE (W) 1159
- PUISSANCE FRIGORIFIQUE (TK+40°C) 15/3350 5/2355 -10/1294  
-25/609
- TENSION (V) 240/1/50
- DÉMARRAGECSR
- I.MAX (A) 6,7
- Ø ASPIRATION 1/2
- Ø REFOULEMENT 5/16
- DIMENSIONS (MM) 235x178x280
- Gaz: **R-404a**
- Température/Pression: **Haute Pression**
- Puissance: **5/8 HP**
- Voltage: **230 V**
- Type De Courant: **Monophasé**
- Fréquence: **50 Hz**
- Type De Compresseur: **Hermétique**
- Décalage: **15.2 cm<sup>3</sup>**
- Cons.Énergie -25°C: **496 W**
- Cons.Énergie -10°C: **669 W**

- Cons.Énergie -5°C: **718 W**
- Cons.Énergie 0°C: **762 W**
- Cons.Énergie +5°C: **798 W**
- Cons.Énergie +10°C: **828 W**
- T° De Condensation: **40 °C**
- Capacidad Frigorífica -25°C: **524 Kcal/h**
- Capacidad Frigorífica -20°C: **692 Kcal/h**
- Capacidad Frigorífica -15°C: **887 Kcal/h**
- Capacidad Frigorífica -10°C: **1113 Kcal/h**
- Capacidad Frigorífica -5°C: **1374 Kcal/h**
- Capacidad Frigorífica 0°C: **1677 Kcal/h**
- Capacidad Frigorífica 5°C: **2025 Kcal/h**
- Capacidad Frigorífica 10°C: **2425 Kcal/h**
- Tipo Test: **EN.12900**

Compresseur L'unité Hermetique – Tecumseh CAJ9480Z – R404A,  
R449A, R407A, R452A

220 – 240V 1~ 50 Hz

Cylindrée = 15.2 CM3

APPLICATIONS = HBP / MHBP

Moteur type: CSR



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

- 
- 
- 
- 
- 
- 

Mbsm\_dot\_pro\_private\_PDF\_caj9480Z\_2494-spec Télécharger

Compresseur AJ = Le produit de référence associant silence, fiabilité et efficacité du froid commercial.

Product Code	Model Number	Compressor Horsepower	Compressor Displacement	Cooling	Oil Charge
	CAJ9480Z-FZ	5/8 HP	15.2 cm <sup>3</sup> /rev	Fan	475 ml
	CAJ9510Z-FZ	1 HP	18.3 cm <sup>3</sup> /rev	Fan	475 ml
	CAJ9513Z-FZ	1 1/8 HP	24.2 cm <sup>3</sup> /rev	Fan	475 ml
	CAJ4517Z-FZ	1.25 HP	25.95 cm <sup>3</sup> /rev	Fan	475 ml

Product Code	Model Number	Compressor Horsepower	Compressor Displacement	Cooling	Oil Charge
	TAJ4517Z-TZ	1.25 HP	25.95 cm <sup>3</sup> /rev	Fan	475 ml
	CAJ4519Z-FZ	1.5 HP	34.45 cm <sup>3</sup> /rev	Fan	475 ml
	TAJ4519Z-TZ	1.5 HP	34.45 cm <sup>3</sup> /rev	Fan	475 ml

**Compressor coolant , 104L2123, Compresseur Danfoss SC18CL – R404A, R449A, R407A, R452A, R404a/R507, SC18CL, 220-240V 50Hz, LBP/MBP, 5/8HP , CSR, LRA 20A, 3.25A , 715W, 210\*85 freezer**

written by Lilianne | 18 March 2021

Compressor coolant , 104L2123, Compresseur Danfoss SC18CL – R404A, R449A, R407A, R452A, R404a/R507, SC18CL, 220-240V 50Hz, LBP/MBP, 5/8HP , CSR, LRA 20A, 3.25A , 715W

**Mbsm.pro , COMPRESSEUR ,**

# SC18CLX.2 , DANFOSS SECOP, R404A/R507, 5/8HP ,1PH ,Deep Freeze Comptoire, Alimentation 220-240 V 50 Hz

written by Jamila | 18 March 2021



PictureS Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)

Mbsm.pro , COMPRESSEUR , SC18CLX.2 , DANFOSS SECOP, R404A/R507,  
5/8HP ,1PH ,Deep Freeze Comptoire, Alimentation 220-240 V 50  
Hz