

Mbsm.pro, COMPRESSOR, 1/8 hp, SECOP, HTK70AA, LBP , R600A, 220 – 240V, 50HZ

Category: compressor

written by Lilianne | 11 January 2024

Verdichter - Cubigel		R-600a, LBP	
Hermetische Verdichter für Kapillarrohrbetrieb. Hochleistungs-Verdichter mit Betriebskondensatoren. LBP Temperaturbereich -30 °C bis -10 °C. Netzspannung 220 - 240 V / 50 Hz.			
Artikelnr.	Typ	Leistung (PS)	Kälteleistung [W] T _s -25 °C, T _e +45 °C
			-25
47-32 HQY45AA	HQY 45 AA	1/12	52
47-32 HQY55AA	HQY 55 AA	1/9	62
47-32 HQY70AA	HQY 70 AA	1/8	80
47-32 HQY80AA	HQY 80 AA	1/7	99
47-32 HQY90AA	HQY 90 AA	1/7	109
47-32 HQY99AA	HQY 99 AA	1/6	119
47-32 HPY12AA	HPY 12 AA	1/5	144
47-32 HPY14AA	HPY 14 AA	1/5	166
47-32 HPY16AA	HPY 16 AA	1/4	181

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, COMPRESSOR, 1/8 hp, SECOP, HTK70AA, LBP , R600A, 220 – 240V, 50HZ

Mbsm.pro, SECOP, SC15MFX, DANFOSS, compressor, 104G8501, HMBP, 50Hz, 15,28 cc, R134a, 3/8 HP, CSIR

Category: compressor

written by Lilianne | 11 January 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, SECOP, SC15MFX, DANFOSS, compressor, 104G8501, HMBP, 50Hz, 15,28 cc, R134a, 3/8 HP, CSIR

Mbsm.pro, SECOP, DANFOSS, FR6G, compressor 103G 6660, 1/6 hp++, 1/5 hp-, 50Hz, R134a, LBP/HBP, 230V,

Category: compressor

written by Lilianne | 11 January 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, SECOP, DANFOSS, FR6G, compressor 103G 6660, 1/6 hp++, 1/5 hp-, 50Hz, R134a, LBP/HBP, 230V,

Donper, New, L58CZ1, 220V-240V, 50Hz,
R134A ,Refrigerator, Compressor,
1/6++HP, 1/5 hp-, power 116 w, input
145 w



Category: compressor

written by Lilianne | 11 January 2024



L58CZ1

220-240V~50Hz 1PH
THERMALLY PROTECTED



<http://www.donper.com>



201120003251202363

R134a

SYS12200901

BCD-270 (M)



027002201212000064

Donper, New, L58CZ1, 220V-240V, 50Hz, R134A ,Refrigerator, Compressor, 1/6++HP, 1/5 hp-, power 116 w, input 145 w

Mbsm.pro, Compressor, hpk190A, 1/4 hp++, 1/3 hp-, R600, HMBP, 220/240V, 50Hz, 12.11 cc , unionaire, UR-350, 340 L, R600a/48g, 0.87 A

Category: expertise

written by Lilianne | 11 January 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, hpk190A, 1/4 hp++, 1/3 hp-,R600,HMBP, 220/240V, 50Hz, 12.11 cc , unionaire, UR-350, 340 L, R600a/48g, 0.87 A

Mbsm.pro, Compressor, coolant, Cubigel, R134a, GL18AA, 220-240V,

50Hz, 3/8 hp++, 1/2HP-

Category: expertise

written by Lilianne | 11 January 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, coolant, Cubigel, R134a, GL18AA, 220-240V, 50Hz, 3/8 hp++, 1/2HP-

Mbsm.pro, Compressor, Zanussi ,ZEL, 0F1033A, 1/5 hp, lbp, 220-240V, 50HZ, R134A

Category: compressor

written by rober us | 11 January 2024

C 8665853

Electrolux
COMPRESSORS

OF1033C 0225
200--220V~50Hz

R134a

8 054
0916710 2



Mbsm.pro, Compressor,Zanussi ,ZEL, 0F1033A, 1/5 hp, lbp, 220-240V, 50HZ, R134A

- Voltage frequency
220-240V/50Hz
- Refrigerant / Réfrigérant
R134a
- Nominal horsepower / Horse Powr
1/5CV
- Application condition/ Application
PSL
- Cooling capacity (w) Capacité de refroidissement
50-70
- Type of engine
RSIR
- La temperature d'évaporation (W)
-23.3°C



◎ R134a LBP 220-240V/50Hz

系列 系列/LBP	型号 Model	排气 Displ.	电机 Power	电机 Motor type	制冷量 (标准蒸发温度(°C)) / Cooling Capacity ASHRAE											输入 Power without RC	能效 COP without RC	重量 Weight (kg)	
					-30	-25	-23.3	-20	-15	-10	-5	0	5	7.3	10				
					W / °C														
Tau 系列/LBP	CF605	3.4	1/11	RSR	45	50	70	85	118	149	180	228					75	1.01	163
	CF790	3.8	1/8	RSR	55	72	94	118	147	184	229	292					83	1.01	163
	CF789	4.4	1/8	RSR	65	85	110	138	172	216	268	330					102	1.03	174
	CF1033A	5.7	1/5	RSR	83	100	141	176	220	270	344	423					115	1.18	174
	CF1350A	7.5	1/4	RSR	105	137	178	223	278	349	434	534					158	1.13	183
Tau 中 系列/LBP	GVY35AA	3.5	1/11	RSR/RSOR	47	62	80	100	125	157	195	240					89	1.18	163
	GVY45AA	4.9	1/7	RSR/RSOR	59	77	100	125	156	190	244	300					83	1.20	174
	GVY44AA	4.4	1/8	RSR/RSOR	70	91	118	148	184	231	288	354					94	1.25	174
	GVY33AA	5.3	1/8	RSR/RSOR	82	107	138	174	217	272	339	417					105	1.33	174
	GVY37AA	5.7	1/5	RSR/RSOR	89	116	150	186	234	294	369	460					113	1.33	174
	GVY36AA	6.6	1/5	RSR/RSOR	107	140	182	228	284	357	444	546					133	1.37	174
	GVY75AA	7.5	1/4	RSR/RSOR	118	154	200	250	312	382	480	600					143	1.34	174
	GTH6AA	8.8	1/4	RSR/RSOR	136	172	230	285	358	451	561	690					165	1.43	174
高 系列/LBP	GTH63AA	9.3	1/4	RSR/RSOR	152	200	260	325	406	510	634	780					182	1.43	184
	GTH63AA	9.3	1/4	RSR	159	208	278	338	421	529	659	819					230	1.35	184
	GTH15AA	10.0	1/3	CSR	177	231	306	375	468	588	730	900					232	1.35	184
GTH12AA	12.0	1/3	CSR	190	254	336	413	515	647	805	990					241	1.37	184	

Private Picture Copyright : WWW.MBSM.PRO

◎ R134a LBP 220-240V/50Hz

Lambda 系列/LBP	型号	排气	电机	电机	制冷量 (标准蒸发温度(°C)) / Cooling Capacity ASHRAE											输入	能效	重量	
					-30	-25	-23.3	-20	-15	-10	-5	0	5	7.3	10				
Lambda 系列/LBP	GM20A*	3.4	1/12	RSR	40	50	68	85	106	133	166	204					87	1.20	162
	GM115A	4.1	1/8	RSR	55	66	112	140	175	220	273	336					90	1.25	152
	GM145A	4.9	1/6	RSR	63	108	140	175	218	274	347	430					108	1.30	152
	GM1400*	4.9	1/6	RSR/RSOR	83	108	140	175	218	274	347	430					106	1.40	152
	GM1600	5.7	1/6	RSR/RSOR	99	129	168	210	262	329	410	504					125	1.30	158
	GM185A	6.5	1/5	RSR/RSOR	110	144	187	234	292	367	456	561					144	1.30	164
	GM200A	7.5	1/5	RSR/RSOR	118	154	200	250	312	382	480	600					152	1.33	164
	GXL100A	5.7	1/7	RSR	104	136	176	220	275	345	420	528					111	1.30	164
GXL200A	7.5	1/6	RSR	126	164	213	266	332	417	520	638					117	1.30	164	

◎ R134a M/HBP 220-240V/50Hz

中 系列 HBP	型号	排气	电机	电机	制冷量 (标准蒸发温度(°C)) / Cooling Capacity ASHRAE											输入	能效	重量
					-30	-25	-23.3	-20	-15	-10	-5	0	5	7.3	10			
中 系列 HBP	GL80TG	5.3	1/3	CSR				172	213	260	320	418	502	549	605	340	2.25	174
	GL80TB	7.5	1/2	CSR				204	252	308	380	486	595	649	717	352	2.44	184
	GL90TB	7.5	1/2	CSR				238	296	361	456	570	698	750	840	323	2.32	184
	GL10TB	9.3	1/2	CSR				248	307	375	470	583	725	783	874	342	2.28	184
	GHF13AA*	13.0	1	CSR				381	347	423	537	669	819	883	986	429	2.05	184
	GHF15AA*	15.0	1	CSR				351	433	529	671	838	1029	1100	1232	530	2.00	215
	GHF18AA*	18.0	1	CSR				418	512	625	783	968	1209	1300	1496	650	2.00	215
	GHF21AA*	21.0	1	CSR				510	630	770	976	1216	1488	1600	1787	730	2.20	215

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Freezer, Electrostarc, 210 L, ES210ST, Compressor, Donper, L65CZ1, 1/5 hp, lbp, R134 A, 130 G, 220-244V, 50Hz, 140 w, 1 A, Class T

Category: expertise, Freezer
written by Lilianne | 11 January 2024




Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Freezer, Electrostar, 210 L, ES210ST, Compressor, Donper, L65CZ1, 1/5 hp, lbp, R134 A, 130 G, 220-244V, 50Hz, 140 w, 1 A, Class T

Mbsm.pro, compressor, qp325pba, 2 hp,
1856 w, r22, 20000 btu/h,
1PH, 220-240V, 50Hz , QJ series LG
compressor

Category: compressor

written by Lilianne | 11 January 2024



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, compressor, qp325pba, 2 hp, 1856 w, r22, 20000 btu/h,
1PH, 220-240V, 50Hz , QJ series LG compressor

Mbsm.pro, Compressor, Danfoss,
1/4hp++, mhbp, G190an, R134a,
220-230v, 1ph, 50hz , Csir

Category: compressor

written by Lilianne | 11 January 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, Danfoss, 1/4hp++, mhbp, GL90an, R134a, 220-230v, 1ph, 50hz, Csir