

Mbsm.pro, SECOP, SC15MFX, DANFOSS, compressor, 104G8501, HMBP, 50Hz, 15,28 cc, R134a, 3/8 HP, CSIR

written by Lilianne | 3 January 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, SECOP, SC15MFX, DANFOSS, compressor, 104G8501, HMBP,
50Hz, 15,28 cc, R134a, 3/8 HP, CSIR

**Mbsm.pro, SECOP, DANFOSS,
FR6G, compressor 103G 6660,
1/6 hp++, 1/5 hp-, 50Hz,
R134a, LBP/HBP, 230V,**

written by Lilianne | 3 January 2024



Mbsm.pro, SECOP, DANFOSS, FR6G, compressor 103G 6660, 1/6
hp++, 1/5 hp-, 50Hz, R134a, LBP/HBP, 230V,

**Donper, New, L58CZ1,
220V-240V, 50Hz, R134A
,Refrigerator, Compressor,
1/6++HP, 1/5 hp-, power 116
w, input 145 w**

written by Lilianne | 3 January 2024



Donper, New, L58CZ1, 220V-240V, 50Hz, R134A ,Refrigerator,
Compressor, 1/6++HP, 1/5 hp-, power 116 w, input 145 w

**Mbsm.pro, Compressor,
hpk190A, 1/4 hp++, 1/3 hp-,
R600, HMBP, 220/240V, 50Hz,
12.11 cc , unionaire, UR-350,
340 L, R600a/48g, 0.87 A**

written by Lilianne | 3 January 2024



Mbsm.pro, Compressor, hpk190A, 1/4 hp++, 1/3 hp-,R600,HMBP,
220/240V, 50Hz, 12.11 cc , unionaire, UR-350, 340 L,
R600a/48g, 0.87 A

**Mbsm.pro, Compressor,
coolant, Cubigel, R134a,
GL18AA, 220-240V, 50Hz, 3/8
hp++, 1/2HP-**

written by Lilianne | 3 January 2024



Mbsm.pro, Compressor, coolant, Cubigel, R134a, GL18AA,
220-240V, 50Hz, 3/8 hp++, 1/2HP-

Mbsm.pro, Compressor, Zanussi ,ZEL, 0F1033A, 1/5 hp, lbp, 220-240V, 50HZ, R134A

written by rober us | 3 January 2024



Mbsm.pro, Compressor,Zanussi ,ZEL, 0F1033A, 1/5 hp, lbp,
220-240V, 50HZ, R134A

- Voltage frequency
220-240V/50Hz
- Refrigerant / Réfrigérant
R134a
- Nominal horsepower / Horse Powr
1/5CV
- Application condition/ Application
PSL
- Cooling capacity (w) Capacité de refroidissement
50-70
- Type of engine
RSIR
- La temperature d'évaporation (W)
-23.3°C



Private Picture Copyright : WWW.MBSM.PRO

◎ R134a LBP 220-240V/50Hz

系列 系列名	型号	容积 Displ.	功率 Power	压缩机 Motor type	蒸发温度 (°C) / Evaporating Temp. (°C)										输入功率 Input Power without IC	能效比 COP	重量 Weight (kg)
					-30	-25	-23.3	-20	-15	-10	-5	0	5	7.2			
Tau B 系列/LBP	OF100	3.4	111	RSR	45	50	76	85	119	149	185	228	75	1.20	153		
	OF790	3.8	116	RSR	55	72	94	116	147	184	227	76	1.20	153			
	OF780	4.4	118	RSR	65	83	110	138	172	210	258	83	1.20	174			
	OF1030A	5.7	116	RSR	83	109	141	176	220	270	344	113	1.15	174			
	OF1300A	7.5	114	RSR	109	137	178	223	278	349	434	158	1.15	183			
Tau C 系列/LBP	GVV35AA	3.5	111	RSRRSCR	47	62	80	100	125	157	195	240	89	1.15	163		
	GVV45AA	4.9	117	RSRRSCR	68	77	100	125	158	198	244	100	1.20	174			
	GVV44AA	4.4	116	RSRRSCR	70	91	118	148	184	231	288	104	1.25	174			
	GVV37AA	5.3	116	RSRRSCR	82	107	138	174	217	272	339	116	1.33	174			
	GVV37AA	5.7	116	RSRRSCR	89	116	150	188	234	294	366	113	1.33	174			
	GVV60AA	6.6	116	RSRRSCR	107	140	182	228	284	357	444	133	1.37	174			
	GVV75AA	7.5	116	RSRRSCR	118	154	200	250	312	382	480	149	1.34	174			
	GTW6AA	6.6	114	RSRRSCR	136	172	230	288	359	451	561	161	1.43	184			
	GTW6AA	9.3	114	RSRRSCR	152	200	260	325	406	510	634	182	1.43	184			
	GTW3AA	6.3	114	RSR	150	206	270	338	421	529	659	200	1.30	184			
Lambda 系列/LBP	GTM15AA	10.0	113	CSR	177	231	300	375	468	586	730	900	202	1.35	184		
	GTM12AA	12.0	113	CSR	195	254	330	413	515	647	805	990	241	1.37	184		

Private Picture Copyright : WWW.MBSM.PRO

◎ R134a LBP 220-240V/50Hz

系列 系列名	型号	容积 Displ.	功率 Power	压缩机 Motor type	-30	-25	-23.3	-20	-15	-10	-5	0	5	7.2	10	输入功率 Input Power without IC	能效比 COP	重量 Weight (kg)
Lambda 系列/LBP	GL120A	3.4	112	RSR	40	50	66	85	106	133	166	204				87	1.20	152
	GL115A	4.1	118	RSR	48	60	78	100	125	157	195	238				90	1.25	152
	GL110A	4.9	116	RSR	55	68	88	110	135	170	210	252				93	1.30	152
	GL140C	4.9	116	RSRRSCR	83	108	140	175	218	274	342	420				108	1.30	152
	GL140C	4.9	116	RSRRSCR	83	108	140	175	218	274	342	420				108	1.30	152
	GL130C	5.7	116	RSRRSCR	99	129	168	210	262	329	410	504				125	1.30	184
	GL135A	6.6	116	RSRRSCR	110	144	187	234	292	367	454	561				144	1.30	184
	GL120A	7.0	116	RSRRSCR	118	154	200	250	312	382	480	600				152	1.33	184
GL130A	5.7	117	RSR	104	136	176	220	275	345	420	528				117	1.34	184	
GL120A	7.0	116	RSR	126	164	213	268	332	417	520	638				117	1.34	184	


◎ R134a M/HBP 220-240V/50Hz

系列 系列名	型号	容积 Displ.	功率 Power	压缩机 Motor type	-30	-25	-23.3	-20	-15	-10	-5	0	5	7.2	10	输入功率 Input Power without IC	能效比 COP	重量 Weight (kg)
中压 系列/MHP/HBP	GL10TG	5.3	119	CSR				172	213	260	320	416	502	640	805	340	2.25	174
	GL10TE	7.5	110	CSR				204	252	308	380	480	600	760	940	352	2.44	184
	GL10TE	7.5	110	CSR				238	295	361	456	570	690	750	940	323	2.32	184
	GL10TE	7.5	110	CSR				248	307	375	470	580	725	780	874	342	2.28	184
	GL10TE	9.3	110	CSR				281	347	423	527	669	819	880	995	429	2.05	184
	GHP13AA	13.0	111	CSR				351	433	529	671	838	1020	1190	1320	500	2.00	215
	GHP15AA	16.0	111	CSR				415	512	625	793	988	1200	1390	1490	600	2.00	215
	GHP15AA	18.0	111	CSR				510	630	770	976	1218	1488	1690	1790	730	2.20	215
GHP21AA	21.0	111	CSR				606	749	914	1164	1444	1767	1990	2128	800	2.10	215	

Private Picture Copyright : WWW.MBSM.PRO

**Mbsm.pro, compressor,
qp325pba, 2 hp, 1856 w, r22,
20000 btu/h,
1PH, 220-240V, 50Hz , QJ
series LG compressor**

written by Lilianne | 3 January 2024



Mbsm.pro, compressor, qp325pba, 2 hp, 1856 w, r22, 20000
btu/h, 1PH, 220-240V, 50Hz , QJ series LG compressor

**Mbsm.pro, Compressor,
Danfoss, 1/4hp++, mhbp,
GL90an, R134a, 220-230v, 1ph,
50hz , Csir**

written by Lilianne | 3 January 2024



Mbsm.pro, Compresor, Danfoss, 1/4hp++, mhbp, GL90an, R134a,
220-230v, 1ph, 50hz , Csir

**Mbsm.pro, Compressor,
Copeland, Scroll, ZP90KCE-**

**TFD-425, R410A, 380V*3, 50Hz,
7.5 Hp++, 74.500 Btu/h, HBP**

written by Lilianne | 3 January 2024



Mbsm.pro, Compressor, Copeland, Scroll, ZP90KCE-TFD-425,
R410A, 380V*3, 50Hz, 7.5 Hp++, 74.500 Btu/h, HBP

**Mbsm.pro, Air conditioner,
Tac-36ch5a, 36000 Btu, 17 a,
Compressor, ATH420MV,
ATH420MV-C9EU, Hitachi
Compressor, 4hp, R410a, 2.5
kg, 10060 W, 220V 220-240,
50Hz, 1 PH**

written by Lilianne | 3 January 2024



Mbsm.pro, Air conditioner, Tac-36ch5a, 36000 Btu, 17 a,
Compressor, ATH420MV, ATH420MV-C9EU, Hitachi Compressor, 4hp,
R410a, 2.5 kg, 10060 W, 220V 220-240, 50Hz, 1 PH