

# Mbsm.pro, SECOP, SC15MFX, DANFOSS, compressor, 104G8501, HMBP, 50Hz, 15,28 cc, R134a, 3/8 HP, CSIR

written by Lilianne | 3 January 2024



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, SECOP, SC15MFX, DANFOSS, compressor, 104G8501, HMBP,  
50Hz, 15,28 cc, R134a, 3/8 HP, CSIR

---

**Mbsm.pro, SECOP, DANFOSS,  
FR6G, compressor 103G 6660,  
1/6 hp++, 1/5 hp-, 50Hz,  
R134a, LBP/HBP, 230V,**

written by Lilianne | 3 January 2024



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, SECOP, DANFOSS, FR6G, compressor 103G 6660, 1/6 hp++, 1/5 hp-, 50Hz, R134a, LBP/HBP, 230V,

---

**Donper, New, L58CZ1,  
220V-240V, 50Hz, R134A  
, Refrigerator, Compressor,  
1/6++HP, 1/5 hp-, power 116  
w, input 145 w**

written by Lilianne | 3 January 2024



L58CZ1

220-240V~50Hz 1PH  
THERMALLY PROTECTED



RoHS



SUCTION → 7

<http://www.donper.com>



201120003251202363

R134a

SYS12200901

BCD-270 (M)



027002201212000064

Donper, New, L58CZ1, 220V-240V, 50Hz, R134A ,Refrigerator,  
Compressor, 1/6++HP, 1/5 hp-, power 116 w, input 145 w

---

**Mbsm.pro, Compressor,  
hpk190A, 1/4 hp++, 1/3 hp-,  
R600, HMBP, 220/240V, 50Hz,  
12.11 cc , unionaire, UR-350,  
340 L, R600a/48g, 0.87 A**

written by Lilianne | 3 January 2024



Mbsm.pro, Compressor, hpk190A, 1/4 hp++, 1/3 hp-, R600, HMBP, 220/240V, 50Hz, 12.11 cc, unionaire, UR-350, 340 L, R600a/48g, 0.87 A

---

# Mbsm.pro, Compressor, coolant, Cubigel, R134a, GL18AA, 220-240V, 50Hz, 3/8 hp++, 1/2HP-

written by Lilianne | 3 January 2024



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, coolant, Cubigel, R134a, GL18AA,

220-240V, 50Hz, 3/8 hp++, 1/2HP-

---

**Mbsm.pro, Compressor, Zanussi  
,ZEL, 0F1033A, 1/5 hp, 1bp,  
220-240V, 50HZ, R134A**

written by rober us | 3 January 2024



C 8665853

**Electrolux**  
COMPRESSORS

**OF1033C 0225**  
200--220V~50Hz

**R134a**

8 054  
0916710 2



Mbsm.pro, Compressor,Zanussi ,ZEL, 0F1033A, 1/5 hp, 1bp,  
220-240V, 50HZ, R134A

- Voltage frequency  
220-240V/50Hz
- Refrigerant / Réfrigérant  
R134a
- Nominal horsepower / Horse Power  
1/5CV
- Application condition/ Application  
PSL
- Cooling capacity (w) Capacité de refroidissement  
50-70
- Type of engine  
RSIR
- La temperature d'évaporation (W)  
-23.3°C



◎ R134a LBP 220-240V/50Hz

| 系列<br>规格/系列      | 型号      | 制冷剂  | 能效等级 | 能效比     | 压缩机   品牌 | 制冷量   额定制冷量 (W) / Cooling Capacity ASHRAE |     |     |     |     |     |     |   |    |    |    | 室内机<br>功率<br>W | 室外机<br>功率<br>W | 室内机<br>高度<br>mm | 室外机<br>高度<br>mm |
|------------------|---------|------|------|---------|----------|---|-----|-----|-----|-----|-----|-----|---|----|----|----|----------------|----------------|-----------------|-----------------|
|                  |         |      |      |         |          | W / °C                                    |     |     |     |     |     |     |   |    |    |    |                |                |                 |                 |
|                  |         |      |      |         |          | -30                                       | -25 | -20 | -15 | -10 | -5  | 0   | 5 | 10 | 15 | 20 |                |                |                 |                 |
| T系列<br>商用<br>LBP | CF905   | 3.4  | U11  | RSR     | 45       | 59  | 76  | 95  | 119 | 149 | 185 | 228 |   |    |    |    | 70             | 1.18           | 163             |                 |
|                  | CF790   | 3.8  | 1E-  | RSR     | 55       | 72  | 94  | 118 | 147 | 184 | 229 | 292 |   |    |    |    | 85             | 1.21           | 163             |                 |
|                  | CF780   | 4.4  | 1E-  | RSR     | 65       | 85  | 110 | 138 | 172 | 218 | 268 | 330 |   |    |    |    | 102            | 1.25           | 174             |                 |
|                  | DF1030A | 5.7  | 1E-  | RSR     | 83       | 109                                       | 141 | 176 | 220 | 276 | 344 | 423 |   |    |    |    | 118            | 1.18           | 174             |                 |
|                  | DF1300A | 7.5  | 1A-  | RSR     | 108      | 137                                       | 178 | 223 | 278 | 349 | 434 | 534 |   |    |    |    | 158            | 1.18           | 163             |                 |
|                  | GVY35AA | 3.5  | U11  | RSRRSQR | 47       | 62  | 80  | 100 | 125 | 157 | 195 | 240 |   |    |    |    | 99             | 1.18           | 163             |                 |
| T系列<br>商用<br>LBP | GVY45AA | 4.5  | 1T   | RSRRSQR | 59       | 77  | 100 | 125 | 156 | 198 | 244 | 300 |   |    |    |    | 83             | 1.20           | 174             |                 |
|                  | GVY44AA | 4.4  | 1E-  | RSRRSQR | 70       | 91  | 118 | 145 | 184 | 231 | 288 | 354 |   |    |    |    | 94             | 1.25           | 174             |                 |
|                  | GVY33AA | 5.3  | 1E-  | RSRRSQR | 82       | 107                                       | 139 | 174 | 217 | 272 | 339 | 417 |   |    |    |    | 105            | 1.33           | 174             |                 |
|                  | GVY37AA | 5.7  | 1E-  | RSRRSQR | 89       | 116                                       | 150 | 186 | 234 | 294 | 366 | 450 |   |    |    |    | 113            | 1.33           | 174             |                 |
|                  | GVY36AA | 6.6  | 1E-  | RSRRSQR | 107      | 140                                       | 182 | 226 | 284 | 357 | 444 | 540 |   |    |    |    | 133            | 1.37           | 174             |                 |
|                  | GVY25AA | 7.5  | 1E-  | RSRRSQR | 118      | 154                                       | 200 | 250 | 312 | 382 | 465 | 560 |   |    |    |    | 149            | 1.34           | 174             |                 |
|                  | GTW6AA  | 8.8  | 1A-  | RSRRSQR | 136      | 177                                       | 230 | 286 | 359 | 431 | 517 | 610 |   |    |    |    | 161            | 1.43           | 174             |                 |
|                  | GTW6AA  | 9.3  | 1A-  | RSRRSQR | 153      | 200                                       | 260 | 325 | 406 | 510 | 634 | 760 |   |    |    |    | 182            | 1.43           | 184             |                 |
| 商用<br>商用<br>LBP  | GTW10AA | 10.0 | 1A-  | CSR     | 177      | 231                                       | 306 | 375 | 468 | 588 | 730 | 880 |   |    |    |    | 222            | 1.35           | 184             |                 |
|                  | GTW12AA | 12.0 | 1A-  | CSR     | 199      | 264                                       | 338 | 413 | 518 | 647 | 800 | 960 |   |    |    |    | 241            | 1.37           | 184             |                 |

Private Picture Copyright : WWW.MBSM.PRO

◎ R134a LBP 220-240V/50Hz

| 系列<br>规格/系列         | 型号     | 制冷剂 | 能效等级 | 能效比     | 压缩机   品牌 | 制冷量   额定制冷量 (W) / Cooling Capacity ASHRAE |     |     |     |     |     |     |     |    |    |    | 室内机<br>功率<br>W | 室外机<br>功率<br>W | 室内机<br>高度<br>mm | 室外机<br>高度<br>mm |
|---------------------|--------|-----|------|---------|----------|---|-----|-----|-----|-----|-----|-----|-----|----|----|----|----------------|----------------|-----------------|-----------------|
|                     |        |     |      |         |          | W / °C                                    |     |     |     |     |     |     |     |    |    |    |                |                |                 |                 |
|                     |        |     |      |         |          | -30                                       | -25 | -20 | -15 | -10 | -5  | 0   | 5   | 10 | 15 | 20 |                |                |                 |                 |
| Lambda<br>商用<br>LBP | GL20A  | 3.4 | U12  | RSR     | 40       | 53  | 68  | 85  | 106 | 133 | 166 | 204 |     |    |    |    | 87             | 1.20           | 162             |                 |
|                     | GL115A | 4.1 | 1E-  | RSR     | 46       | 61  | 78  | 98  | 120 | 147 | 180 | 220 |     |    |    |    | 90             | 1.25           | 162             |                 |
|                     | GL115A | 4.1 | 1E-  | RSR     | 55       | 72  | 94  | 118 | 147 | 184 | 229 | 292 |     |    |    |    | 108            | 1.30           | 162             |                 |
|                     | GL140A | 4.9 | 1E-  | RSR     | 63       | 83  | 108 | 138 | 174 | 218 | 274 | 340 | 420 |    |    |    |                | 108            | 1.40            | 162             |
|                     | GL140A | 4.9 | 1E-  | RSRRSQR | 83       | 108                                       | 140 | 175 | 218 | 274 | 340 | 420 |     |    |    |    | 108            | 1.40           | 162             |                 |
|                     | GL180A | 5.7 | 1E-  | RSRRSQR | 99       | 129                                       | 168 | 210 | 262 | 329 | 410 | 504 |     |    |    |    | 125            | 1.30           | 162             |                 |
| Lambda<br>商用<br>LBP | GL180A | 6.6 | 1E-  | RSRRSQR | 110      | 144                                       | 187 | 234 | 290 | 367 | 456 | 561 |     |    |    |    | 141            | 1.30           | 164             |                 |
|                     | GL200A | 7.5 | 1E-  | RSRRSQR | 118      | 154                                       | 200 | 250 | 312 | 382 | 465 | 560 |     |    |    |    | 152            | 1.32           | 164             |                 |
|                     | GL190A | 8.7 | 1T   | RSR     | 104      | 136                                       | 176 | 220 | 275 | 343 | 420 | 528 |     |    |    |    | 1              | 1.34           | 164             |                 |
|                     | GL200A | 7.5 | 1E-  | RSR     | 126      | 164                                       | 213 | 266 | 332 | 417 | 520 | 638 |     |    |    |    | 1              | 1.34           | 164             |                 |


◎ R134a MHPB 220-240V/50Hz

| 系列<br>规格/系列      | 型号     | 制冷剂  | 能效等级 | 能效比 | 压缩机   品牌 | 制冷量   额定制冷量 (W) / Cooling Capacity ASHRAE |     |     |     |     |      |      |      |      |      |     | 室内机<br>功率<br>W | 室外机<br>功率<br>W | 室内机<br>高度<br>mm | 室外机<br>高度<br>mm |
|------------------|--------|------|------|-----|----------|---|-----|-----|-----|-----|------|------|------|------|------|-----|----------------|----------------|-----------------|-----------------|
|                  |        |      |      |     |          | W / °C                                    |     |     |     |     |      |      |      |      |      |     |                |                |                 |                 |
|                  |        |      |      |     |          | -30                                       | -25 | -20 | -15 | -10 | -5   | 0    | 5    | 10   | 15   | 20  |                |                |                 |                 |
| 商用<br>商用<br>MHPB | GL807E | 8.3  | 1E-  | CSR |          |   |     | 172 | 213 | 260 | 320  | 410  | 503  | 540  | 605  | 340 | 2.25           | 174            |                 |                 |
|                  | GL807E | 7.5  | 1E-  | CSR |          |   |     | 204 | 252 | 308 | 380  | 486  | 595  | 640  | 717  | 352 | 2.44           | 184            |                 |                 |
|                  | GL807E | 7.5  | 1E-  | CSR |          |   |     | 239 | 296 | 361 | 456  | 570  | 698  | 750  | 840  | 321 | 2.32           | 184            |                 |                 |
|                  | GL107E | 8.3  | 1E-  | CSR |          |   |     | 248 | 307 | 378 | 476  | 593  | 725  | 780  | 874  | 342 | 2.28           | 184            |                 |                 |
|                  | GL107E | 8.3  | 1E-  | CSR |          |   |     | 281 | 347 | 423 | 537  | 669  | 819  | 880  | 995  | 479 | 2.05           | 184            |                 |                 |
|                  | GH13AA | 13.0 | 1    | CSR |          |   |     | 351 | 433 | 529 | 671  | 836  | 1020 | 1100 | 1230 | 350 | 2.00           | 215            |                 |                 |
|                  | GH15AA | 15.0 | 1    | CSR |          |   |     | 415 | 512 | 625 | 793  | 988  | 1200 | 1300 | 1456 | 350 | 2.00           | 215            |                 |                 |
|                  | GH15AA | 15.0 | 1    | CSR |          |   |     | 510 | 630 | 770 | 976  | 1216 | 1488 | 1600 | 1780 | 330 | 2.20           | 215            |                 |                 |
|                  | GH21AA | 21.0 | 1    | CSR |          |   |     | 606 | 749 | 914 | 1156 | 1444 | 1767 | 1900 | 2128 | 300 | 2.10           | 215            |                 |                 |

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, qp325pba, 2 hp, 1856 w, r22, 20000 btu/h, 1PH, 220-240V, 50Hz, QJ series LG compressor

written by Lilianne | 3 January 2024



Mbsm.pro, compressor, qp325pba, 2 hp, 1856 w, r22, 20000 btu/h, 1PH, 220-240V, 50Hz , QJ series LG compressor

---

**Mbsm.pro, Compressor,  
Danfoss, 1/4hp++, mhbp,  
GL90an, R134a, 220-230v, 1ph,  
50hz , Csir**

written by Lilianne | 3 January 2024



Mbsm.pro, Compresor, Danfoss, 1/4hp++, mhbp, GL90an, R134a, 220-230v, 1ph, 50hz , Csir

---

**Mbsm.pro, Compressor,  
Copeland, Scroll, ZP90KCE-  
TFD-425, R410A, 380V\*3, 50Hz,  
7.5 Hp++, 74.500 Btu/h, HBP**

written by Lilianne | 3 January 2024



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, Copeland, Scroll, ZP90KCE-TFD-425, R410A, 380V\*3, 50Hz, 7.5 Hp++, 74.500 Btu/h, HBP

---

**Mbsm.pro, Air conditioner,  
Tac-36ch5a, 36000 Btu, 17 a,  
Compressor, ATH420MV,  
ATH420MV-C9EU, Hitachi  
Compressor, 4hp, R410a, 2.5  
kg, 10060 W, 220V 220-240,  
50Hz, 1 PH**

written by Lilianne | 3 January 2024



Mbsm.pro, Air conditioner, Tac-36ch5a, 36000 Btu, 17 a,  
Compressor, ATH420MV, ATH420MV-C9EU, Hitachi Compressor, 4hp,  
R410a, 2.5 kg, 10060 W, 220V 220-240, 50Hz, 1 PH