

KONOR, COMPRESSOR, GQR80AA, R134A, LBP, 240V, 50Hz, 8.1cm³, 1/4HP, 198W, -KONOR CATALOGUE pdf

written by Lilianne | 14 December 2021

GQR80AA	8.1cm ³	186MM	RSIR	198W	1.19W/W	220-240V/50Hz	1/4HP	9.4Kg
---------	--------------------	-------	------	------	---------	---------------	-------	-------

KONOR COMPRESSOR GQR80AA R134A LBP 240V 50Hz

Product description:									
<p style="text-align: center;">R134a GQR80AA series sealed refrigeration compressor 220-240v/50Hz</p> <p style="text-align: center;">The main feature: strong loading capacity, high efficiency, low noise, light vibration, good reliability.</p> <p>suitable for mid-size refrigerators, freezers, displayers, beer displayers and other mid-size refrigeration appliances. The structure form is hermetical crank connecting-rod reciprocating piston type.</p> <p>They are the best selling high-tech compressors sold in the world. They are ideal for domestic refrigeration and also for small commercial applications. They are small, have low noise and vibration levels, they achieve the highest levels of efficiency available in the market for this category.</p>									
KONOR	Displ.	power	Motor type	V/Hz	Cooling capacity	W	Net	Weight	KG
GQR60AA	6	1/6	RSIR	220-240V/50Hz	140				9.4
GQR70AA	6.6	1/5	RSIR	220-240V/50Hz	165				9.4
GQR80AA	8.1	1/4	RSIR	220-240V/50Hz	198				9.4
GQR90AA	9.1	1/4	RSIR	220-240V/50Hz	220				10.1
GQY99AA	9.9	1/4	RSIR	220-240V/50Hz	270				10.9
GQY12AF	11.8	1/3	CSIR	220-240V/50Hz	325				10.56
GQY16AF	16.2	3/8	CSIR	220-240V/50Hz	380				12.1
GP16MG	16.2	5/8	CSIR	220-240V/50Hz	870				12.5
GP12MG	11.8	5/8	CSIR	220-240V/50Hz	656				10.9
GP12TG	11.8	3/8	CSIR	220-240V/50Hz	1140				11.8
GQR80TG	8.1	1/4	CSIR	220-240V/50Hz	730				9.8
GQR90TG	9.1	1/4	CSIR	220-240V/50Hz	830				10.5
GQR60TG	6	1/5	CSIR	220-240V/50Hz	520				9.8

One year warranty*.



KONOR Compressor GQR80AA

Heating & Refrigerating

SIKELAN

R134a

GQR80TG

220-240V ~ 50/60Hz 1PH

CCC S

17.08.2018

Zhejiang Mairi Refrigeration Technology Co., LTD.

NET WEIGHT CAPACITY: 400g

20180183T



Success