

# Mbsm.pro, Files, PDF, compressori ortiz, all compressor in one file

written by rober us | 29 March 2023



CONDIZIONI DI RESA	ASHRAE	TEMP.EVAPORAZIONE	MOTORE V.220/50Hz
Temp. condens: + 55	da - 25 a +10°C (MBP.HBP)	CSIR=Condensatore di spunto e relè	CSIR=Condens. di spunto,marcia, relè. 3Phase= V.380/50Hz
Temp. liquido: + 46(32)	da - 40 a -10°C (LBP)		
Temp. ambiente: + 35			
Temp. Gas aspir.: + 35			

ATTACCHI A SALDARE

## R. 404 (MBP-HBP) MEDIA-ALTA TEMPERATURA OLIO ESTERE

CODICE ASPE-	MODELLO	HP	ASHRAE Resa Watt		CIL. cc	W.assorb.	Tipo Motore V220	PREZZO EURO,00
			-10°	0°				
404H2105	NB 6144 GK	1/6	297	450	4.38	331	CSIR	142
404H2110	NB 6152 GK	1/5	351	530	4.85	375	CSIR	148
404H2115	NB 6165 GK	1/4	413	611	6.00	511	CSIR	155
404H2120	NB 6181 GK	1/4P	514	774	7.40	567	CSIR	160
404H2125	NE 6210 GK	1/3	595	935	8.90	620	CSIR	168
404H2130	NE 9213 GK	1/2	840	1303	12.00	740	CSR	185
404H2135	T 6217 GK	3/4	961	1515	14.50	1000	CSIR	290
404H2140	T 6220 GK	3/4	1164	1826	17.40	1100	CSR	328
404H2145	T 6222 GK	1	1554	2381	22.30	1500	CSR	340
404H2150	NJ/J 9226 GK	1	1587	2475	21.70	1320	CSR	400
404H2155	NJ/J 9232 GK	1.2	1904	2976	26.20	1620	CSR	406
404H2160	NJ/J 9238 GK	1.5	2420	3705	32.70	2100	CSR	412
404H2165	NJ/J 9226 GS	1	1587	2475	21.70	1280	3 Phase	408
404H2170	NJ/J 9232 GS	1.2	1904	2976	26.20	1600	3 Phase	410
404H2175	NJ/J 9238 GS	1.5	2420	3705	32.70	2000	3 Phase	420

Private Picture Copyright : WWW.MBSM.PRO

Mbsm\_dot\_pro\_private\_PDF\_compressori

ortiz



**R. 404 (MBP-HBP) MEDIA-ALTA TEMPERATURA OLIO ESTERE**

CODICE ASPE	MODELLO	HP	ASHRAE		CIL. cc	W.assorb.	Tipo Motore V220	PREZZO EURO,00
			Resa -10°	Watt 0°				
#0412105	NB 0144 GK	1/6	297	450	4.38	331	CSR	142
#0412110	NB 0152 GK	1/5	351	530	4.85	375	CSR	148
#0412115	NB 0165 GK	1/4	413	611	6.00	511	CSR	155
#0412120	NB 0181 GK	1/4P	514	774	7.40	567	CSR	160
#0412125	NE 0210 GK	1/3	585	935	8.90	620	CSR	168
#0412130	NE 0213 GK	1/2	840	1303	12.00	740	CSR	185
#0412135	T 0217 GK	3/4	961	1515	14.50	1000	CSR	290
#0412140	T 0220 GK	3/4	1164	1826	17.40	1100	CSR	328
#0412145	T 0222 GK	1	1554	2381	22.30	1500	CSR	340
#0412150	NJ1 0226 GK	1	1587	2475	21.70	1320	CSR	400
#0412155	NJ1 0232 GK	1.2	1904	2976	26.20	1620	CSR	406
#0412160	NJ1 0238 GK	1.5	2420	3705	32.70	2100	CSR	412
#0412165	NJ1 0226 GS	1	1587	2475	21.70	1280	3 Phase	408
#0412170	NJ1 0232 GS	1.2	1904	2976	26.20	1600	3 Phase	410
#0412175	NJ1 0238 GS	1.5	2420	3705	32.70	2000	3 Phase	420

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, All Compressor in one file, r134a/R404a/R507/r600a/r22/r410a compressors Cubigel, lbp, hbp, hmbp, LeeK , Daikin, Copeland ZP, Danfoss MLZ series, InvoTech for air-conditioning, Semi-hermetic compressors, Rotary

# compressors for air-conditioning

written by Lilianne | 29 March 2023



Mbsm.pro, All Compressor in one file, r134a/R404a/R507 compressors Cubigel, lbp, hbp, hmbp, LeeK , Daikin, Copeland ZP, Danfoss MLZ series, InvoTech for air-conditioning, Semi-hermetic compressors, Rotary compressors for air-conditioning