

# L111CYA, COMPRESSOR, ASSY, Indesit , Ariston, whirlpool, 1/5hp, 1bp, 180W, r600a

written by Lilianne | 21 December 2021



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

# WARNING


## Electrical Shock Hazard



Disconnect power before servicing.  
 Any ground circuit disconnected during service must be reconnected.  
 Do not reconnect unit to electrical supply until compressor terminal cover is securely in place.  
 If refrigerant leak is suspected around compressor terminal, relieve all pressure from the system, keeping terminal cover in place.  
 Failure to do so can result in death or electrical shock.

FREQUENCY	50 Hz
VOLTAGE RANGE	220-240 VAC
INPUT WATTS	175 W
INPUT CURRENT	1.3 A
COMFORT WATTS	600 W
COOLING CAPACITY	AS PER TABLE
CLIMATE CLASS	T

**Do Not service with R134a**  
 Follow only Approved R600a service procedure & a Qualified technician while repairing.



Risk of fire



### WARNING


Caution: Read all the labels attached to the various parts of the unit when repairing or servicing the refrigerator since the refrigerant is a flammable gas. Do not allow any flame or heat source to damage the sealed system when the unit is still charged with refrigerant.  
 Do not use an open flame to check for refrigerant leaks. Only use leak detectors for leak testing when servicing the unit.  
 Do not use oil to charge the refrigerator system.

BLOWING AGENT R600a (CH <sub>2</sub> FCH <sub>2</sub> )	C <sub>2</sub> H <sub>2</sub> (CYCLO PENTANE) AS PER TABLE
--	---

MFG. BY: WHIRLPOOL OF INDIA LTD.  
 PLOT NO. A-4, M.I.D.C.  
 KANJANGAON, TAL. SHIBUR,  
 DIST. POHNE - 415 204

"WHIRLPOOL" IS A REGISTERED TRADEMARK OF "WHIRLPOOL CORPORATION USA".

### WIRING DIAGRAM



- SYMBOL CODE**
- ⊕ = CONNECTION - SCREW ON
  - ⊖ = CONNECTION - CLOSED END
  - ⊘ = DISCONNECT TERMINAL
  - ⊙ = PERMANENT CONNECTION
  - ⊕ = PLUS CONNECTION
  - ⊖ = GROUND (OR CHASSIS)

- WIRE COLOR CODE**
- BL = BLUE
  - BU = BLACK
  - BR = RED
  - WH = WHITE
  - YL = YELLOW
  - GR = GREEN
  - PK = PINK
  - GY = GREY
  - OR = OILY
  - BL/WH = REDUCED VOLTAGE
  - BL/BR = REDUCED VOLTAGE
  - BL/GR = REDUCED VOLTAGE
  - BL/WH = REDUCED VOLTAGE

NAME	MODEL	GROSS CAPACITY	STORAGE CAPACITY	REFRIGERANT TYPE (GALLON/LITERS)
L10-0702A	WTM11702 R	40L	40L	R134A

W11175079

REDMI NOTE 8 PRO  
 AI QUAD CAMERA



● ○ REDMI NOTE 8 PRO  
○ ○ AI QUAD CAMERA

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

E	E1130DZ	CSIR	220/60	390	1.35	F	NE	NE6213CK	CSF
	EU1121DZ	RSCR	220/60	325	1.52	F		NE6213BK	CSF
S	SK35XZ	RSIR	127/60	88	1.38	S	CT6217CK	CSF	
L	LU65XZ	RSIR	127/60	190	1.52	S	CT6220CK	CSF	
E	EU1121XZ	CSIR	127/60	250	1.50	F	CJ6228CK	CSF	
R600a L.B.P 宽电压									
S	S66CY	RSIR	160~260/50	108	1.20			CJ6232CK	CSF
	SG66CY	RSIR	160~260/50	108	1.40			CJ6240CK	CSF
	SU66CY	RSCR	160~260/50	108	1.60				
	SZ66CY	RSCR	160~260/50	108	1.70				
L	L88CYA	RSIR	160~260/50	155	1.36	S		ES8CU	RSIF
	L111CYA	RSIR	160~260/50	185	1.40	S		ER82CU	RSIF
	LK76CYA	RSCR	160~260/50	142	1.50	S		LZ58CU	RSCF
	LK88CYA	RSCR	160~260/50	155	1.50	S			
R290 H.B.P									
							NB	NB5175CU	RSIF
							NE	NE5195CU	RSIF

Private Picture Copyright: WWW.MBSM.PRO

Mbsm\_dot\_pro\_private\_PDF\_L111CYATélécharger