

**UGINE, refregerator, WBr-100,  
90 L, r134a, 40 g, 220 v, 60  
hz, 75 W, Class T,  
Compressor, Daewoo,  
WX24LHS4T, 62 W, 1/12 hp, lra  
2.5 a, 186 btu, lbp**

written by Lilianne | 15 November 2023




UGINE, refregerator, WBr-100, 90 L, r134a, 40 g, 220 v, 60 hz,  
75 W, Class T, Compressor, WX24LHS4T, 62 W, 1/12 hp, lra 2.5  
a, 186 btu

---

## **BCD-728G**

written by Lilianne | 15 November 2023



Mbsm.pro, Refrigerator, BCD-728G, 728 L, 4 Doors, Class T, Compressor, K270CZ1, 1/3++, DONPER, Dongbei , R134a, 230 G

**ZMC, zanussi, Made in Egypt, Compressor, Frost Free Freezer, GM90AZ, EGM90AZ, 155W, 1/5Hp, 134A, 150G,**

# Electrostar Freezer, 260L CRoss, 235L Storage , 220v-50H, 1.2A, Class T

written by Lilianne | 15 November 2023

## COMPRESSOR TECHNICAL DATA

### General Data

<b>Refrigerant:</b>	R134a
<b>Application:</b>	LBP
<b>Evaporating Temperature Range:</b>	-30°C to -10°C
<b>Voltage/Frequency:</b>	220/240V/50 HZ
<b>Compressor Cooling:</b>	Static
<b>Expansion Device:</b>	Capillary Tube
<b>Packaging Quantity:</b>	Multi – 96:120 pcs
<b>Approvals:</b>	CE-VDE-GOST

### Mechanical Data

<b>Oil Charge:</b>	300 cm <sup>3</sup>
<b>Oil Type Configuration:</b>	ester
<b>Oil Type Viscosity:</b>	19 cSt
<b>Weight:</b>	10 kg

### Electrical Data

<b>Motor Type:</b>	RSIR / RSCR*
<b>Voltage working range at 50 Hz:</b>	187-264V
<b>Maximum Motor Temperature:</b>	130°C

<b>Locked Rotor Current:</b>	14.46 / 9.86 A
<b>Start Winding Resistance:</b>	23.40Ω at 25°C
<b>Run Winding Resistance:</b>	8.08 Ω at 25°C
<b>Phase:</b>	1 ph

## External Characteristics

<b>Internal Diameter</b>	(mm)
<b>Suction Connector</b>	6.5
<b>Discharge Connector</b>	4.9
<b>Process Connector</b>	6.5
<b>Material</b>	Copper


## Electrical Components

<b>Starting Device:</b>	PTC 14Ω
<b>Motor Protection:</b>	T0490/xx

**ZMC** **GM90AZ** 1137  
**R 134 a** 220-240V-50Hz  
MADE IN EGYPT  
3 474  
0002263

OO HUAWEI NOVA 5T  
OO AI QUAD CAMERA





Made In Egypt

Frost Free Freezer

Model **ES 260 NF** طراز

Voltage **220 V - 50 HZ 1.2A 155 W**

Freezing Capacity 22 Kg/24Hr Freezer Storage Volume 235 Lit.  
Total Gross Volume 260 Lit Refrig. Storage Volume



024287

R134a **150g** وزن وسيط التبريد  
Class T صنع في مصر

max. lamp input	Without	15 W
Protection Rating	IPX 4	
According To	ES 6000 / 2008 - ISO 15502 / 2005	

HUAWEI NOVA 5T  
AI QUAD CAMERA

Private Picture Copyright : WWW.MBSM.PRO

---

**Compressor, ASPERA, b3118b ,  
1/4 hp , 240V~50hZ,  
Frigidaire 2 portes, Philips,  
180W, Class T, 422L (460L  
Total), compressor b3118b,  
220g , R134a**

written by Lilianne | 15 November 2023

Compressor, ASPERA, b3118b , 1/4 hp , 240V~50hZ, Frigidaire 2  
portes, Philips, 180W, Class T, 422L (460L Total), compressor  
b3118b, 220g , R134a



**PHILIPS**

**MADE IN EGYPT**

Service  
Service  
Service

**MODEL ARG 425 / PH**

230 V  
160 W

- 50 Hz

**Class T**

Gross

Volume

460 Ltr

Net

Volume

440 Ltr

Net

Storing

Volume 422,5 Ltr

System

Compressor

ccl<sub>2</sub> F<sub>2</sub> 220 g

No

10900000



#### 4.30 BAJA TEMPERATURA, Monofásicos 220 V 50 Hz

R12  
MP39  
FX56

Modelo	Tipo	CV.	Cm3	Código	Precio €
BP1084A	S	1/8	4,30	10600	-
BP1111A	S	1/8	5,73	10601	139,00
NB1112A	S	1/6	5,9	10602	167,00
NB1116A	S	1/4	8	10603	161,00
B3116B	RH	1/4	8	10604	166,00
NB1118A	S	1/4	8,85	10605	165,00
B3118B	RH	1/4	8,85	10606	172,00
B2118B	S	1/4	8,85	10607	181,00

Modelo	Tipo	CV.	Cm3	Código	Precio €
NE2121A	F	1/3	12,00	10608	210,00
T2124A	F	1/3	12,58	10609	-
T2128A	F	1/3	14,50	10610	-
NE2130A	F	1/3	14,20	10611	236,00
T2134A	F	3/8	17,40	10612	310,00
T2140A	F	3/8	20,40	10613	321,00
J2152A	F	1/2	26,00	10614	439,00
J2170A	F	3/4	34,37	10615	462,00

Ver aplicación de todos los compresores de esta página en el nuevo reglamento Europeo (CE) nº 2037/2000, publicado el 29/09/2000.

#### 4.40 BAJA TEMPERATURA, Monofásicos 220 V 50 Hz

R22  
R417a  
R427a

Modelo	Tipo	CV.	Cm3	Código	Precio €
NE2125E	F	1/3	8,90	10618	199,00
NE2134E	F	3/8	12,00	10619	217,00
T2140E	F	1/2	14,50	10620	339,00
T2155E	F	5/8	17,40	10621	362,00

Modelo	Tipo	CV.	Cm3	Código	Precio €
T2168E	F	3/4	20,40	10622	373,00
NJ2178E	F	3/4	23,50	10623	413,00
J2190E	F	3/4	27,10	10624	429,00







Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)





Mbsm\_dot\_pro\_private\_PDF\_all-Compresseur-hermetique-  
pdf1Télécharger

Mbsm\_dot\_pro\_private\_PDF\_all-Compresseur-hermetique-  
pdf1-1Télécharger