

**Mbsm.pro, 1/3 HP, LG,  
Commercial, Freezer,  
Compressor, Ma98laem, 279 w,  
lbp, r134a, 953 btu, 18 feet**

written by Lilianne | 12 September 2024



KK R134a and R404a Commercial Refrigeration Compressors

Model	Ref	App.	Voltage	Cooling Capacity			Power Input	Wire Type
				HP	W/hr	Btu/hr		
CMA042LHEG	R134a	LBP	220V/50HZ	1/10HP	107W	365Btu	79W	Al-wire
CMA053LHEG	R134a	LBP	220~240V/50HZ	1/6HP	150W	512Btu	102W	Al-wire
CMA057LHEG	R134a	LBP	220~240V/50HZ	1/5HP	163W	556Btu	115W	Al-wire
CMA069LHEM	R134a	LBP	220~240V/50HZ	1/4HP	195W	667Btu	128W	Al-wire

NS36LAEG	R134a	LBP	220~240V/50HZ	1/10HP	77W	262Btu	89W	Cu-wire
MSA43LBEG	R134a	LBP	220~240V/50HZ	1/8HP	116W	397Btu	106W	Cu-wire
CMA053LAEM	R134a	LBP	220~240V/50HZ	1/6HP	148W	504Btu	93W	Cu-wire
CMA057LAEM	R134a	LBP	220~240V/50HZ	1/5HP	163W	558Btu	102W	Cu-wire
CMA069LBEM	R134a	LBP	220~240V/50HZ	1/4HP	195W	667Btu	116W	Cu-wire
CMA075LAEM	R134a	LBP	220~240V/50HZ	1/3HP	219W	746Btu	130W	Cu-wire
MA98LAEM	R134a	LBP	220~240V/50HZ	1/3HP	279W	953Btu	183W	Cu-wire
LX95LHBM	R134a	LBP	220V/50HZ	1/3HP	267W	910Btu	173W	Cu-wire
LX110LAJM	R134a	LBP	220~240V/50HZ	1/2HP	323W	1104Btu	232W	Cu-wire
Model	Ref	App.	Voltage	Cooling Capacity		Power	COP	Wire
				Hp	W/hr	Input	(W/W)	Type
CSB057NJEG	R600a	LBP	220V/50HZ	1/10HP	100W	77W	1.30	Al-wire
CSB069NJEG	R600a	LBP	220V/50HZ	1/8HP	126W	90W	1.40	Al-wire
CSB075NJEG	R600a	LBP	220V/50HZ	1/6HP	139W	102W	1.36	Al-wire
CSB089NJEG	R600a	LBP	220V/50HZ	1/5HP	160W	98W	1.64	Al-wire
CMA098NJEG	R600a	LBP	220V/50HZ	1/5+HP	180W	112W	1.60	Al-wire
CMA110NJEM	R600a	LBP	220V/50HZ	1/4HP	194W	122W	1.58	Al-wire
CMA121NBEM	R600a	LBP	220V/50HZ	1/4+HP	220W	119W	1.85	Al-wire

## SECOP Hermetic Piston Compressors

Model □ SC21G

Refrigerant □ R134A

Power □ 220-240V/50/60HZ

Back Pressure: Low/High

Power Source: AC Power

Voltage range[V]: 187- 254

Evaporating temperature [°F] □ -25 to -5

Transport Package: Wood Package

### Product feature

Model	Electric Source	Power(HP)	Capacity(W)	Refrigerant	Back Pressure
SC15C M	220V-240V 50Hz	1/2HP	375	R22	Low
SC18C M	220V-240V 50Hz	5/8HP	469	R22	Low
SC15D	220V-240V 50Hz	5/8HP	469	R22	High
SC15G	220V-240V 50Hz	3/8HP	281	R134a	Low/High
SC18G	220V-240V 50Hz	1/2HP	375	R134a	Low/High
SC21G	220V-240V 50Hz	5/8HP	469	R134a	Low/High
SC10C L	220V-240V 50Hz	1/3HP	250	R404A	Low
SC15C L	220V-240V 50Hz	1/2HP	375	R404A	Low
TL5G	220V-240V 50Hz			R134A	Low/High

KK R134a and R404a Commercial Refrigeration Compressors

Model	Ref	App.	Voltage	Cooling Capacity			Power Input	Wire Type
				HP	W/hr	Btu/hr		
CMA042LHEG	R134a	LBP	220V/50HZ	1/10HP	107W	365Btu	79W	Al-wire
CMA053LHEG	R134a	LBP	220~240V/50HZ	1/6HP	150W	512Btu	102W	Al-wire
CMA057LHEG	R134a	LBP	220~240V/50HZ	1/5HP	163W	556Btu	115W	Al-wire
CMA069LHEM	R134a	LBP	220~240V/50HZ	1/4HP	195W	667Btu	128W	Al-wire
NS36LAEG	R134a	LBP	220~240V/50HZ	1/10HP	77W	262Btu	89W	Cu-wire
MSA43LBEG	R134a	LBP	220~240V/50HZ	1/8HP	116W	397Btu	106W	Cu-wire
CMA053LAEM	R134a	LBP	220~240V/50HZ	1/6HP	148W	504Btu	93W	Cu-wire
CMA057LAEM	R134a	LBP	220~240V/50HZ	1/5HP	163W	558Btu	102W	Cu-wire
CMA069LBEM	R134a	LBP	220~240V/50HZ	1/4HP	195W	667Btu	116W	Cu-wire
CMA075LAEM	R134a	LBP	220~240V/50HZ	1/3HP	219W	746Btu	130W	Cu-wire
MA98LAEM	R134a	LBP	220~240V/50HZ	1/3HP	279W	953Btu	183W	Cu-wire
LX95LHBM	R134a	LBP	220V/50HZ	1/3HP	267W	910Btu	173W	Cu-wire
LX110LAJM	R134a	LBP	220~240V/50HZ	1/2HP	323W	1104Btu	232W	Cu-wire
Model	Ref	App.	Voltage	Cooling Capacity		Power Input	COP (W/W)	Wire Type
				Hp	W/hr			
CSB057NJEG	R600a	LBP	220V/50HZ	1/10HP	100W	77W	1.30	Al-wire
CSB069NJEG	R600a	LBP	220V/50HZ	1/8HP	126W	90W	1.40	Al-wire
CSB075NJEG	R600a	LBP	220V/50HZ	1/6HP	139W	102W	1.36	Al-wire
CSB089NJEG	R600a	LBP	220V/50HZ	1/5HP	160W	98W	1.64	Al-wire
CMA098NJEG	R600a	LBP	220V/50HZ	1/5+HP	180W	112W	1.60	Al-wire
CMA110NJEM	R600a	LBP	220V/50HZ	1/4HP	194W	122W	1.58	Al-wire
CMA121NBEM	R600a	LBP	220V/50HZ	1/4+HP	220W	119W	1.85	Al-wire



\_MA98LAEMDownload



**Mbsm.pro,**

**CRC-1000SWL,**

**CRC1000SWF02-C12-06790, COCA  
COLA, 2-DOOR, 1000L  
, COMMERCIAL, GLASS, DISPLAY,  
FRIDGE, R-404a, 700 g,  
Compressor, SC15D, 1 hp, hbp**

written by Lilianne | 12 September 2024



Mbsm.pro, CRC-1000SWL, CRC1000SWF02-C12-06790, COCA COLA, 2-DOOR, 1000L ,COMMERCIAL, GLASS, DISPLAY, FRIDGE, R-404a, 700 g, Compressor, SC15D, 1 hp, hbp



---

**Mbsm.pro, Refregirator,  
Commercial, presentation,  
Coca-Cola, 400 L, CPE-0400,  
SANDENINTERCOUL, compressor,  
SANDEN, SrCACA, 6456, r744,  
250 g, 3/4 hp, 560 w, 1bp,  
2.45 a**

written by Lilianne | 12 September 2024



Mbsm.pro, Refregirator, Commercial, presentation, Coca-Cola,

400 L, CPE-0400, SANDENINTERCOUL, compressor, SANDEN, SrCACA,  
6456, r744, 250 g, 3/4 hp, 560 w, lbp, 2.45 a,

---

**Mbsm.pro, FN Series,  
Commercial, Refrigerator,  
Compressor, R134A, fn73f17S,  
1/5 hp, FN75H, 1/6HP, FN77H,  
1/4 hp, R12, LBP,  
220V-50/60HZ**

written by Lilianne | 12 September 2024



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, FN Series, Commercial, Refrigerator, Compressor, R134A, fn73f17S, 1/5 hp, FN75H, 1/6HP, FN77H, 1/4 hp, R12, LBP, 220V-50/60HZ

---

# **Refrigerator, compressor, E1134CZA, 1/2 hp, E1130CZA, E1121CZA, 3/8HP, commercial, freezer, R134a**

written by Lilianne | 12 September 2024

Refrigerator, compressor, E1134CZA, E1130CZA, E1121CZA, 3/8HP, commercial, freezer, R134a

---

# **Tecumseh, Compressor, 5/8HP, HMBP – R404A , R448A , R449A, MBP, CAJ9480Z, 230V**

written by Lilianne | 12 September 2024

## **Caractéristiques techniques**

- Marque : TECUMSEH UNITÉ HERMÉTIQUE
- Modèle : CAJ9480Z-R
- CYLINDRÉE (CM<sup>3</sup>) 15,2
- FLUIDER404A , R448A , R449A
- APPLICATIONHMBP
- PLAGÉ D'APPLICATION-25/+15
- PUISSANCE (W) 1159
- PUISSANCE FRIGORIFIQUE (TK+40°C) 15/3350 5/2355 -10/1294 -25/609
- TENSION (V) 240/1/50

- DÉMARRAGECSR
- I.MAX (A)6,7
- Ø ASPIRATION1/2
- Ø REFOULEMENT5/16
- DIMENSIONS (MM)235x178x280
  
- Gaz: **R-404a**
- Température/Pression: **Haute Pression**
- Puissance: **5/8 HP**
- Voltage: **230 V**
- Type De Courant: **Monophasé**
- Fréquence: **50 Hz**
- Type De Compresseur: **Hermétique**
- Décalage: **15.2 cm<sup>3</sup>**
- Cons.Énergie -25°C: **496 W**
- Cons.Énergie -10°C: **669 W**
- Cons.Énergie -5°C: **718 W**
- Cons.Énergie 0°C: **762 W**
- Cons.Énergie +5°C: **798 W**
- Cons.Énergie +10°C: **828 W**
- T° De Condensation: **40 °C**
- Capacité Frigorifique -25°C: **524 Kcal/h**
- Capacité Frigorifique -20°C: **692 Kcal/h**
- Capacité Frigorifique -15°C: **887 Kcal/h**
- Capacité Frigorifique -10°C: **1113 Kcal/h**
- Capacité Frigorifique -5°C: **1374 Kcal/h**
- Capacité Frigorifique 0°C: **1677 Kcal/h**
- Capacité Frigorifique 5°C: **2025 Kcal/h**
- Capacité Frigorifique 10°C: **2425 Kcal/h**
- Tipo Test: **EN.12900**

Compresseur L'unité Hermetique – Tecumseh CAJ9480Z – R404A, R449A, R407A, R452A

220 – 240V 1~ 50 Hz

Cylindrée = 15.2 CM3

APPLICATIONS = HBP / MHBP

Moteur type: CSR



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)




Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



- 
- 
- 
- 

Mbsm\_dot\_pro\_private\_PDF\_caj9480Z\_2494-spec Télécharger

Compresseur AJ = Le produit de référence associant silence, fiabilité et efficacité du froid commercial.

Product Code	Model Number	Compressor Horsepower	Compressor Displacement	Cooling	Oil Charge
	CAJ9480Z-FZ	5/8 HP	15.2 cm <sup>3</sup> /rev	Fan	475 ml
	CAJ9510Z-FZ	1 HP	18.3 cm <sup>3</sup> /rev	Fan	475 ml
	CAJ9513Z-FZ	1 1/8 HP	24.2 cm <sup>3</sup> /rev	Fan	475 ml
	CAJ4517Z-FZ	1.25 HP	25.95 cm <sup>3</sup> /rev	Fan	475 ml
	TAJ4517Z-TZ	1.25 HP	25.95 cm <sup>3</sup> /rev	Fan	475 ml
	CAJ4519Z-FZ	1.5 HP	34.45 cm <sup>3</sup> /rev	Fan	475 ml



Product Code	Model Number	Compressor Horsepower	Compressor Displacement	Cooling	Oil Charge
	TAJ4519Z-TZ	1.5 HP	34.45 cm <sup>3</sup> /rev	Fan	475 ml

**1 / 6HP, R134A, compresseur, réfrigérateur, EMT45h1r, Embraco, Compresseur R134a, EMT55HLR, EMT65HLR, 220V-240V /50HZ /1PH**

written by Lilianne | 12 September 2024





1 / 6HP R134a  
compresseur de réfrigérateur marque EMT45HLR Embraco





Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

## Référence technique

1. tension: 220-240 V / 50 HZ / 1PH
2. réfrigérant: R134a
4. Application: réfrigérateur commercial

## Autres modèles connexes pour votre choix:

Fluide frigorigène R134a moyenne / haute contre-pression	
EMT45HDR	1 / 6HP
EMT6170Z	1 / 3HP
EM65HHR	1 / 4HP
NE6170Z	1 / 3HP

NE6187Z	3 / 8HP
NEK6212Z	1 / 2HP
NEK6214Z	3 / 4HP
T6215Z	3 / 4HP
NJ6220Z	1HP
NJ6226Z	1,25 CV
Réfrigérant R134a à faible contre-pression	
EMT45HLR	1 / 6HP
EMT55HLR	1 / 5HP
EMT65HLR	1 / 4HP
FF7.5HAK	1 / 3HP
FF10HAK	7 / 16HP
FF8.5HBK 1/4++ hp mbp	1 / 3HP
FFI 12HBK	1 / 2HP
NB1118Z	1 / 3HP
NE1121Z	7 / 16HP
NE1130Z	1 / 2HP
NE2130Z	1 / 2HP
NE2134Z	9 / 16HP
NE2140Z	3 / 4HP

### Technique référence

1. Tension: 220V-240V /50HZ /1PH
2. Réfrigérant: R134a
- 4.Application: réfrigérateur Commercial

### Spécification

Réfrigérant R134a	
-------------------	--

EMT45HLR	1/6HP
EMT55HLR	1/5HP
EMT65HLR	1/4HP

embraco EMT45HLR



Thermally Protected

220-240V-

10 OLRA

R134a

50Hz

ESTER OIL 180ml 1PH



WIRE IN OIL! NO START WITHOUT STARTING DEVICE



813300818

07/SEP/12

WB2JF04Z



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm\_dot\_pro\_private\_PDF\_emt45h1rTélécharger

---

**GQR16TG, light, commercial,  
refrigeration, compressor ,1  
/ 2+ HP, 220V/50Hz, CSIR,  
capacitor:08UF, R134A,  
Middle/High Back Pressure**

written by Lilianne | 12 September 2024





GQR16TG, light, commercial, refrigeration, compressor ,1 / 2+ HP, 220V/50Hz, CSIR, capacitor:80UF, R134A