

**Mbsm.pro, R600a, Aruki
Compressors, Compressor,
QD65Y(N) (1/9HP), QD75Y(J)
(1/8+HP), QD85Y(J) (1/7+HP),
QD91Y(J) (1/6HP), QD103Y(J)
(1/6+HP)**

written by Lilianne | 31 August 2022

 **QD103Y**
220-240V~50Hz 1PH

     R600a

   Warning: Risk of fire

NO. 15592401
Hangzhou Qianjiang Refrigeration Group Co.,Ltd

Mbsm.pro, R600a, Aruki Compressors, Compressor, QD65Y(N)
(1/9HP) , QD75Y(J) (1/8+HP), QD85Y(J) (1/7+HP), QD91Y(J)
(1/6HP), QD103Y(J) (1/6+HP)

**Mbsm.pro, compressor,
MT160HW4D , 13 hp, MT160,
Displacement: 271.55cm³/rev**

written by Lilianne | 31 August 2022

*Mbsm.pro, Danfoss, Compressor, MT100HS4D, 8.3HP, R22, 380V,
3PH*

Danfoss Commercial Compressors



Model no: MT160HW4EVE



Serial no: EF1007049041



MADE IN FRANCE

380-400V 3- 50 Hz
460V 3- 60 Hz

UL electrical ratings

LR 130A 36A MAX

THERMALLY PROTECTED

P.E.D. LP side HP side


Marking PS 18.4 bar 27.8 bar

TS max 50 °C 68 °C

TS min -35 °C -35 °C

Volume 31 l 1.2 l

Lubricant: MINERAL OIL 160 P



Refrigerant: R22(ULrating)-R417A with 160PZ



WARNING

Installation and servicing must be performed by trained personnel. Read the instructions of the safety warning card before starting any work.
Do not use the unit if it is damaged or if the safety warning card is not followed.
Do not use the unit if it is not properly installed.
Do not use the unit if it is not properly maintained.
Do not use the unit if it is not properly serviced.
Do not use the unit if it is not properly repaired.
Do not use the unit if it is not properly tested.
Do not use the unit if it is not properly checked.
Do not use the unit if it is not properly inspected.
Do not use the unit if it is not properly examined.
Do not use the unit if it is not properly reviewed.
Do not use the unit if it is not properly evaluated.
Do not use the unit if it is not properly analyzed.
Do not use the unit if it is not properly synthesized.



CAUTION

Use only manufacturer's approved refrigerants, lubricants and electrical components. Use approved refrigerant / lubricant / electrical components only. Cause fires, explosions, electric shock, etc.
For details refer to fault diagnosis manual and see fault at the end of the manual. Do not use the unit if it is not properly repaired. Distributor network at <http://www.danfoss.com>





**Mbsm.pro, Compressor, T3, 3.3
hp, 30000 btu, nht52vbat, 14
A, Mitsubishi Compressor,
r22, 4.5 bar**

written by Lilianne | 31 August 2022



SIAM COMPRESSOR INDUSTRY

MITSUBISHI ELECTRIC GROUP



REFRIGERANT COMPRESSOR

MODEL **NHT52VBAT**

MANUFACTURING DATE **18052012**

POWER SOURCE

220-240V 1~ 50Hz

POWER INPUT **2970 W** AT **50** Hz

LRA **86/94** A

REFRIGERANT **R-22**


OIL **1.30 L**

AP **2.74** MPa

SP **10.5** MPa

THERMALLY PROTECTED

MADE IN THAILAND



NHT52VBAT-18052012-18052012

Mbsm.pro, Compressor, T3, 3.3 hp, 30000 btu, nht52vbat, 14 A,
Mitsubishi Compressor

**Mbsm.pro, Compressor, MK190G-
L2u, MK190G, Refrigerator,
USA, RS22hknrs, 527 L, r134a,
190g, 230w, Samsung,
MK190GL2U/E08, 1/3hp,
200-240V-50Hz, RSCR**

written by Lilianne | 31 August 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, MK190G-L2u, MK190G, Refrigerator, USA, RS22hknrs, 527 L, r134a, 190g, 230w, Samsung, MK190GL2U/E08, 1/3hp, 200-240V-50Hz, RSCR

Mbsm.pro, Compressor, semi-hermetic, piston, Q4-24.1Y, Q4-24.1y1000, 4 hp, 1bp

written by Lilianne | 31 August 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, semi-hermetic, piston, Q4-24.1Y,
Q4-24.1y1000, 4 hp, lbp

**Mbsm.pro, Compressor,
D91c21rax5, 1/4 hp, Lbp, 230
w, R134a, 135 G,
refrigerator, Goldi, Nt1800,
no frost, 2 doors, 509 L,
replaced by Gl99aa**

written by Lilianne | 31 August 2022



Mbsm.pro, Compressor, D91c21rax5, 1/4 hp, Lbp, 230 w, R134a, 135 G, refrigerator, Goldi, Nt1800, no frost, 2 doors, 509 L, replaced by Gl99aa

**Mbsm.pro, Compressor,
NL6.1FT, SECOP, 105G6620,
DANFOSS, 1/6 hp, Lbp**

written by Lilianne | 31 August 2022



Mbsm.pro, Compressor, NL6.1FT, SECOP, 105G6620, DANFOSS, 1/6 hp, Lbp

**Mbsm.pro, Gmcc Rotary,
Compressor, Gmcc A/C , R22,
220-240V/50Hz, 12000BTU,
pH215X2C-4FT, 1ton**

written by Lilianne | 31 August 2022

Mbsm.pro, Gmcc Rotary, Compressor, Gmcc A/C , R22,
220-240V/50Hz, 12000BTU, pH215X2C-4FT

**Mbsm.pro, compressor, Secop,
GTK55AT, 170W, R134, LBP, 1/5
HP, RSIR, 579 BTU**

written by Lilianne | 31 August 2022



Mbsm.pro, compressor, Secop, GTK55AT, 170W, R134, LBP, 1/5 HP,
RSIR, 579 BTU

**Mbsm.pro, Embraco, ERU280HSP,
hermetic reciprocating, low
temperature, refrigeration,
compressor, 1/4 hp, Lbp, R134
a**

written by Lilianne | 31 August 2022



Mbsm.pro, Embraco, ERU280HSP, hermetic reciprocating, low
temperature, refrigeration, compressor, 1/4 hp, Lbp, R134 a