

**3/4HP (+Big, Cappacitor
10 μ F), CSR, Danfos , secop
refrigerator freezer, r134a,
compressor, SC21G , 104G8140
, 230 V 60Hz ,LBP / HBP, 21.8
A**

written by Lilianne | 15 May 2020

3/4HP (+Big Cappacitor 10 μ F), CSR, Danfos , secop refrigerator
freezer, r134a, compressor, SC21G , 104G8140 , 230 V 60Hz ,MBP

**Compresseur, SC15B, R-12,
3/8HP, 230V , 104L , 2830
,220-240V ,50HZ ,1PH, LBP/HBP
,Compressor DANFOSS**

written by Lilianne | 15 May 2020

Compresseur SC15B R-12 3/8HP 230V , 104L , 2830 ,220-240V
,50HZ ,1PH, LBP/HBP ,Compressor DANFOSS

**Mbsm.pro, Donpers Compressor,
LBP, Fridge Freezer, Ice
Making Commercial
Refrigeration, Compressor,
D25DZ1 (1/5 hp, 177 w),
S43CZ1 (1/7 hp), S50CZ1,
L58CZ1 (1/5 Hp), L65CZ1 (1/5
hp++), L72CZ1 (1/4 hp), L76CZ**

written by Lilianne | 15 May 2020



L58CZ1

220-240V~50Hz 1PH
THERMALLY PROTECTED



RoHS



SUCTION → 7

<http://www.donper.com>



201120003251202363

R134a

SYS12200901

BCD-270 (M)



027002201212000064

Donpers Compressor, LBP, 1/4 Hp ,Fridge Freezer, Ice Making
Commercial Refrigeration, Compressor, D25DZ1, S43CZ1, S50CZ1,
L58CZ1 L65CZ1, L72CZ1, L76CZ ,195 w

**KCE444HAG , 3/8 Hp ,230V,
50Hz, 1Phase ,High / Medium
temperature (HBP / CBP),
R-134a**

written by Lilianne | 15 May 2020

KCE444HAG , 3/8 Hp ,230V, 50Hz, 1Phase ,High / Medium
temperature (HBP / CBP), R-134a

**3HP , 2CC-3.2 , Bitzer ,Semi
hermetic ,Refrigeration
,Compressor ,for cold storage**

written by Lilianne | 15 May 2020

3HP , 2CC-3.2 , Bitzer ,Semi hermetic ,Refrigeration
,Compressor ,for cold storage

**NL10MF ,1/3 HP ,10,5kg 1/3HP
,Hermétique,Compressor ,
DANFOSS ,SECOP ,R134a
,220-240V 50Hz , 208-230V
60Hz ,MBP (Medium Back
Pressure) ,CSIR – RSIR
(Resistance Start – Capacitor
Run)**

written by Lilianne | 15 May 2020

NL10MF ,1/3 HP ,10,5kg 1/3HP ,Hermétique,Compressor , DANFOSS
,SECOP ,R134a ,220-240V 50Hz , 208-230V 60Hz ,MBP (Medium Back
Pressure) ,CSIR – RSIR (Resistance Start – Capacitor Run)

**Compressor ,Embraco Aspera
,NJ2212GK, LBP – R404A, R507,
220-240V/1/50Hz, 1.5 HP,
34.38 cm³, LRA 36.0 A, CSR,
lubricant charge 750ml POE**

22, 1547 W ,at -23.3 / +54.4 °

written by Lilianne | 15 May 2020



Compressor ,Embraco Aspera ,NJ2212GK, LBP – R404A, R507, 220-240V/1/50Hz, 1.5 HP, 34.38 cm³, LRA 36.0 A, CSR, lubricant charge 750ml POE 22, 1547 W ,at -23.3 / +54.4 °

Compresseur, Samsung , 1/5 HP, 155/160w , r600a ,220/240v~50, Mk4a5qr1u,

Mk4a5q-R1u, 5.5Lra, 1PHASE

written by Lilianne | 15 May 2020

Compresseur, Samsung , 1/5 HP, 155/160w , r600a ,220/240v~50,
Mk4a5qr1u, Mk4a5q-R1u, 5.5Lra, 1PHASE

Tecumseh , CAJ4511A , Compressor , 1 HP, 208-230V, 1 PHASE, R12, Hermetic , Reciprocating Compressor Replacement

written by Lilianne | 15 May 2020

Tecumseh , CAJ4511A ,Compressor , 1 HP, 208-230V, 1 PHASE,
R12, Hermetic ,Reciprocating Compressor Replacement

Compressor ,ACC Cubigel ,Huayi Electrolux ,ZEM GL80AA / GUY75AA, LBP – R134a, 220 –

**240V/1/50Hz, 1/4 HP,
discharge 7.52 cm³, motor
type RSIR / RSCR, oil type
ester, oil charge 180 cm³,
150 W at -25 / +55 °, input
power, current 146 W, 1.16 A,
expansion device: capillary,
cooling: static, weight 8.6
kg**

written by Lilianne | 15 May 2020

Compressor ,ACC Cubigel ,Huayi Electrolux ,ZEM GL80AA /
GVY75AA, LBP – R134a, 220 – 240V/1/50Hz, 1/5 HP, discharge
7.52 cm³, motor type RSIR / RSCR, oil type ester, oil charge
180 cm³, 150 W at -25 / +55 °, input power, current 146 W,
1.16 A, expansion device: capillary, cooling: static, weight
8.6 kg