

Compressor, R134A, GLY12RGA, 10,7cm³, HMBP, 230V, 3/8HP, CUBIGEL, HUAYI

written by Lilianne | 20 December 2021

| Model | Displacement (cm ³) | Refrigerant | Application | Compressor Cooling | Voltage/Frequency | Frequency (Hz) | Motor Type | Cooling (kCal/h) | COP (W/W) | Cooling (W) | COP (W/W) | Technical Data Sheet (*) | |
|-------|---------------------------------|-------------|-------------|--------------------|-------------------|-----------------------------|------------|------------------|-----------|-------------|-----------|--------------------------|----------|
| | GL45MG | 4,56 | R134a | HBP | S | 230V 50/60Hz ~1 | 50 | CSIR | 352 | 1,95 | 340 | 1,67 | GL45MG |
| | GL45MG | 4,56 | R134a | HBP | S | 230V 50/60Hz ~1 | 60 | CSIR | 412 | 1,92 | 398 | 1,65 | GL45MG |
| | GL60MG | 5,98 | R134a | HBP | S | 230V 50/60Hz ~1 | 60 | CSIR | 520 | 2,02 | 499 | 1,73 | GL60MG |
| | GL60MG | 5,98 | R134a | HBP | S | 230V 50/60Hz ~1 | 50 | CSIR | 445 | 1,99 | 427 | 1,70 | GL60MG |
| | GL80MG | 7,57 | R134a | HBP | S | 230V 50/60Hz ~1 | 60 | CSIR | 702 | 2,15 | 674 | 1,84 | GL80MG |
| | GL80MG | 7,57 | R134a | HBP | S | 230V 50/60Hz ~1 | 50 | CSIR | 600 | 2,10 | 576 | 1,78 | GL80MG |
| | GL90MG | 8,85 | R134a | HBP | S | 230V 50/60Hz ~1 | 50 | CSIR | 685 | 2,10 | 661 | 1,79 | GL90MG |
| | GL90MG | 8,85 | R134a | HBP | S | 230V 50/60Hz ~1 | 60 | CSIR | 800 | 2,11 | 772 | 1,83 | GL90MG |
| ✓ | GLY12RAa | 10,70 | R134a | HBP | F | 220-240V 50Hz ~1 | 50 | CSIR | 900 | 2,30 | 867 | 1,97 | GLY12RAa |
| ✓ | GLY12RAb | 10,70 | R134a | HBP | F | 220-240V 50Hz ~1 | 50 | CSR | 900 | 2,57 | 867 | 2,20 | GLY12RAb |
| ✓ | GLY12RGa | 10,70 | R134a | HBP | F | 200-220/220-230V 50/60Hz ~1 | 50 | CSIR | 900 | 2,19 | 867 | 1,87 | GLY12RGa |
| ✓ | GLY12RGa | 10,70 | R134a | HBP | F | 200-220/220-230V 50/60Hz ~1 | 60 | CSIR | 1.038 | 2,22 | 1.007 | 1,90 | GLY12RGa |
| ✓ | GLY12RGb | 10,70 | R134a | HBP | F | 200-220/220-230V 50/60Hz ~1 | 50 | CSR | 900 | 2,32 | 867 | 1,98 | GLY12RGb |
| ✓ | GLY12RGb | 10,70 | R134a | HBP | F | 200-220/220-230V 50/60Hz ~1 | 60 | CSR | 1.038 | 2,40 | 1.007 | 2,07 | GLY12RGb |
| | GP14TB | 14,17 | R134a | HBP | F | 220-240V 50Hz ~1 | 50 | CSIR | 1.030 | 2,03 | 998 | 1,76 | GP14TB |
| | GP16TB | 16,15 | R134a | HBP | F | 220-240V 50Hz ~1 | 50 | CSIR | 1.240 | 2,09 | 1.204 | 1,80 | GP16TB |
| | GP16TE | 16,15 | R134a | HBP | F | 115V 60Hz ~1 | 60 | CSIR | 1.450 | 1,96 | 1.408 | 1,69 | GP16TE |
| | GP16TG | 16,15 | R134a | HBP | F | 200-220/230V 50/60Hz ~1 | 50 | CSIR | 1.240 | 2,09 | 1.204 | 1,81 | GP16TG |
| | GP16TG | 16,15 | R134a | HBP | F | 200-220/230V 50/60Hz ~1 | 60 | CSIR | 1.450 | 2,00 | 1.408 | 1,74 | GP16TG |
| ✓ | GPM16RA | 16,15 | R134a | HBP | F | 220-240V 50Hz ~1 | 50 | CSIR | 1.351 | 2,09 | 1.317 | 1,79 | GPM16RA |

(*) Under standard conditions

Additional information

| | |
|-----------------------------|----------------------|
| Voltage (V) | 230Vac |
| Frequency (hz) | 50 |
| Range | MBP |
| Displacement (cm3) | 10,7 cm ³ |
| Cooling capacity (W) | 608W |
| Conditions (°C) | -10 / +45C |
| Refrigerant | R134A |
| Suction line | 8.1mm juotettava |
| Liquid line | 6,5mm juotettava |

| | |
|--------------------|-----------------|
| Height (mm) | 198mm |
| Weight (kg) | 10,43kg |
| Oil | ISO VG 32 Ester |

Technical data

- Model: **GLY12RAa**
- Refrigerant Gas: **R-134a**
- Pression/temperature: **HBP**
- Power: **3/8 HP**
- Voltage: **230 V**
- Current Type: **Single-Phase**
- Frequency: **50 Hz**
- Compressor Type: **Hermetic**
- Displacement: **10.7 cm³**
- Power Cons. -10°C: **293 W**
- Power Cons. -5°C: **322 W**
- Efficiency 0°C: **351 W**
- Power Cons. +5°C: **380 W**
- Power Cons. +7,2°C: **392 W**
- T° Condensation: **40 °C**
- Cooling Cap. -15°C: **408 Kcal/h**
- Cooling Cap. -10°C: **512 Kcal/h**
- Cooling Cap. -5°C: **642 Kcal/h**
- Cooling Cap. 0°C: **797 Kcal/h**
- Cooling Cap. 5°C: **977 Kcal/h**
- Cooling Cap. 7.2°C: **1065 Kcal/h**
- Cooling Cap. 10°C: **1184 Kcal/h**
- Test Type: **Ashare 46**

Mbsm_dot_pro_private_PDF_pdf-GLY12RAaTélécharger

| Model | Displacement (cm ³) | Refrigerant | Application | Compressor Cooling | Voltage/Frequency | Frequency (Hz) | Motor Type | ASHRAE (*) | | CECOMAF (*) | | T _e (°C) |
|----------|---------------------------------|-------------|-------------|--------------------|-----------------------------|----------------|------------|------------------|-----------|-------------|-----------|---------------------|
| | | | | | | | | Cooling (kCal/h) | COP (W/W) | Cooling (W) | COP (W/W) | |
| GL45MG | 4.56 | R134a | HBP | S | 230V 50/60Hz ~1 | 50 | CSIR | 352 | 1.95 | 340 | 1.87 | GI |
| GL45MG | 4.56 | R134a | HBP | S | 230V 50/60Hz ~1 | 60 | CSIR | 412 | 1.92 | 398 | 1.85 | GI |
| GL60MG | 5.98 | R134a | HBP | S | 230V 50/60Hz ~1 | 60 | CSIR | 520 | 2.02 | 499 | 1.73 | GI |
| GL60MG | 5.98 | R134a | HBP | S | 230V 50/60Hz ~1 | 50 | CSIR | 445 | 1.99 | 427 | 1.70 | GI |
| GL80MG | 7.57 | R134a | HBP | S | 230V 50/60Hz ~1 | 60 | CSIR | 702 | 2.15 | 674 | 1.84 | GI |
| GL80MG | 7.57 | R134a | HBP | S | 230V 50/60Hz ~1 | 50 | CSIR | 600 | 2.10 | 576 | 1.78 | GI |
| GL90MG | 8.85 | R134a | HBP | S | 230V 50/60Hz ~1 | 50 | CSIR | 685 | 2.10 | 661 | 1.79 | GI |
| GL90MG | 8.85 | R134a | HBP | S | 230V 50/60Hz ~1 | 60 | CSIR | 800 | 2.11 | 772 | 1.83 | GI |
| GLY12RAa | 10.70 | R134a | HBP | F | 220-240V 50Hz ~1 | 50 | CSIR | 900 | 2.30 | 887 | 1.97 | GL* |
| GLY12RAb | 10.70 | R134a | HBP | F | 220-240V 50Hz ~1 | 50 | CSR | 900 | 2.57 | 887 | 2.20 | GL* |
| GLY12RGa | 10.70 | R134a | HBP | F | 200-220/220-230V 50/60Hz ~1 | 50 | CSIR | 900 | 2.19 | 887 | 1.87 | GL* |
| GLY12RGa | 10.70 | R134a | HBP | F | 200-220/220-230V 50/60Hz ~1 | 60 | CSIR | 1.038 | 2.22 | 1.007 | 1.90 | GL* |
| GLY12RGb | 10.70 | R134a | HBP | F | 200-220/220-230V 50/60Hz ~1 | 50 | CSR | 900 | 2.32 | 887 | 1.88 | GL* |
| GLY12RGb | 10.70 | R134a | HBP | F | 200-220/220-230V 50/60Hz ~1 | 60 | CSR | 1.038 | 2.40 | 1.007 | 2.07 | GL* |
| GP14TB | 14.17 | R134a | HBP | F | 220-240V 50Hz ~1 | 50 | CSIR | 1.030 | 2.03 | 998 | 1.76 | GI |
| GP16TB | 16.15 | R134a | HBP | F | 220-240V 50Hz ~1 | 50 | CSIR | 1.240 | 2.09 | 1.204 | 1.80 | GI |
| GP16TE | 16.15 | R134a | HBP | F | 115V 60Hz ~1 | 60 | CSIR | 1.450 | 1.98 | 1.408 | 1.89 | GI |
| GP16TG | 16.15 | R134a | HBP | F | 200-220/230V 50/60Hz ~1 | 50 | CSIR | 1.240 | 2.09 | 1.204 | 1.81 | GI |
| GP16TG | 16.15 | R134a | HBP | F | 200-220/230V 50/60Hz ~1 | 60 | CSIR | 1.450 | 2.00 | 1.408 | 1.74 | GI |
| GPM16RA | 16.15 | R134a | HBP | F | 220-240V 50Hz ~1 | 50 | CSIR | 1.351 | 2.09 | 1.317 | 1.79 | GP |



Private Picture Copyright: WWW.MBSM.PRO




Private Picture Copyright: WWW.MBSM.PRO

**REFRIGERATOR, Samsung
refrigerator, CoolTech,
Model, SR-38NMB, Capacity: 13**

**cubic feet, Compressor,
SD162P-L1W2 , 1/5 Hp, Lbp,
R134A, 198W, input 145 w**

written by Lilianne | 20 December 2021



Private Picture Copyright : WWW.MBSM.PRO

REFRIGERATOR, Samsung refrigerator, CoolTech, Model, SR-38NMB,
Capacity: 13 cubic feet, Compressor, SD162P-L1W2 , 1/5 Hp,
Lbp, R134A, 198W, input 145 w

NE2125GK, NEK2130GK, NEK6181GK, EMT6165GK, ML90FB, KB2416ZK2, R404a/R507, 1/3HP, LBP, ALL COMPRESSEURS, GAZ R404A – R507, EMBRACO

written by Lilianne | 20 December 2021

Table of Contents

| | Page |
|---|------------------|
| Copeland | |
| Tecumseh | |
| Waneurop Inc. | |
| embraco | |
| BITZER | |
| BRAINERD | |
| BLISSFIELD | |
| • Multi-Application Compressors | 232-241 |
| • Specific Application Hermetic Compressors | 242-263 |
| • Semi-Hermetic Compressors | 264-291, 293-295 |
| • Service Valves | 292-293 |
| • Open Compressors | 295-298 |

REFRIGERATION COMPRESSORS

www.mbsm.pro

Private Picture Copyright : WWW.MBSM.PRO

Compressor coolant R404a/R507 type
NE2125GK 220-240V 50Hz LBP fully
hermetic 10,45kg 1/3HP

R404a/R507
HP 1/3
CSIR
IN -
IN -
.W 213
.W 354
IN -
kg 10.45
V 220-240

refrigerant
power
motor system
power at -5°C
power at +5°C
power at -30°C
power at -20°C
power at +10°C
weight
voltage

605018
NE2125GK
cm³ 8.78
Watts 534
IN -
.W 160
.W 278
.W 439
LBP
Hz 50

piece number
type
cylinder capacity
power at -10°C
power at 0°C
power at -35°C
power at -25°C
power at -15°C
application
frequency



Private Picture Copyright: WWW.MBSM.PRO

Compressor coolant R404a/R507 type NEK2130GK 220-240V 50Hz LBP 10,9kg 1/3HP



NEK6181GK ASPERA EMBRACO COMPRESSOR 1/3HP R404A / R507

DESCRIPTION

NEK6181GK Aspera Embraco compressor 1/3HP

- Refrigerant: R507a R404A
- Power range(W): 1 – 1,5 kW
- Working area: MBP
- Design type: Hermetic
- Use with: Expansion/Capillary

- Power range(HP):0-2
- Power supply: 220 – 240V/1/50Hz
- Oil type: POE22
- Engine type: CSIR
- Article condition:New

EMT6165GK ASPERA EMBRACO COMPRESSOR 1/3HP R404A / R507

DESCRIPTION

Aspera Embraco EMT6165GK compressor 1/3HP

- high evaporation temperature
- Refrigerant: R507a R404A
- Power range(W): 401 – 500 W 701 – 1000 W
- Performance range:-20 C to +10 C
- Connecting size:4,9 mm
- Working area: MBP
- Design type: Hermetic
- Model series: EMT
- Use with: Expansion/Capillary
- Power range(HP):0-2
- Power supply: 240V/1/50Hz
- Oil type: POE22
- Engine type: CSIR
- Article condition:New

Compressor ACC – ML90FB, LBP

– R404A, R507, 1/3HP, 220-240V

Compressor ACC – ML90FB, LBP – R404A, 220-240/50Hz Injection: capillary tube / expansion valve Power: 1/3 HP Refrigerating capacity at -25 / +55°C: 276 W, power consumption: 333 W Max Ambient temperature: 43 °C Displacement: 8.85 cm³ Engine type: CSIR Oil filling: 400 cm³ Oil type: ISO VG 46 ESTER Starting element: HST Start capacitor: 47- 56 / 330 µF/V Voltage range: 187-264 V Starting current: 12.2 A Weight: 11 kg Connections: 6.5 x 4.9 mm Main winding resistance: 8.42 (25°C) Ohm Winding resistance: 29.75 (25°C) Ohm. cooling capacity measured for condensation temperature of: 45°C, measuring conditions: ASHRAE Cooling capacity

| -10 °C | -15 °C | -20 °C | -25 °C | -30 °C | -35 °C | -40 °C |
|-------------------------------------|--------|--------|--------|-------------|--------|--------|
| 729 | 606 | 495 | 394 | 305 | 227 | 161 |
| Shipping Class | | | | Standard | | |
| Scope Of Application | | | | LBP | | |
| Lieferzeit | | | | 2-3 Wochen | | |
| Type Of Construction | | | | Piston | | |
| Condensation Temperature | | | | 45°C | | |
| Maker | | | | ACC | | |
| Manufacturer No. | | | | ML90FB | | |
| Displacement In Cm3 | | | | 8.85 | | |
| Measuring Requirements | | | | Ashrae | | |
| Refrigerants | | | | R404A, R507 | | |
| Series | | | | ML | | |
| Condensing Units Compressors | | | | Compressors | | |
| Suspense | | | | 220-240V | | |
| Weight In Kg | | | | 12.1 | | |

Supco KB2416ZK2 – Compressor LBP HST 1/3HP 1580/1696 BTU 208/230V – R404a / R507 Refrigerant – 1580 / 1696 BTU @ -10°F – 0.32" I.D. Suction Size – 0.19" I.D. Discharge

| | |
|-------------------------|--|
| Stock Code | KB2416ZK2 |
| Brand | Supco |
| Voltage (V) | 208 / 230 VAC |
| Phase | Single Phase |
| HP Rating: | 1 / 3 HP |
| Oil Charge (oz.) | 507 cc. |
| Motor | High Start Torque |
| Operates | Icemakers; Refrigerators |
| Cross Refefence | Replacement Part:NEK2134GK ; Manufacturer :Embraco |

Mbsm_dot_pro_private_PDF_KB2416ZK2_prd_001_1_Télécharger

FREON R404a/R507 220-240V 50HZ

| Code | Prix | Type | Marque | Puissance HP | Cylindrée CM3 | Pression | Schéma électrique | Capacité frigorifique en watt-10°C-5°C0°C+5°C | | | |
|----------|---------|-----------|------------------|--------------|---------------|----------|-------------------|---|------|------|------|
| SEQ616 | 89.51€ | EMT6144GK | EMBRACO | 1/5 | 3.97 | HMBP | CSIR | 360 | 438 | 530 | 630 |
| SEQ608 | 85.02€ | NEK6181GK | EMBRACO | 1/3 | 7.28 | HMBP | CSIR | 565 | 689 | 836 | 1006 |
| SEQ690 | 86.26€ | NEK6210GK | EMBRACO | 3/8 | 8.78 | HMBP | CSIR | 669 | 821 | 999 | 1205 |
| SEQ709 | 122.29€ | AEZ4425Z | UNITE HERMETIQUE | 1/5 | 4.50 | HMBP | CSIR | 263 | 341 | 432 | 587 |
| VNQ6987 | 114.69€ | NEK2125GK | EMBRACO | 1/4 | 6.20 | LBP | CSIR | 243 | 314 | 398 | 494 |
| VASQ6276 | 112.12€ | NEK6144GK | EMBRACO | 1/4L | 4.52 | HMBP | CSIR | 368 | 451 | 549 | 660 |
| SEQ703 | 132.23€ | NEK6213GK | EMBRACO | 1/2 | 12.12 | HMBP | CSIR | 919 | 1120 | 1350 | 1610 |
| CYQ6367 | 155.22€ | NEK2168GK | EMBRACO | 5/8 | 14.30 | LBP | CSR | 500 | 650 | 828 | 1030 |
| FQQ6559 | 144.34€ | NEK6217GK | EMBRACO | 5/8 | 14.30 | HMBP | CSR | 1120 | 1360 | 1630 | 1932 |

| | | | | | | | | | | | |
|----------|---------|-----------|---------------------|-----|-------|------|------|------|------|------|------|
| VGQ6677 | 192.44€ | AE4470Z | UNITE HERMETIQUE | 1/2 | 12.00 | HMBP | CSIR | | | | |
| VGQ6676 | 180.64€ | AE4450Z | UNITE HERMETIQUE | 3/8 | 8.80 | HMBP | CSIR | | | | |
| SEQ912 | 198.59€ | NJ2212GK | EMBRACO | 1.7 | 34.37 | LBP | CSR | 945 | 1333 | 1775 | 2273 |
| SEQ617 | 191.35€ | NEK2150GK | EMBRACO | 5/8 | 12.12 | LBP | CSIR | 445 | 570 | 716 | 888 |
| SEQ902 | 175.39€ | NT6222GK | EMBRACO | 3/4 | 17.40 | HMBP | CSR | 1280 | 1590 | 1930 | 2308 |
| SEQ609 | 221.62€ | NJ2192GK | EMBRACO | 1.2 | 26.00 | LBP | CSR | 752 | 1120 | 1345 | 1725 |
| VNQ6902 | 198.45€ | NT6226GK | EMBRACO | 1 | 22.40 | HMBP | CSR | 1744 | 2144 | 2598 | 3095 |
| VNQ6916 | 223.47€ | NJ9232GK | EMBRACO | 1.2 | 26.20 | HMBP | CSR | 1953 | 2458 | 3182 | 4070 |
| SEQ674 | 256.69€ | CAJ2432Z | UNITE HERMETIQUE | 3/4 | 18.30 | LBP | CSR | 510 | 792 | 865 | 1560 |
| CYQ6239 | 276.42€ | CAJ2446Z | UNITE HERMETIQUE | 1.2 | 26.10 | LBP | CSR | 797 | 1194 | 1423 | 2290 |
| CYQ6236 | 287.60€ | CAJ2428Z | UNITE HERMETIQUE | 5/8 | 15.20 | LBP | CSR | 394 | 628 | 762 | 1261 |
| IQ1517 | 307.80€ | CAJ9480Z | UNITE HERMETIQUE | 5/8 | 15.20 | HMBP | CSR | 1009 | 1284 | 1607 | 2172 |
| SEQ990 | 354.18€ | CAJ4517Z | UNITE HERMETIQUE | 1.2 | 25.90 | HMBP | CSR | 1776 | 2273 | 2857 | 3860 |
| SEQ999 | 284.58€ | CAJ9510Z | UNITE HERMETIQUE | 1 | 18.30 | HMBP | CSR | 1252 | 1583 | 1972 | 2650 |
| ZNEQ6572 | 360.83€ | CAJ2464Z | UNITE HERMETIQUE | 1.5 | 34.40 | LBP | CSR | 1076 | 1605 | 1902 | 3012 |
| VASQ6285 | 348.56€ | NJ9238GK | EMBRACO | 1.5 | 32.70 | HMBP | CSR | 2485 | 2956 | 3509 | 4563 |
| SEQ601 | 367.83€ | NT6220GK | EMBRACO | 5/8 | 14.50 | HMBP | CSR | 1126 | 1395 | 1700 | |
| SEQ921 | 394.30€ | CAJ9513Z | UNITE HERMETIQUE | 1.1 | 24.20 | HMBP | CSR | 1501 | 1955 | 2485 | 3406 |
| VASQ7698 | 392.13€ | CAJ4519Z | UNITE HERMETIQUE | 1.5 | 34.40 | HMBP | CSR | 2353 | 3009 | 3756 | 5030 |
| ZRQ7716 | 441.16€ | CAJ2440Z | UNITE HERMETIQUE | 1 | 22.80 | LBP | CSR | 647 | 945 | 1166 | 1876 |

HMP: Haute moyenne pression

HP: Haute pression

LBP: Basse pression

FREON R404a/R507 220-240V 50HZ

| Code | Prix | Type | Marque | Puissance HP | Cylindrée CM3 | Pression | Schéma électrique | Capacité frigorifique en watt-10°C-5°C0°C+5°C | | | |
|----------|---------|-----------|---------------------|-----------------|------------------|----------|----------------------|---|------|------|------|
| SEQ616 | 89.51€ | EMT6144GK | EMBRACO | 1/5 | 3.97 | HMBP | CSIR | 360 | 438 | 530 | 630 |
| SEQ608 | 85.02€ | NEK6181GK | EMBRACO | 1/3 | 7.28 | HMBP | CSIR | 565 | 689 | 836 | 1006 |
| SEQ690 | 86.26€ | NEK6210GK | EMBRACO | 3/8 | 8.78 | HMBP | CSIR | 669 | 821 | 999 | 1205 |
| SEQ709 | 122.29€ | AEZ4425Z | UNITE HERMETIQUE | 1/5 | 4.50 | HMBP | CSIR | 263 | 341 | 432 | 587 |
| VNQ6987 | 114.69€ | NEK2125GK | EMBRACO | 1/4 | 6.20 | LBP | CSIR | 243 | 314 | 398 | 494 |
| VASQ6276 | 112.12€ | NEK6144GK | EMBRACO | 1/4L | 4.52 | HMBP | CSIR | 368 | 451 | 549 | 660 |
| SEQ703 | 132.23€ | NEK6213GK | EMBRACO | 1/2 | 12.12 | HMBP | CSIR | 919 | 1120 | 1350 | 1610 |
| CYQ6367 | 155.22€ | NEK2168GK | EMBRACO | 5/8 | 14.30 | LBP | CSR | 500 | 650 | 828 | 1030 |
| FQQ6559 | 144.34€ | NEK6217GK | EMBRACO | 5/8 | 14.30 | HMBP | CSR | 1120 | 1360 | 1630 | 1932 |
| VGQ6677 | 192.44€ | AE4470Z | UNITE HERMETIQUE | 1/2 | 12.00 | HMBP | CSIR | | | | |

| | | | | | | | | | | | |
|----------|---------|-----------|---------------------|-----|-------|------|------|------|------|------|------|
| VGQ6676 | 180.64€ | AE4450Z | UNITE HERMETIQUE | 3/8 | 8.80 | HMBP | CSIR | | | | |
| SEQ912 | 198.59€ | NJ2212GK | EMBRACO | 1.7 | 34.37 | LBP | CSR | 945 | 1333 | 1775 | 2273 |
| SEQ617 | 191.35€ | NEK2150GK | EMBRACO | 5/8 | 12.12 | LBP | CSIR | 445 | 570 | 716 | 888 |
| SEQ902 | 175.39€ | NT6222GK | EMBRACO | 3/4 | 17.40 | HMBP | CSR | 1280 | 1590 | 1930 | 2308 |
| SEQ609 | 221.62€ | NJ2192GK | EMBRACO | 1.2 | 26.00 | LBP | CSR | 752 | 1120 | 1345 | 1725 |
| VNQ6902 | 198.45€ | NT6226GK | EMBRACO | 1 | 22.40 | HMBP | CSR | 1744 | 2144 | 2598 | 3095 |
| VNQ6916 | 223.47€ | NJ9232GK | EMBRACO | 1.2 | 26.20 | HMBP | CSR | 1953 | 2458 | 3182 | 4070 |
| SEQ674 | 256.69€ | CAJ2432Z | UNITE HERMETIQUE | 3/4 | 18.30 | LBP | CSR | 510 | 792 | 865 | 1560 |
| CYQ6239 | 276.42€ | CAJ2446Z | UNITE HERMETIQUE | 1.2 | 26.10 | LBP | CSR | 797 | 1194 | 1423 | 2290 |
| CYQ6236 | 287.60€ | CAJ2428Z | UNITE HERMETIQUE | 5/8 | 15.20 | LBP | CSR | 394 | 628 | 762 | 1261 |
| IQ1517 | 307.80€ | CAJ9480Z | UNITE HERMETIQUE | 5/8 | 15.20 | HMBP | CSR | 1009 | 1284 | 1607 | 2172 |
| SEQ990 | 354.18€ | CAJ4517Z | UNITE HERMETIQUE | 1.2 | 25.90 | HMBP | CSR | 1776 | 2273 | 2857 | 3860 |
| SEQ999 | 284.58€ | CAJ9510Z | UNITE HERMETIQUE | 1 | 18.30 | HMBP | CSR | 1252 | 1583 | 1972 | 2650 |
| ZNEQ6572 | 360.83€ | CAJ2464Z | UNITE HERMETIQUE | 1.5 | 34.40 | LBP | CSR | 1076 | 1605 | 1902 | 3012 |
| VASQ6285 | 348.56€ | NJ9238GK | EMBRACO | 1.5 | 32.70 | HMBP | CSR | 2485 | 2956 | 3509 | 4563 |
| SEQ601 | 367.83€ | NT6220GK | EMBRACO | 5/8 | 14.50 | HMBP | CSR | 1126 | 1395 | 1700 | |
| SEQ921 | 394.30€ | CAJ9513Z | UNITE HERMETIQUE | 1.1 | 24.20 | HMBP | CSR | 1501 | 1955 | 2485 | 3406 |
| VASQ7698 | 392.13€ | CAJ4519Z | UNITE HERMETIQUE | 1.5 | 34.40 | HMBP | CSR | 2353 | 3009 | 3756 | 5030 |
| ZRQ7716 | 441.16€ | CAJ2440Z | UNITE HERMETIQUE | 1 | 22.80 | LBP | CSR | 647 | 945 | 1166 | 1876 |

HMP: Haute moyenne pression

HP: Haute pression

LBP: Basse pression

FREON R404a/R507 220-240V 50HZ

| CODE | TYPE | MARQUE | PUISSANCE HP | CYLINDREE CM3 | PRESSION | schema electrique | capacité frigorifique en watt | | | |
|----------|-----------|---------------------|-----------------|------------------|----------|----------------------|-------------------------------|------|------|------|
| | | | | | | | -10° | -5° | 0 | +5° |
| FRD161 | EMT6144GK | EMBRACO | 1/5 | 3,97 | HMBP | CSIR | 360 | 438 | 530 | 630 |
| ITD1112 | EMT6152GK | EMBRACO | 1/4L | 4,5 | HMBP | CSIR | 396 | 483 | 582 | 695 |
| INFD1721 | NEK6144GK | EMBRACO | 1/4L | 4,52 | HMBP | CSIR | 368 | 451 | 549 | 660 |
| SCD1726 | NEK6165GK | EMBRACO | 1/4 | 6,2 | HMBP | CSIR | 520 | 626 | 751 | 895 |
| FRD153 | NEK6181GK | EMBRACO | 1/3 | 7,28 | HMBP | CSIR | 565 | 689 | 836 | 1006 |
| FRD145 | NEK6210GK | EMBRACO | 3/8 | 8,78 | HMBP | CSIR | 669 | 821 | 999 | 1205 |
| FRD258 | NEK6213GK | EMBRACO | 1/2 | 12,12 | HMBP | CSIR | 919 | 1120 | 1350 | 1610 |
| SDD1004 | NEK6217GK | EMBRACO | 5/8 | 14,3 | HMBP | CSR | 1120 | 1360 | 1630 | 1932 |
| FRD156 | NT6220GK | EMBRACO | 5/8 | 14,5 | HMBP | CSR | 1126 | 1395 | 1700 | |
| FRD457 | NT6222GK | EMBRACO | 3/4 | 17,4 | HMBP | CSR | 1280 | 1590 | 1930 | 2308 |
| IAD1457 | NT6226GK | EMBRACO | 1 | 22,4 | HMBP | CSR | 1744 | 2144 | 2598 | 3095 |
| IAD1461 | NJ9232GK | EMBRACO | 1,2 | 26,2 | HMBP | CSR | 1953 | 2458 | 3182 | 4070 |
| INFD1730 | NJ9238GK | EMBRACO | 1,5 | 32,7 | HMBP | CSR | 2485 | 2956 | 3509 | 4563 |
| IAD1432 | NEK2125GK | EMBRACO | 1/4 | 6,2 | LBP | CSIR | 243 | 314 | 398 | 494 |
| FRD162 | NEK2150GK | EMBRACO | 5/8 | 12,12 | LBP | CSIR | 445 | 570 | 716 | 888 |
| PLD1812 | NEK2168GK | EMBRACO | 5/8 | 14,3 | LBP | CSR | 500 | 650 | 828 | 1030 |
| SDD1019 | NT2178GK | EMBRACO | 3/4 | 17,4 | LBP | CSR | 544 | 735 | 956 | 1206 |
| FRLD4079 | NT2180GK | EMBRACO | 1 | 20,4 | LBP | CSR | 648 | 856 | 1100 | 1380 |
| INFD1712 | NT2192GK | EMBRACO | 1,1 | 22,4 | LBP | CSR | 754 | 998 | 1280 | 1598 |
| FRD154 | NJ2192GK | EMBRACO | 1,2 | 26 | LBP | CSR | 752 | 1120 | 1345 | 1725 |
| FRD467 | NJ2212GK | EMBRACO | 1,7 | 34,37 | LBP | CSR | 945 | 1333 | 1775 | 2273 |
| | | | | | | | | | | |
| FRD254 | AEZ4425Z | UNITE HERMETIQUE | 1/5 | 4,5 | HMBP | CSIR | 263 | 341 | 432 | 587 |
| FRD697 | AE4430Z | UNITE HERMETIQUE | 1/4 | 5,2 | HMBP | CSIR | | | | |
| ICD6081 | AE4440Z | UNITE HERMETIQUE | 1/3 | 6,7 | HMBP | CSIR | | | | |
| ITD1121 | AE4450Z | UNITE HERMETIQUE | 3/8 | 8,8 | HMBP | CSIR | | | | |
| ITD1122 | AE4470Z | UNITE HERMETIQUE | 1/2 | 12 | HMBP | CSIR | | | | |
| VD6062 | CAJ9480Z | UNITE HERMETIQUE | 5/8 | 15,2 | HMBP | CSR | 1009 | 1284 | 1607 | 2172 |
| FRD444 | CAJ9510Z | UNITE HERMETIQUE | 1 | 18,3 | HMBP | CSR | 1252 | 1583 | 1972 | 2650 |
| FRD476 | CAJ9513Z | UNITE HERMETIQUE | 1,1 | 24,2 | HMBP | CSR | 1501 | 1955 | 2485 | 3406 |
| FRD445 | CAJ4517Z | UNITE HERMETIQUE | 1,2 | 25,9 | HMBP | CSR | 1776 | 2273 | 2857 | 3860 |
| INFD2143 | CAJ4519Z | UNITE HERMETIQUE | 1,5 | 34,4 | HMBP | CSR | 2353 | 3009 | 3756 | 5030 |
| BTD2320 | AE2420Z | UNITE HERMETIQUE | 1/2 | 12,6 | LBP | CSIR | 357 | 547 | 654 | 1047 |
| PLD1781 | CAJ2428Z | UNITE HERMETIQUE | 5/8 | 15,2 | LBP | CSR | 394 | 628 | 762 | 1261 |
| FRD129 | CAJ2432Z | UNITE HERMETIQUE | 3/4 | 18,3 | LBP | CSR | 510 | 792 | 865 | 1560 |
| MED2261 | CAJ2440Z | UNITE HERMETIQUE | 1 | 22,8 | LBP | CSR | 647 | 945 | 1166 | 1876 |
| PLD1784 | CAJ2446Z | UNITE HERMETIQUE | 1,2 | 26,1 | LBP | CSR | 797 | 1194 | 1423 | 2290 |
| MARD1027 | CAJ2464Z | UNITE HERMETIQUE | 1,5 | 34,4 | LBP | CSR | 1076 | 1605 | 1902 | 3012 |

Mbsm_dot_pro_private_PDF_Embaraco-compressor-GesamtlisteTélécharger

Mbsm_dot_pro_private_PDF_compressor-tecumsehTélécharger

Mbsm_dot_pro_private_PDF_REFRIGERATION-COMPRESSORS-EAVB021ECAVTélécharger

COMPRESSOR, ASPERA, NJ2192GK, 1.1/4 HP, 220V, 1PH, R404A, LBP, 1199w

written by Lilianne | 20 December 2021

Compressor ASPERA NJ2192GJ | NJ 2192 GJ

Product replaced the old model NJ2192GK

| | |
|---|---------------|
| Refrigerant | R404A |
| Working range[stC] LBP | -40 do -10 |
| Nominal capacity [W] (evaporating temperature -23,3C, Condensing temperatur +54,4C) | 1199 |
| Power supply | 220-240V 50Hz |
| Engine type | CSR |
| Displacement [cm ³] | 26,10 |
| Weight [kg] | 22 |

Condensing temperature +55 C

| Evaporating Temperature | Cooling Capacity +/-5% | | | Power Consumption +/-5% | Current Consumption +/-5% |
|-------------------------|------------------------|-----|---------|-------------------------|---------------------------|
| | (kcal/h) | (W) | (Btu/h) | (W) | (A) |
| °C | | | | | |
| -40 | | | | | |
| -35 | | | | | |

| | | | | | |
|--------------|--|-------|--|------|------|
| -30 | | 797 | | 773 | 4,37 |
| -25 | | 1084 | | 908 | 4,92 |
| -20 | | 1413 | | 1045 | 5,49 |
| -15 | | 1784 | | 1181 | 6,10 |
| -10 | | 2196 | | 1317 | 6,72 |
| Refrigerant: | | R404A | | | |



Mbsm_dot_pro_private_PDF_pdf_NJ219GJTélécharger

All, Aspera, R12, Compressor, 240V~50hZ, EMBRACO, j2170, Compressor Motor, CC 34.37, 1HP

written by Lilianne | 20 December 2021

Aspera R12 Compressors

All Aspera compressors are developed for quite operation, high

reliability & compact dimensions. All single phase models are supplied with their respective electrical components. The 'J' family come complete with a 1' rotalock threaded spud connection, except those categorised as air conditioning versions, these like all other compressor families are supplied with brazed connections.

Key Product Features:

| Compressor Model | Motor (HP) | Motor Type | Displacement (CC) | Capacity (Watts) | FLC (Amps) | LRA (Amps) | Cooling Type | Weight (kg) | Height (mm) |
|------------------|------------|------------|-------------------|------------------|------------|------------|--------------|-------------|-------------|
| R12 LPB | | | | | | | | | |
| NB1116B | 1/3 | RSIR | 8.0 | 134 | 1.1 | 9.5 | S | 9.8 | 187 |
| NB2118B | 1/4 | CSIR | 8.9/ | 160 | 0.9 | 9.3 | S | 10.4 | 187 |
| NE2121A | 1/4 | CSIR | 12.0 | 192 | 1.8 | 11.0 | F | 10.6 | 200 |
| T2134A | 1/2 | CSIR | 17.4 | 306 | 2.4 | 30.0 | F | 13.1 | 191 |
| T2140A | 1/2 | CSIR | 20.4 | 340 | 3.0 | 20.0 | F | 14.0 | 221 |

Related Products



Private Picture Copyright: WWW.MBSM.PRO





Private Picture Copyright: WWW.MBSM.PRO



Mbsm_dot_pro_private_PDF_pdf_j2170a-1Télécharger
 Mbsm_dot_pro_private_PDF_pdf_j2170a-1-1Télécharger

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|--------|------------------------|-----|------------|------|------|--------|
| A1116A | Compressore Aspera LBP | 1/5 | 8,00 | R12 | 220 | ASPERA |
| A11RV | Compressore Necchi LBP | 1/2 | 11,11 | R502 | 220 | NECCHI |
| A11V | Compressore Necchi LBP | 1/4 | 11,11 | R12 | 220 | NECCHI |
| A13R | Compressore Necchi LBP | 5/8 | 13,34 | R502 | 220 | NECCHI |
| A13RV | Compressore Necchi LBP | 5/8 | 13/34 | R502 | 220 | NECCHI |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|-----------------|---|------------|-------------------|--------------|-------------|-------------------------------|
| A13V | Compressore Necchi LBP | 1/3 | 13,35 | R12 | 220 | NECCHI |
| A2116A | Compressore Aspera LBP | 1/5 | 8,00 | R12 | 220 | ASPERA |
| A2118A | Compressore Aspera LBP | 1/4 | 8,85 | R12 | 220 | ASPERA |
| A2121A | Compressore Aspera LBP | 1/4 | 12,00 | R12 | 220 | ASPERA |
| A5160A | Compressore Aspera HBP | 1/4 | 8,00 | R12 | 220 | ASPERA |
| A6170A | Compressore Aspera HBP | 1/4 | 8,85 | R12 | 220 | ASPERA |
| A9RV | Compressore Necchi LBP | 1/3 | 9,29 | R502 | 220 | NECCHI |
| AE41ZF11 | Compressore Tecumseh | 1/4 | 8,85 | R12 | 220 | Tecumseh |
| AE4450Z | Compressore L'Unitè Hermetique M-HBP | 3/8 | 8,85 | R404A | 220 | L'Unitè Hermetique |
| AEZ2411Z | Compressore L'Unitè Hermetique LBP | 1/3 | 7,60 | R404A | 220 | L'Unitè Hermetique |
| AEZ2415Z | Compressore L'Unitè Hermetique LBP | 1/3 | 8,10 | R404A | 220 | L'Unitè Hermetique |
| AEZ4425Y | Compressore L'Unitè Hermetique M-HBP | 1/4 | 7,55 | R134A | 220 | L'Unitè Hermetique |
| AEZ4425Z | Compressore L'Unitè Hermetique M-HBP | 1/5 | 4,50 | R404A | 220 | L'Unitè Hermetique |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|-----------------|---|-------------|-------------------|--------------|-------------|-------------------------------|
| AEZ4430Y | Compressore L'Unitè Hermetique M-HBP | 1/4 | 8,85 | R134A | 220 | L'Unitè Hermetique |
| AEZ4430Z | Compressore L'Unitè Hermetique M-HBP | 1/4 | 5,70 | R404A | 220 | L'Unitè Hermetique |
| AEZ4440Z | Compressore L'Unitè Hermetique M-HBP | 1/3 | 7,55 | R404A | 220 | L'Unitè Hermetique |
| AS75AA | Compressore Electrolux LBP | 1/5 | 6,64 | R134A | 220 | ELECTROLUX |
| B6144GK | Compressore Aspera HBP | 1/5 | 4,39 | R404A | 220 | ASPERA |
| BP1046Z | Compressore Aspera LBP | 1/15 | 2,85 | R134A | 220 | ASPERA |
| BP1058Z | Compressore Aspera LBP | 1/12 | 3,44 | R134A | 220 | ASPERA |
| BP1111Z | Compressore Aspera LBP | 1/6 | 5,93 | R134A | 220 | ASPERA |
| BP5125H | Compressore Aspera MBP/HBP | 1/10 | 3,40 | R134A | 220 | ASPERA |
| BP5128H | Compressore Embraco HBP | 1/10 | 4,60 | R134A | 220 | EMBRACO |
| BPM1072Z | Compressore Embraco LBP | | 3,43 | R134A | 220 | EMBRACO |
| CAE2417Z | Compressore L'Unitè Hermetique LBP | 3/8 | 11,30 | R404A | 220 | L'Unitè Hermetique |
| CAE2420Z | Compressore L'Unitè Hermetique LBP | 1/2 | 12,54 | R404A | 220 | L'Unitè Hermetique |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|-----------------|---|------------|-------------------|--------------|-------------|-------------------------------|
| CAE2424Z | Compressore L'Unitè Hermetique LBP | 5/8 | 15 | R404A | 220 | L'Unitè Hermetique |
| CAE4440Y | Compressore L'Unitè Hermetique M-HBP | 1/3 | 12,05 | R134A | 220 | L'Unitè Hermetique |
| CAE4448Y | Compressore L'Unitè Hermetique M-HBP | 3/8 | 14,15 | R134A | 220 | L'Unitè Hermetique |
| CAE4450Z | Compressore L'Unitè Hermetique M-HBP | 3/8 | 9,40 | R404A | 220 | L'Unitè Hermetique |
| CAE4456Y | Compressore L'Unitè Hermetique M-HBP | 1/2 | 16,00 | R134A | 220 | L'Unitè Hermetique |
| CAE9450Z | Compressore L'Unitè Hermetique M-HBP | 3/8 | 9,40 | R404A | 220 | L'Unitè Hermetique |
| CAE9460Z | Compressore L'Unitè Hermetique M-HBP | 1/2 | 11,30 | R404A | 220 | L'Unitè Hermetique |
| CAE9470Z | Compressore L'Unitè Hermetique M-HBP | 5/8 | 13,30 | R404A | 220 | L'Unitè Hermetique |
| CAJ2428Z | Compressore L'Unitè Hermetique LBP | 5/8 | 15,20 | R404A | 220 | L'Unitè Hermetique |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|---------------|---|-----------|-------------------|------------|-------------|-----------------------|
| CAJ2432Z | Compressore L'Unitè Hermetique LBP | 3/4 | 18,30 | R404A | 220 | L'Unitè Hermetique |
| CAJ2440Z | Compressore L'Unitè Hermetique LBP | 1 | | R404A | 220 | L'Unitè Hermetique |
| CAJ2446Z | Compressore L'Unitè Hermetique LBP | 1,2 | 26,15 | R404A | 220 | L'Unitè Hermetique |
| CAJ2464Z | Compressore L'Unitè Hermetique LBP | 1,7 | 34,45 | R404A | 220 | L'Unitè Hermetique |
| CAJ2T12A | Compressore L'Unitè Hermetique LBP | 1,2 | | R404A | 220 | L'Unitè Hermetique |
| CAJ4461Y | Compressore L'Unitè Hermetique M-HBP | 1/2 | 18,30 | R134A | 220 | L'Unitè Hermetique |
| CAJ4476Y | Compressore L'Unitè Hermetique M-HBP | 3/4 | 21,75 | R134A | 220 | L'Unitè Hermetique |
| CAJ4492Y | Compressore L'Unitè Hermetique M-HBP | 3/4 | 25,95 | R134A | 220 | L'Unitè Hermetique |
| CAJ4511Y | Compressore L'Unitè Hermetique M-HBP | 1 | 32,70 | R134A | 220 | L'Unitè Hermetique |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|---------------|---|-----------|-------------------|------------|-------------|-----------------------|
| CAJ4519T | Compressore L'Unitè Hermetique M-HBP | 1,5 | 34,45 | R22 | 220 | L'Unitè Hermetique |
| CAJ4519Z | Compressore L'Unitè Hermetique M-HBP | 1,5 | 34,45 | R404A | 220 | L'Unitè Hermetique |
| CAJ9480Z | Compressore L'Unitè Hermetique M-HBP | 5/8 | | R404A | 220 | L'Unitè Hermetique |
| CAJ9510T | Compressore L'Unitè Hermetique M-HBP | 3/4 | 18,30 | R22 | 220 | L'Unitè Hermetique |
| CAJ9510Z | Compressore L'Unitè Hermetique M-HBP | 3/4 | | R404A | 220 | L'Unitè Hermetique |
| CAJ9513T | Compressore L'Unitè Hermetique M-HBP | 1,1 | 24,20 | R22 | 220 | L'Unitè Hermetique |
| CAJ9513Z | Compressore L'Unitè Hermetique M-HBP | 1,1 | | R404A | 220 | L'Unitè Hermetique |
| CAJ9517Z | Compressore L'Unitè Hermetique M-HBP | 1,2 | | R404A | 220 | L'Unitè Hermetique |
| E2121A | Compressore Aspera LBP | 1/4 | 12,00 | R12 | 220 | ASPERA |
| E6187A | Compressore Aspera HBP | 1/3 | 12,00 | R12 | 220 | ASPERA |
| E7213F | Compressore Aspera AC | ! /2 | 12,12 | R22 | 220 | ASPERA |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|------------------|-------------------------------------|------------|-------------------|--------------|-------------|-------------------|
| E7215F | Compressore Aspera AC | 1/2 | 13,25 | R22 | 220 | ASPERA |
| EGL45AA | Compressore Electrolux LBP | 1/8 | 4,56 | R134A | 220 | ELECTROLUX |
| EGL60AA | Compressore Electrolux LBP | 1/6 | | R134A | 220 | ELECTROLUX |
| EGL80AA | Compressore Electrolux LBP | 1/5 | 8,10 | R134A | 220 | ELECTROLUX |
| EGL80TB | Compressore Electrolux M-HBP | 1/5 | | R134A | 220 | ELECTROLUX |
| EGL90AA | Compressore Electrolux LBP | 1/4 | 9,08 | R134A | 220 | ELECTROLUX |
| EGL90TB | Compressore Electrolux M-HBP | 1/4 | | R134A | 220 | ELECTROLUX |
| EGP12FB | Compressore Electrolux LBP | 1/3 | | R134A | 220 | ELECTROLUX |
| EGP12TB | Compressore Electrolux M-HBP | 3/8 | | R134A | 220 | ELECTROLUX |
| EM60HNP | Compressore Embraco LBP | 1/6 | 5,54 | R134A | 220 | EMBRACO |
| EMT2117GK | Compressore Embraco LBP | 1/4 | 4,50 | R404A | 220 | EMBRACO |
| EMT2117U | Compressore Embraco LBP | 1/5 | 3,97 | R290 | 220 | EMBRACO |
| EMT2121GK | Compressore Embraco LBP | 1/3 | 5,19 | R404A | 220 | EMBRACO |
| EMT2121U | Compressore Embraco LBP | 1/4 | 5,57 | R290 | 220 | EMBRACO |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|---------------|----------------------------------|-----------|-------------------|------------|-------------|--------------|
| EMT2125GK | Compressore Embraco LBP | 1/3 | 5,96 | R404A | 220 | EMBRACO |
| EMT2125U | Compressore Embraco LBP | 1/3 | 5,96 | R290 | 220 | EMBRACO |
| EMT2130U | Compressore Embraco LBP | 1/3 | 6,76 | R290 | 220 | EMBRACO |
| EMT22HLP | Compressore Embraco LBP | 1/12 | 3 | R134A | 220 | EMBRACO |
| EMT36HLP | Compressore Embraco LBP | 1/8 | 3,97 | R134A | 220 | EMBRACO |
| EMT37HDP | Compressore Aspera MBP/HBP | 1/10 | 3,30 | R134A | 220 | ASPERA |
| EMT43HLP | Compressore Embraco LBP | 1/6 | 4,85 | R134A | 220 | EMBRACO |
| EMT45HDR | Compressore Aspera MBP/HBP | 1/8 | 3,77 | R134A | 220 | ASPERA |
| EMT49HLP | Compressore Aspera LBP | 1/6 | 6,84 | R134A | 220 | ASPERA |
| EMT50HDP | Compressore Aspera MBP/HBP | 1/6 | 4,99 | R134A | 220 | ASPERA |
| EMT60HLP | Compressore Aspera LBP | 1/5 | 7,87 | R134A | 220 | ASPERA |
| EMT6144GK | Compressore Aspera HBP | 1/6 | 4 | R404A | 220 | ASPERA |
| EMT6144U | Compressore Embraco HMBP | 1/5 | 4,50 | R290 | 220 | EMBRACO |
| EMT6152U | Compressore Embraco HMBP | 1/4 | 5,20 | R290 | 220 | EMBRACO |
| EMT6160Z | Compressore Embraco HMBP | 1/4 | 6,76 | R134A | 220 | EMBRACO |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|------------------|-----------------------------------|-------------|-------------------|--------------|-------------|-------------------|
| EMT6165GK | Compressore Aspera HBP | 1/5 | 5,20 | R404A | 220 | ASPERA |
| EMT6165U | Compressore Embraco HMBP | 1/4 | 5,96 | R290 | 220 | EMBRACO |
| EMT6170Z | Compressore Embraco HMBP | 1/4 | 7,69 | R134A | 220 | EMBRACO |
| EMT6187Z | Compressore Embraco HMBP | 1/3 | 12 | R134A | 220 | EMBRACO |
| ESM11 | Compressore Necchi LBP | 1/4 | 10,63 | R12 | 220 | NECCHI |
| ESM11K | Compressore Necchi LBP | 1/4 | 10,63 | R12 | 220 | NECCHI |
| ESM3.5 | Compressore Necchi LBP | 1/10 | 3,50 | R12 | 220 | NECCHI |
| ESM4 | Compressore Necchi LBP | 1/8 | 4,10 | R12 | 220 | NECCHI |
| ESM5 | Compressore Necchi LBP | 1/6 | 5,11 | R12 | 220 | NECCHI |
| ESM8 | Compressore Necchi LBP | 1/5 | 7,75 | R12 | 220 | NECCHI |
| ESM8K | Compressore Necchi LBP | 1/5 | 7,75 | R12 | 220 | NECCHI |
| ESM9 | Compressore Necchi LBP | 1/4 | 9,07 | R12 | 220 | NECCHI |
| FR10G | Compressore Danfoss | 1/4 | 9,05 | R134A | 220 | 0 |
| FR8 5G | Compressore Danfoss | 1/4 | 7,95 | R134A | 220 | 0 |
| GD24AA | Compressore Electrolux LBP | 1/20 | 2,42 | R134A | 220 | ELECTROLUX |
| GD30MBA | Compressore Electrolux HBP | 1/12 | 3,00 | R134A | 220 | ELECTROLUX |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|----------------|--|-------------|-------------------|--------------|-------------|-------------------|
| GD36AA | Compressore Electrolux LBP | 1/12 | 3,58 | R134A | 220 | ELECTROLUX |
| GD36MBA | Compressore Electrolux HBP | 1/10 | 3,60 | R134A | 220 | ELECTROLUX |
| GD40AA | Compressore Electrolux LBP | 1/20 | 4,03 | R134A | 220 | ELECTROLUX |
| GL45AA | Compressore Electrolux LBP | 1/8 | 4,56 | R134A | 220 | ELECTROLUX |
| GL45TB | Compressore Electrolux MBP–MHBP | 1/6 | 4,50 | R134A | 220 | ELECTROLUX |
| GL60TB | Compressore Electrolux MBP–MHBP | 1/5 | 5,70 | R134A | 220 | ELECTROLUX |
| GL60TG | Compressore HBP | 1/5 | 5,67 | R134A | 220 | ELECTROLUX |
| GL80AA | Compressore Electrolux LBP | 1/5 | 8,10 | R134A | 220 | ELECTROLUX |
| GL80TB | Compressore Electrolux MBP–MHBP | 1/4 | 7,60 | R134A | 220 | ELECTROLUX |
| GL90AA | Compressore Electrolux LBP | 1/4 | 9,08 | R134A | 220 | ELECTROLUX |
| GL90TB | Compressore Electrolux MBP–MHBP | 1/4 | 8,80 | R134A | 220 | ELECTROLUX |
| GP12AB | Compressore Electrolux LBP | 1/3 | 12,00 | R134A | 220 | ELECTROLUX |
| GP12TB | Compressore Electrolux MBP–MHBP | 1/3 | 12,00 | R134A | 220 | ELECTROLUX |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|-----------------|--|------------|-------------------|--------------|-------------|-------------------|
| GP14TB | Compressore Electrolux MBP-MHBP | 3/8 | 14,00 | R134A | 220 | ELECTROLUX |
| GQR80TG | Compressore | 1/4 | 8,1 | R134A | 220 | |
| GR18TB-T | Compressore Electrolux MBP-MHBP | 1/2 | 18,12 | R134A | 220 | ELECTROLUX |
| GR22TB-T | Compressore Electrolux MBP-MHBP | 5/8 | 21,74 | R134A | 220 | ELECTROLUX |
| GS26TB-T | Compressore Electrolux MBP-MHBP | 3/4 | 25,95 | R134A | 220 | ELECTROLUX |
| GS30TB-T | Compressore Electrolux MBP-MHBP | 3/4 | 29,93 | R134A | 220 | ELECTROLUX |
| GS34TB-T | Compressore Electrolux MBP-MHBP | 1 | 34,25 | R134A | 220 | ELECTROLUX |
| HGA2426Z | Compressore Rotativo Orizzontale L'Unitè Hermetique LBP | | 9,5 | R404 | 220 | |
| HGA2432Z | Compressore Rotativo Orizzontale L'Unitè Hermetique LBP | | 11,5 | R404 | 220 | |
| HGA2436Z | Compressore Rotativo Orizzontale L'Unitè Hermetique LBP | | 12,7 | R404 | 220 | |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|---------------|--|-----------|-------------------|------------|-------------|--------------|
| HGA2446Z | Compressore Rotativo Orizzontale L'Unitè Hermetique LBP | | 16,1 | R404 | 220 | |
| HGA4445Y | Compressore Rotativo Orizzontale L'Unitè Hermetique MBP | | 9,5 | R134 | 220 | |
| HGA4450Y | Compressore Rotativo Orizzontale L'Unitè Hermetique MBP | | 11,5 | R134 | 220 | |
| HGA4460Y | Compressore Rotativo Orizzontale L'Unitè Hermetique MBP | | 12,7 | R134 | 220 | |
| HGA4467Z | Compressore Rotativo Orizzontale L'Unitè Hermetique MBP | | 9,5 | R404 | 220 | |
| HGA4476Y | Compressore Rotativo Orizzontale L'Unitè Hermetique MBP | | 16,1 | R134 | 220 | |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|---------------|--|-----------|-------------------|------------|-------------|--------------|
| HGA4480Z | Compressore Rotativo Orizzontale L'Unitè Hermetique MBP | | 11,5 | R404 | 220 | |
| HGA4492Z | Compressore Rotativo Orizzontale L'Unitè Hermetique MBP | | 12,7 | R404 | 220 | |
| HGA4512Z | Compressore Rotativo Orizzontale L'Unitè Hermetique MBP | | 16,1 | R404 | 220 | |
| HMK12AA | Compressore ACC LBP | | 11,20 | R600A | 220 | |
| HTK12AA | Compressore ACC LBP | | 11,14 | R600A | 220 | |
| J2152A | Compressore Aspera LBP | 5/8 | 26,00 | R12 | 220 | ASPERA |
| J2152M | Compressore Aspera LBP | 5/8 | 26,00 | R12 | 220 | ASPERA |
| J2152Z | Compressore Aspera LBP | 3/4 | 27,12 | R134A | 220 | ASPERA |
| J2170A | Compressore Aspera LBP | 1 | 34,37 | R12 | 220 | ASPERA |
| J2170M | Compressore Aspera LBP | 1 | 34,37 | R12 | 380 | ASPERA |
| J2178E | Compressore Aspera LBP | 1 | 23,50 | R22 | 220 | ASPERA |
| J2190E | Compressore Aspera LBP | 1,2 | 27,10 | R22 | 220 | ASPERA |
| J2192GK | Compressore Aspera LBP | 1,2 | 26,00 | R404A | 220 | ASPERA |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|---------------|----------------------------|-----------|-------------------|------------|-------------|--------------|
| J2192GS | Compressore Aspera LBP | 1,2 | 26,00 | R404A | 380 | ASPERA |
| J2212GK | Compressore Aspera LBP | 1,7 | 34,37 | R404A | 220 | ASPERA |
| J2212GS | Compressore Aspera LBP | 1,7 | 34,37 | R404A | 380 | ASPERA |
| J6220A | Compressore Aspera HBP | 3/4 | 25,80 | R12 | 220 | ASPERA |
| J6220Z | Compressore Aspera MBP/HBP | 3/4 | 25,80 | R134A | 220 | ASPERA |
| J6220ZX | Compressore Aspera MHP/HBP | 3/4 | 25,80 | R134A | 380 | ASPERA |
| J6226A | Compressore Aspera HBP | 1 | 34,37 | R12 | 220 | ASPERA |
| J6226M | Compressore Aspera HBP | 1 | 34,37 | R12 | 380 | ASPERA |
| J6226Z | Compressore Aspera MBP/HBP | 1 | 34,37 | R134A | 220 | ASPERA |
| J6226ZX | Compressore Aspera MBP/HBP | 1 | 34,37 | R134A | 380 | ASPERA |
| J7225F | Compressore Aspera AC | 1 | 21,70 | R22 | 220 | ASPERA |
| J7228F | Compressore Aspera AC | 1,1 | 23,80 | R22 | 220 | ASPERA |
| J7228P | Compressore Aspera AC | 1,1 | 23,80 | R22 | 380 | ASPERA |
| J7231F | Compressore Aspera AC | 1,2 | 26,20 | R22 | 220 | ASPERA |
| J7231P | Compressore Aspera AC | 1,2 | 26,20 | R22 | 380 | ASPERA |
| J7238E | Compressore Aspera AC | 1,5 | 32,65 | R22 | 220 | |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|---------------|----------------------------|-----------|-------------------|------------|-------------|--------------|
| J7238P | Compressore Aspera AC | 1,5 | 32,65 | R22 | 380 | |
| J7240F | Compressore Aspera AC | 1,75 | 34,37 | R22 | 220 | |
| J7240P | Compressore Aspera AC | 1,75 | 34,37 | R22 | 380 | |
| J9226E | Compressore Aspera MBP/HBP | 1 | 21,70 | R22 | 220 | |
| J9226GK | Compressore Aspera HBP | 1 | 21,70 | R404A | 220 | |
| J9226GS | Compressore Aspera HBP | 1 | 21,70 | R404A | 380 | |
| J9226P | Compressore Aspera MBP/HBP | 1 | 21,70 | R22 | 380 | |
| J9232E | Compressore Aspera MBP/HBP | 1,2 | 26,20 | R22 | 220 | |
| J9232GK | Compressore Aspera HBP | 1,2 | 26,14 | R404A | 220 | |
| J9232GS | Compressore Aspera HBP | 1,2 | 26,14 | R404A | 220 | |
| J9232P | Compressore Aspera MBP/HBP | 1,2 | 26,20 | R22 | 380 | |
| J9238E | Compressore Aspera MBP/HBP | 1,5 | 32,70 | R22 | 220 | |
| J9238GK | Compressore Aspera HBP | 1,5 | 32,70 | R404A | 220 | |
| J9238GS | Compressore Aspera HBP | 1,5 | 32,70 | R404A | 380 | |
| J9238P | Compressore Aspera MBP/HBP | 1,5 | 32,70 | R22 | 380 | |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|---------------|--|------------|-------------------|-------------------------|-------------|--------------|
| L40TN | Compressore Electrolux MBP-MHBP | 1/6 | 4,04 | R22 | 220 | |
| L45TN | Compressore Electrolux MBP-MHBP | 1/5 | 4,50 | R22 | 220 | |
| L57TN | Compressore Electrolux MBP-MHBP | 1/4 | 5,67 | R22 | 220 | |
| L76TN | Compressore Electrolux MBP-MHBP | 1/4 | 7,57 | R22 | 220 | |
| L88TN | Compressore Electrolux MBP-MHBP | 1/3 | 8,85 | R22 | 220 | |
| MK16TB | Compressore Electrolux MBP-MHBP | 3/4 | 15 | R404A-R507-R407B | 220 | |
| ML40TB | Compressore Electrolux MBP-MHBP | 1/6 | 4 | R404A-R507-R407B | 220 | |
| ML45TB | Compressore Electrolux MBP-MHBP | 1/5 | 4,5 | R404A-R507-R407B | 220 | |
| ML60FB | Compressore Electrolux LBP | 1/5 | 6,00 | R404A-R507-R407B | 220 | |
| ML60TB | Compressore Electrolux MBP-MHBP | 1/4 | 5,67 | R404A-R507-R407B | 220 | |
| ML80TB | Compressore Electrolux MBP-MHBP | 1/4 | 7,57 | R404A-R507-R407B | 220 | |
| ML90FB | Compressore Electrolux LBP | 1/4 | 8,80 | R404A-R507-R407B | 220 | |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|-----------------|--|------------|-------------------|-------------------------|-------------|--------------|
| ML90TB | Compressore Electrolux MBP-MHBP | 1/3 | 8,85 | R404A-R507-R407B | 220 | |
| MP12FB | Compressore Electrolux LBP | 1/3 | 12 | R404A-R507-R407B | 220 | |
| MP12TB | Compressore Electrolux MBP-MHBP | 1/2 | 12 | R404A-R507-R407B | 220 | |
| MP14FB | Compressore Electrolux LBP | 1/2 | 14 | R404A-R507-R407B | 220 | |
| MP14TB | Compressore Electrolux MBP-MHBP | 5/8 | 14 | R404A-R507-R407B | 220 | |
| MR18FB | Compressore Electrolux LBP | 3/4 | 18,20 | R404A-R507-R407B | 220 | |
| MR18TB | Compressore Electrolux MBP-MHBP | 1 | 18,12 | R404A-R507-R407B | 220 | |
| MR22FB-T | Compressore Electrolux LBP | 1 | 21,80 | R404A-R507-R407B | 220 | |
| MR22TB | Compressore Electrolux MBP-MHBP | 1.1 | 21,74 | R404A-R507-R407B | 220 | |
| MR26FB-T | Compressore Electrolux LBP | 1.2 | 26,15 | R404A-R507-R407B | 220 | |
| MS26TB | Compressore Electrolux MBP-MHBP | 1.2 | 25,95 | R404A-R507-R407B | 220 | |
| MS34FB-T | Compressore Electrolux LBP | 1.5 | 34,25 | R404A-R507-R407B | 220 | |
| MX21FB | Compressore Cubigel LBP | 3/4 | 20,72 | R404A | 220 | |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|---------------|----------------------------------|-----------|-------------------|------------|-------------|--------------|
| N17RV | Compressore Necchi LBP | 3/4 | 17,52 | R502 | 220 | |
| N17V | Compressore Necchi LBP | 1/2 | 17,52 | R12 | 220 | |
| N21RV | Compressore Necchi LBP | 1 | 20,68 | R502 | 220 | |
| N21V | Compressore Necchi LBP | 3/4 | 20,68 | R12 | 220 | |
| NB1112Z | Compressore Aspera LBP | 1/6 | 6,72 | R134A | 220 | |
| NB1116Z | Compressore Aspera LBP | 1/5 | 8,38 | R134A | 220 | |
| NB1118Z | Compressore Aspera LBP | 1/4 | 8,00 | R134A | 220 | |
| NB2117GK | Compressore Aspera LBP | 1/5 | 4,39 | R404A | 220 | |
| NB2118Z | Compressore Aspera LBP | 1/4 | 8,00 | R134A | 220 | |
| NB2121GK | Compressore Aspera LBP | 1/4 | 6,06 | R404A | 220 | |
| NB5132Z | Compressore Aspera MBP/HBP | 1/6 | 4,85 | R134A | 220 | |
| NB5144Z | Compressore Aspera MBP/HBP | 1/5 | 5,90 | R134A | 220 | |
| NB5160Z | Compressore Aspera MBP/HBP | 1/4 | 8,00 | R134A | 220 | |
| NB5170Z | Compressore Aspera MBP/HBP | 1/4 | 8,85 | R134A | 220 | |
| NB6144E | Compressore Aspera MBP/HBP | 1/5 | 5,90 | R22 | 220 | |
| NB6144GK | Compressore Aspera HBP | 1/5 | 4,39 | R404A | 220 | |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|---------------|----------------------------------|-----------|-------------------|------------|-------------|--------------|
| NB6144Z | Compressore Aspera MBP/HBP | 1/5 | 5,90 | R134A | 220 | |
| NB6152E | Compressore Aspera MBP/HBP | 1/4 | 4,85 | R22 | 220 | |
| NB6152GK | Compressore Aspera MBP/HBP | 1/4 | 4,88 | R404A | 220 | |
| NB6160Z | Compressore Aspera MBP/HBP | 1/4 | 8,00 | R134A | 220 | |
| NB6165E | Compressore Aspera MBP/HBP | 1/4 | 6,00 | R22 | 220 | |
| NB6165GK | Compressore Aspera HBP | 1/4 | 6,06 | R404A | 220 | |
| NB6170Z | Compressore Aspera MBP/HBP | 1/4 | 8,85 | R134A | 220 | |
| NBT1116Y | Compressore Embraco LBP | | 12,12 | R600A | 220 | |
| NE1130Z | Compressore Aspera LBP | 1/3 | 12,12 | R134A | 220 | |
| NE2121Z | Compressore Aspera LBP | 1/4 | 13,60 | R134A | 220 | |
| NE2125E | Compressore Aspera LBP | 1/4 | 8,90 | R22 | 220 | |
| NE2125GK | Compressore Aspera LBP | 1/3 | 8,90 | R404A | 220 | |
| NE2130Z | Compressore Aspera LBP | 1/3 | 15,28 | R134A | 220 | |
| NE2134E | Compressore Aspera LBP | 1/2 | 12,00 | R22 | 220 | |
| NE2134GK | Compressore Aspera LBP | 1/2 | 12,00 | R404A | 220 | |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|---------------|----------------------------|-----------|-------------------|------------|-------------|--------------|
| NE5187Z | Compressore Aspera MBP/HBP | 1/3 | 12,00 | R134A | 220 | |
| NE6144GK | Compressore Aspera HBP | 1/5 | 4,39 | R404A | 220 | |
| NE6181E | Compressore Aspera MBP/HBP | 1/3 | 7,40 | R22 | 220 | |
| NE6181GK | Compressore Aspera HBP | 1/3 | 7,38 | R404A | 220 | |
| NE6187Z | Compressore Aspera MBP/HBP | 1/3 | 12,00 | R134A | 220 | |
| NE6210E | Compressore Aspera MBP/HBP | 3/8 | 8,90 | R22 | 220 | |
| NE6210GK | Compressore Aspera HBP | 3/8 | 8,90 | R404A | 220 | |
| NE6210Z | Compressore Aspera MBP/HBP | 1/2 | 13,60 | R134A | 220 | |
| NE6217GK | Compressore Aspera HBP | 5/8 | 14,28 | R404A | 220 | |
| NE9213E | Compressore Aspera MBP/HBP | 1/2 | 12,00 | R22 | 220 | |
| NE9213GK | Compressore Aspera HBP | 1/2 | 12,00 | R404A | 220 | |
| NEK2116Z | Compressore Embraco LBP | 1/5 | | R404A | 220 | |
| NEK2125GK | Compressore Embraco LBP | 1/3 | 6,20 | R404A | 220 | |
| NEK2125U | Compressore Embraco LBP | 1/3 | 7,28 | R290 | 220 | |
| NEK2130GK | Compressore Embraco LBP | 1/2 | 7,38 | R404A | 220 | |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|---------------|--|-----------|-------------------|------------|-------------|--------------|
| NEK2134GK | Compressore Embraco LBP | 1/2 | 8,78 | R404A | 220 | |
| NEK2134U | Compressore Embraco LBP | 1/2 | 10,00 | R290 | 220 | |
| NEK2140Z | Compressore Embraco LBP | 1/2 | 16,80 | R134A | 220 | |
| NEK2150GK | Compressore Embraco LBP | 5/8 | 12,12 | R404A | 220 | EMBRACO |
| NEK2150U | Compressore Embraco LBP | 1/2 | 13,54 | R290 | 220 | |
| NEK2160U | Compressore Embraco LBP | 3/4 | 16,80 | R290 | 220 | |
| NEK2168GK | Compressore Embraco LBP | 3/4 | 14,28 | R404A | 220 | |
| NEK6144GK | Compressore Aspera HBP | 1/5 | 4,39 | R404A | 220 | |
| NEK6160Z | Compressore Aspera MBP/HBP | 1/4 | 8,00 | R134A | 220 | |
| NEK6165GK | Compressore Aspera HBP | 1/4 | 6,06 | R404A | 220 | |
| NEK6170Y | Compressore Aspera MBP/HBP | 1/4 | 14,28 | R600A | 220 | |
| NEK6170Z | Compressore Aspera MBP/HBP | 1/4 | 8,85 | R134A | 220 | |
| NEK6181GK | Compressore Aspera HBP | 1/3 | 7,38 | R404A | 220 | |
| NEK6181U | Compressore Embraco HMBP | 1/3 | 7,28 | R290 | 220 | |
| NEK6187Z | Compressore Embraco Aspera M- HBP | 1/3 | 10 | R134A | 220 | |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|---------------|-----------------------------|-----------|-------------------|------------|-------------|--------------|
| NEK6210GK | Compressore Embraco HBP | 3/8 | 8,90 | R404A | 220 | |
| NEK6210U | Compressore Embraco HMBP | 3/8 | 8,78 | R290 | 220 | |
| NEK6212Z | Compressore Embraco MBP-HBP | 1/2 | 14,30 | R134A | 220 | |
| NEK6213GK | Compressore Embraco HBP | 1/2 | 12,12 | R404A | 220V | EMBRACO |
| NEK6213U | Compressore Embraco HMBP | 1/2 | 12,12 | R290 | 220 | |
| NEK6214Z | Compressore Embraco M-HBP | 5/8 | 16,80 | R134A | 220 | |
| NEK6217GK | Compressore Embraco MBP | 5/8 | 14,28 | R404A | 220 | |
| NEK6217U | Compressore Embraco HMBP | 5/8 | 14,30 | R290 | 220 | |
| NEU2178GK | Compressore Aspera | 1 | 16,80 | R404A | 220 | 0 |
| NJ2152Z | Compressore Aspera LBP | 3/4 | 27,12 | R134A | 220 | |
| NJ2192GK | Compressore Aspera LBP | 1,2 | 26 | R404A | 220 | |
| NJ2192GS | Compressore Aspera LBP | 1,2 | 26 | R404A | 380 | |
| NJ2212GK | Compressore Aspera LBP | 1,7 | 34,37 | R404A | 220 | |
| NJ6226Z | Compressore Embraco M-HP | 1 | 34,37 | R134A | 220 | |
| NJ9226GK | Compressore Embraco M-HP | 1 | 21,70 | R404A | 220 | |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|---------------|---------------------------|-----------|-------------------|------------|-------------|--------------|
| NJ9226GS | Compressore Embraco M-HP | 1 | 21,70 | R404A | 380 | |
| NJ9232GK | Compressore Embraco HBP | 1,2 | 26,14 | R404A | 220 | |
| NJ9232GS | Compressore Embraco HBP | 1,2 | 26,14 | R404A | 380 | EMBRACO |
| NJ9238GK | Compressore Embraco HBP | 1,5 | 32,70 | R404A | 220 | |
| NJ9238GS | Compressore Embraco HBP | 1,5 | 32,70 | R404A | 380 | |
| NL7F | Compressore Danfoss LBP | 1/5 | 7,27 | R134A | 220 | |
| NL8.4MF | Compressore Secop LBP-HBP | | 8,3 | R134A | 220 | 0 |
| NLE11KK4 | Compressore Secop LBP | | 11,15 | R600A | 220 | 0 |
| NT2160U | Compressore Embraco LBP | 3/4 | 17,40 | R290 | 220 | |
| NT2168GK | Compressore Embraco LBP | 3/4 | 14,50 | R404A | 220 | |
| NT2168GS | Compressore Embraco LBP | 3/4 | 14,50 | R404A | 380 | |
| NT2170U | Compressore Embraco LBP | 3/4 | 20,44 | R290 | 220 | |
| NT2178GK | Compressore Embraco LBP | 1 | 17,40 | R404A | 220 | |
| NT2180GK | Compressore Embraco LBP | 1,1 | 20,40 | R404A | 220 | |
| NT2180U | Compressore Embraco LBP | 1 | 22,40 | R290 | 220 | |
| NT2192GK | Compressore Embraco LBP | 1,2 | 22,40 | R404A | 220 | |
| NT2192GS | Compressore Embraco LBP | 1,2 | 22,40 | R404A | 380 | |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|---------------|---------------------------------|-----------|-------------------|------------|-------------|--------------|
| NT2210U | Compressore Embraco LBP | 1 1/4 | 27,80 | R290 | 220 | |
| NT2212GK | Compressore Embraco LBP | 1,7 | 27,80 | R404A | 220 | |
| NT2212GS | Compressore Embraco LBP | 1,7 | 27,80 | R404A | 380 | |
| NT6217U | Compressore Embraco HMBP | 5/8 | 14,50 | R290 | 220 | |
| NT6220GK | Compressore Embraco HBP | 3/4 | 14,50 | R404A | 220 | |
| NT6220U | Compressore Embraco HMBP | 3/4 | 17,40 | R290 | 220 | |
| NT6222GK | Compressore Embraco HBP | 1 | 17,40 | R404A | 220 | |
| NT6222U | Compressore Embraco HMBP | 1 | 20,44 | R290 | 220 | |
| NT6224U | Compressore Embraco HMBP | 1 1/4 | 17,40 | R290 | 220 | |
| NT6226GK | Compressore Embraco HBP | 1 | 22,40 | R404A | 220 | |
| OF1033A | Compressore ACC LBP | | 5,73 | R134A | 220 | |
| P12TN | Compressore Electrolux MBP-MHBP | 1/2 | 12 | R22 | 220 | |
| R18TN | Compressore Electrolux MBP-MHBP | 7/8 | 18,12 | R22 | 220 | |
| R18TN-T | Compressore Electrolux MBP-MHBP | 3/4 | 18,12 | R22 | 220 | |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|---------------|---------------------------------------|-----------|-------------------|------------|-------------|--------------|
| S19UN | Compressore Electrolux AC | 7/8 | 18,64 | R22 | 220 | |
| S22TN | Compressore Electrolux MBP-MHBP | 7/8 | 21,78 | R22 | 220 | |
| S22TN-T | Compressore Electrolux MBP-MHBP | 1 | 21,78 | R22 | 220 | |
| S26TN | Compressore Electrolux MBP-MHBP | 1,1/4 | 25,95 | R22 | 220 | |
| S26TN-T | Compressore Electrolux MBP-MHBP | 1,1 | 25,95 | R22 | 220 | |
| SC15G | Compressore Secop | 3/8 | 15,28 | R134A | 220 | 0 |
| SC18CL | Compressore Danfoss LBP | 1 | 17,69 | R404A | 220 | DANFOSS |
| SC21CL | Compressore Danfoss LBP | 1.1 | 20,95 | R404A | 220 | DANFOSS |
| T2124A | Compressore Aspera LBP | 1/4 | 12,58 | R12 | 220 | |
| T2128A | Compressore Aspera LBP | 1/3 | 14,50 | R12 | 220 | |
| T2134A | Compressore Aspera LBP | 1/2 | 17,40 | R12 | 220 | |
| T2134Z | Compressore Aspera LBP | 1/2 | 19,04 | R134A | 220 | |
| T2140A | Compressore Aspera LBP | 1/2 | 20,40 | R12 | 220 | |
| T2140E | Compressore Aspera LBP | 1/2 | 14,50 | R22 | 220 | |
| T2140GK | Compressore Aspera LBP | 1/2 | 12,58 | R404A | 220 | |
| T2140Z | Compressore Aspera LBP | 1/2 | 22,40 | R134A | 220 | |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|---------------|----------------------------|-----------|-------------------|------------|-------------|--------------|
| T2155E | Compressore Aspera LBP | 5/8 | 17,40 | R22 | 220 | |
| T2155GK | Compressore Aspera LBP | 5/8 | 14,50 | R404A | 220 | |
| T2168E | Compressore Aspera LBP | 3/4 | 20,40 | R22 | 220 | |
| T2168GK | Compressore Aspera LBP | 3/4 | 17,40 | R404A | 220 | |
| T2178GK | Compressore Aspera LBP | 1 | 20,40 | R404A | 220 | |
| T6185A | Compressore Aspera HBP | 1/3 | 12,58 | R12 | 220 | |
| T6213A | Compressore Aspera HBP | 1/2 | 17,40 | R12 | 220 | |
| T6213Z | Compressore Aspera MBP/HBP | 1/2 | 17,40 | R134A | 220 | |
| T6215A | Compressore Aspera HBP | 1/2 | 20,40 | R12 | 220 | |
| T6215Z | Compressore Aspera MBP/HBP | 5/8 | 20,40 | R134A | 220 | |
| T6217E | Compressore Aspera MBP/HBP | 5/8 | 14,50 | R22 | 220 | |
| T6217GK | Compressore Embraco HBP | 5/8 | 14,51 | R404A | 220 | |
| T6217Z | Compressore Aspera MBP/HBP | 5/8 | 22,40 | R134A | 220 | |
| T6220E | Compressore Aspera MBP/HBP | 3/4 | 17,40 | R22 | 220 | |
| T6220GK | Compressore Aspera HBP | 3/4 | 17,40 | R404A | 220 | |
| T6222GK | Compressore Aspera HBP | 1 | 20,40 | R404A | 220 | |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|---------------|---|-----------|-------------------|------------|-------------|--------------|
| T7220E | Compressore Aspera AC | 3/4 | 17,40 | R22 | 220 | |
| T7223E | Compressore Aspera AC | 1 | 20,40 | R22 | 220 | |
| TAJ2428Z | Compressore L'Unitè Hermetique LBP | 5/8 | 15,20 | R404A | 380 | |
| TAJ2446Z | Compressore L'Unitè Hermetique LBP | 1,2 | 26,15 | R404A | 380 | |
| TAJ2464Z | Compressore L'Unitè Hermetique LBP | 1,7 | 34,45 | R404A | 380 | |
| TAJ4461Y | Compressore L'Unitè Hermetique M-HBP | 1/2 | 18,30 | R134A | 380 | |
| TAJ4492Y | Compressore L'Unitè Hermetique M-HBP | 3/4 | 25,95 | R134A | 380 | |
| TAJ4511Y | Compressore L'Unitè Hermetique M-HBP | 1 | 32,70 | R134A | 380 | |
| TAJ4517T | Compressore L'Unitè Hermetique M-HBP | 1,2 | 25,95 | R22 | 380 | |
| TAJ4517Z | Compressore L'Unitè Hermetique M-HBP | 1,2 | 25,95 | R404A | 380 | |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|---------------|---|-----------|-------------------|------------|-------------|--------------|
| TAJ4519T | Compressore L'Unitè Hermetique M-HBP | 1,5 | 34,45 | R22 | 380 | |
| TAJ4519Z | Compressore L'Unitè Hermetique M-HBP | 1,5 | 34,45 | R404A | 380 | |
| TAJ5515E | Compressore L'Unitè Hermetique M-HBP | | 25,95 | R22 | 380 | |
| TAJ9480T | Compressore L'Unitè Hermetique M-HBP | 5/8 | 15,20 | R22 | 380 | |
| TAJ9480Z | Compressore L'Unitè Hermetique M-HBP | 5/8 | 15,20 | R404A | 380 | |
| TAJ9510T | Compressore L'Unitè Hermetique M-HBP | 3/4 | 18,30 | R22 | 380 | |
| TAJ9510Z | Compressore L'Unitè Hermetique M-HBP | 3/4 | 18,30 | R404A | 380 | |
| TAJ9513T | Compressore L'Unitè Hermetique M-HBP | 1/1 | 24,20 | R22 | 380 | |
| TAJ9513Z | Compressore L'Unitè Hermetique M-HBP | 1/1 | 24,20 | R404A | 380 | |
| TL4DL | Compressore Danfoss HBP | 1/5 | 3,86 | R404A | 220 | |

| Codice | Descrizione | HP | Cilindrata | Gas | Volt | Marca |
|-----------|-----------------------------|-----|------------|-------|------|-------|
| TL4F | Compressore Danfoss LBP | | 3,86 | R134A | 220 | |
| TL5G | Compressore Danfoss LBP-HBP | | 5,08 | R134A | 220 | |
| ZBS1114CY | Compressore Aspera | 1/5 | 11,20 | R600A | 220 | 0 |

Compresseur, Mitsubishi, Electric MITSUBISHI, RH174VHAC, 9000 BTU/heure (2,6 kW), 220-240V 50Hz, R22

written by Lilianne | 20 December 2021

Modèle – Mitsubishi Electric RH 174 VHAC (9000Btu)

Productivité – 9000 BTU/heure (2,6 kW)

Alimentation – 220-240V 50Hz

Réfrigérant (fréon) – R22

Entre vannes – 15 cm

Hauteur compresseur – 22 cm

Diamètre compresseur – 13 cm

#mbsmpro

Mbsm_dot_pro_private_PDF_pdf_RH174VHACTélécharger

Mbsm_dot_pro_private_picture_RH174VHACTélécharger



**mbsm.pro, Refrigeration,
Compressor, GFF57AA, SEBERIA,
Hermetic, Compressor GFF57AA,
LBP, R134a, Disp.5.7cc,
1/5HP, Series, LBP**

written by Lilianne | 20 December 2021



mbsm.pro, Refrigeration, Compressor, GFF57AA, SEBERIA, Hermetic, Compressor GFF57AA, LBP, R134a, Disp.5.7cc, 1/5HP, Series, LBP

COMPRESSOR, EMBRACO, 1/4 HP++ (big), 220V, R134A, EGAS 80HLR, FREEZER MOTOR

written by Lilianne | 20 December 2021

#mbsmpro

TECHNICAL SPECIFICATIONS

- Voltage: 220V 50 / 60Hz
- Refrigerant: R-134A
- Evaporation temperature range: -35 ° C to -10 ° C
- Power: 1/4 +

Mbsm_dot_pro_private_PDF_pdf_embraco-compressor-egas-80-

hlrTélécharger

Technical Specifications

| | |
|---------------------------|----------------------------|
| Brand | Embraco |
| Production place | Brazil |
| Compressor Type | Hermetic Piston |
| Compression Line | 1/4 " |
| Working Regime | LBP (-23,3 °C / + 54,4 °C) |
| Frequency (Hz) | 50-60 |
| Suction Line | 5/16 " |
| Cooling Capacity (Watts) | 195 |
| good kodu | 51370117399RA |
| Compressor Model | EGAS80HLR |
| Piston Diameter (cm3/rev) | 6.36 |
| Tipi Motorcycle | 1 FAZ - RSIR |
| Refrigerant Gas | R134a |
| Compressor Power(Hp) | 1/4 + |



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO

**Compressor,
EMX20CLC,**

**Embraco,
High-quality,**

compressor Aspera, EMX20CLC, LBP R600a, 220-240V 50Hz, 3.97 cm³, 1/12HP

written by Lilianne | 20 December 2021

GENERAL DATA

Application: LBP

Refrigerant: R600a

Evaporating Temperature Range: -35°C to -10°C

Compressor Cooling: Static

Type: Hermetic reciprocating

Technology Type: On-Off

Expansion Device: Capillary Tube

Packing Quantity: 100

Displacement: 3.97 cm³

Horse power: 1/12 hp

Approvals:

MECHANICAL DATA

Bore: 19 mm

Stroke: 14 mm

Oil Charge: 180ml

Oil Type Configuration: ALQUILB

Oil Type Viscosity: IS05

Weight: 7.88 kg

ELECTRICAL DATA

Motor Type: RSCR

Starting Torque: LST

Voltage working range at 50 Hz: 198-242 V

Voltage working range at 60 Hz: 198-242 V

Maximum Motor Temperature: 130 °C

Start Winding Resistance: 22.1 Ω (\pm 10%) at 25°C

Run Winding Resistance: 50.65 Ω (\pm 10%) at 25°C

Model **EMX20CLC**

Code 513309529...S

embraco POWER IN.
CHANGE ON.

220V 60 1~



MECHANICAL DATA

Bore: 19 mm
Stroke: 14 mm
Oil Charge: 180ml
Oil Type Configuration: ALQUILB
Oil Type Viscosity: ISO5
Weight: 7.88 kg

GENERAL DATA

Application: LBP
Refrigerant: R600a
Evaporating Temperature Range: -35°C to -10°C
Compressor Cooling: Static
Type: Hermetic reciprocating
Technology Type: On-Off
Expansion Device: Capillary Tube
Packing Quantity: 100
Displacement: 3.97 cm³
Horse power: 1/12 hp
Approvals:



ELECTRICAL DATA

Motor Type: RSCR
Starting Torque: LST
Voltage working range at 50 Hz: 198-242 V
Voltage working range at 60 Hz: 198-242 V
Maximum Motor Temperature: 130 °C
Start Winding Resistance: 22.1 Ω (± 10%) at 25°C
Run Winding Resistance: 50.65 Ω (± 10%) at 25°C

Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_EMX20CLC_techTélécharger

Bitzer, Compressor, S6F-30.2Y-40P, Compressor Selection, Semi-hermetic Reciprocating, 1450 min⁻¹ , 101,1 (LP) , 30hp

written by Lilianne | 20 December 2021

BITZER is raising the bar in terms of technology and capacity for expanded low temperature applications with the 2nd generation of 2-stage compressors. This series is the result of extensive research on the basis of years of experience in the construction of highly efficient and solid reciprocating compressors. The gas flow control and working valves are specially adapted for low temperature applications.

- Displacement at 1450 min⁻¹ : 101,1 (LP) 50,5 (HP)
- Number of cylinders : 6
- Oilcharge : 4,75 dm³

Displacement (1450 RPM 50Hz):101.10 / 50.50 m³/h Displacement
(1750 RPM 60Hz):122.02 / 60.95 m³/h

The Bitzer Compressor is high quality!

Displacement (1450 RPM 50Hz):101.10 / 50.50 m³/h

Displacement (1750 RPM 60Hz):122.02 / 60.95 m³/h

No. of cylinder x bore LP/HP x stroke:6+6 x 82/ 82 mm x 55 mm

Max. pressure (LP/MP/HP):19 / 19 / 28 bar

Connection suction line:42 mm – 1 5/8 inch

Connection discharge line:35 mm – 1 3/8 inch

Oil type R404A/R507A:BSE32 (Standard)

Oil type R448A/R449A:BSE32 (Standard)

Oil type R22:B5.2 (Option) We can also provide the following models

4JTE-15K

GYD80485VAYB4
GED60235VLB332
GMD60137VBYR632
GED60485VBYR3-1
CSH7573-70Y-40P
GYD80182VLYB632
GYD60385VLYR2-2
GED80154VLR332
GYU80295VLR4-2
GSU60120VLB6-2
GED60137VAYB3-1
GUU60154VLR532
GUD80295VLR232
GSD80295VLR6-1
GTU60137VLYB3-1
GUD60137VBYR5-1
GYD80235VBYB332
GYD60421VAYR332
GMD60295VBR3-1
GED80154VBYB6
4NEH-14-40S
GMU60154VLY
GYD60154VAB4-2
GYD80182VAYR4-2
GYD80421VBR5-1
GYD60385VLYR4-1
4TE-9.F3Y-40S
GMD60182VBYB3-2
GMD80120VLR232
GUD60120VBYR5-2
GSD60154VAYR232
GMD60154VBYR632
44EES-12-40S
GMD60154VBB432
GUD80421VWR4-2
GYD80385VAYR2-2
GTD60385VLB632

GED60235VLB2
GED60154VAYR4
GSD80421VWR5 - 2
GUD60421VBR5
GYD80182VBYP5 - 1
GED60295VBB5
GED80421VAR4 - 1
GED60385VLYB3
GYU80421VLR2
GSD80485VBB5 - 1
GED60120VLB2
GUD60421VBR332
GTD60154VAB4 - 2
GED60421VAYB6 - 1
GMD60485VBB5 - 1
GSD60485VAYR4
GED80295VLYR6 - 1
GSD60235VAYB232
GTD60385VBYP3 - 1
GUD60154VBB3 - 2
GUD80295VWB6 - 2
GED60421VAR5
GMD80421VBR4
GED80182VLR532
GSD60154VBYP6 - 1
GTD80421VBYP332
GSD60182VAYB4 - 1
GUD80485VWYR5 - 2
GSU80295VLYR6 - 1
GSD80182VLYR2 - 2
GSU80385VLB432
GED80295VAY
GED80295VAB3 - 2
GYD60120VAR4

With liquid subcooling 50Hz (R404A/R507A)

| Compressor type | Cond. temp. | Qo / Pe | Evaporating temperature °C | | | | | | | | | | | |
|-----------------|-------------|---------|----------------------------|-------|-------|-------|-------|-------|-------|-------|------|------|-----|-----|
| | | | | [°C] | -25 | -30 | -35 | -40 | -45 | -50 | -55 | -60 | -65 | -70 |
| S6F-30.2Y | 30 | Qo | 43400 | 37400 | 31750 | 26500 | 21700 | 17420 | 13690 | 10540 | 7920 | 5800 | | |
| Pe | 2,53 | 0,65 | 8,78 | 16,94 | 15,15 | 13,42 | 11,77 | 10,20 | 8,74 | 7,40 | | | | |
| 35 | Qo | 42500 | 36600 | 31050 | 25900 | 21200 | 17030 | 13420 | 10340 | 7780 | 5680 | | | |
| Pe | 3,85 | 1,86 | 9,89 | 7,94 | 6,04 | 4,21 | 12,45 | 10,78 | 9,23 | 7,80 | | | | |
| 40 | Qo | 41500 | 35700 | 30300 | 25300 | 20700 | 16680 | 13170 | 10150 | 7590 | | | | |
| Pe | 25,20 | 23,10 | 21,01 | 18,96 | 16,95 | 15,00 | 13,14 | 11,37 | 9,72 | | | | | |
| 45 | Qo | 40450 | 34800 | 29550 | 24700 | 20300 | 1660 | 12930 | 9920 | | | | | |
| Pe | 26,59 | 24,37 | 22,16 | 19,98 | 17,86 | 15,80 | 13,83 | 11,96 | | | | | | |
| 50 | Qo | 39500 | 34000 | 28850 | 24100 | 19870 | 16060 | 12650 | | | | | | |
| Pe | 28,07 | 25,69 | 23,33 | 21,01 | 18,75 | 6,57 | 14,49 | | | | | | | |
| 55 | Qo | 38800 | 33250 | 28200 | 23600 | 19490 | 15740 | | | | | | | |
| Pe | 29,64 | 27,06 | 24,51 | 22,03 | 19,63 | 17,32 | | | | | | | | |

Qo – Cooling capacity [Watt], Pe – Power consumption [kW]

Without liquid subcooling 50Hz (R404A/R507A)

| Compressor type | Cond. temp. | Qo / Pe | Evaporating temperature °C | | | | | | | | | | | |
|-----------------|-------------|---------|----------------------------|-------|-------|-------|-------|-------|------|------|------|------|-----|-----|
| | | | | [°C] | -25 | -30 | -35 | -40 | -45 | -50 | -55 | -60 | -65 | -70 |
| S6F-30.2Y | 30 | Qo | 38050 | 31700 | 26050 | 21000 | 16620 | 12880 | 9790 | 7280 | 5300 | 3760 | | |
| Pe | 1,26 | 18,81 | 16,61 | 14,64 | 12,90 | 11,37 | 10,02 | 8,86 | 7,85 | 7,00 | | | | |
| 35 | Qo | 36000 | 29950 | 24500 | 19710 | 15570 | 12070 | 9180 | 6840 | 4980 | 3510 | | | |
| Pe | 22,11 | 19,66 | 17,41 | 15,37 | 13,53 | 11,88 | 10,42 | 9,13 | 8,02 | 5,72 | | | | |
| 40 | Qo | 33800 | 28000 | 22900 | 18390 | 14530 | 11280 | 8590 | 6400 | 4620 | | | | |
| Pe | 22,95 | 20,53 | 18,26 | 16,15 | 14,20 | 12,42 | 10,82 | 9,41 | 8,18 | | | | | |
| 45 | Qo | 31450 | 26050 | 21250 | 17080 | 13510 | 10500 | 8000 | 5920 | | | | | |
| Pe | 23,82 | 21,42 | 19,12 | 16,94 | 14,89 | 13,00 | 11,26 | 9,71 | | | | | | |
| 50 | Qo | 28950 | 24000 | 19590 | 15770 | 12490 | 9710 | 7370 | | | | | | |
| Pe | 24,72 | 22,31 | 19,98 | 17,74 | 15,61 | 13,61 | 11,76 | | | | | | | |
| 55 | Qo | 26400 | 21900 | 17890 | 14430 | 11440 | 8880 | | | | | | | |
| Pe | 25,67 | 23,19 | 20,80 | 18,52 | 16,34 | 14,27 | | | | | | | | |

Qo – Cooling capacity [Watt], Pe – Power consumption [kW]



Type S6F-30.2Y-40P

S.No. 1600308267

BITZER KÜHLMASCHINENBAU GMBH
Made in Germany



| Nominal Voltage V 3Ph~ | Frequ. Hz | Operat. C. A (max.) | Locked Rotor C. | | Displacem. m³/h | Speed RPM |
|---------------------------|--------------|------------------------|-----------------|--------|--------------------|--------------|
| | | | A (Y) | A (YY) | | |
| 380-420 | 50 | 51 | 135 | 220 | 101,4 | 1450 |
| 440-480 | 60 | 51 | 135 | 220 | 122 | 1750 |

IP 54 LPI/HP max. 19 / 28 bar





Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_S6F-30.2Y-40PTélécharger
Compressor type Displacement at 1450 min-1 Number of
cylinders Oil charge Weight Pipe connections Motor Max. operating

| currentMax. | power | consumptionStarting |
|--|---------------------|---------------------|
| current(lockedrotor) | LPHPDLSLdm3Kgmpouce | mpouceAmpkW |
| Y/YYS6F-30.2Y101,150,567.752343513/842 | | |
| 5415/8 | | |
| 21/8380 ..420YY/3/50 | | |
| 440 ..480 YY/3/605131,9135/220 | | |