

**COMPRESSOR, DANFOSS, SECOP,
HMK95AA, R600, 145W, 1/5CV,
réfrigérateur , congélateur,
LBP, Equivalent: EMBRACO
NBM1114Y – NBM1116Y, DANFOSS
NLE11KK – NL10K – NL11K –
NLE15K, DANFOSS NLE11KK –
NL10K – NL11K – NLE15K,
DANFOSS NLE11KK – NL10K –
NL11K – NLE15K, ELECTROLUX
HP14AH – HP12AH, SECOP
TLES8.7KK.3 – HMK95AA**

written by Lilianne | 2 May 2021



COMPRESSOR, DANFOSS, SECOP, HMK95AA, R600, 145W, 1/5CV, réfrigérateur , congélateur, LBP, Equivalent: EMBRACO NBM1114Y – NBM1116Y, DANFOSS NLE11KK – NL10K – NL11K – NLE15K, DANFOSS NLE11KK – NL10K – NL11K – NLE15K, DANFOSS NLE11KK – NL10K – NL11K – NLE15K, ELECTROLUX HP14AH – HP12AH, SECOP TLES8.7KK.3 – HMK95AA

**Compressor, CR32KQ-PFV,
CR32K6-PFV-875, Copeland,
américain, 3 CV, 2.5 3 Ton,
208 230 Volt A/C, 1 PH,
32,000 BTU, R22, R407C,
Hermetic (Reciprocating)
Compressor Replacement**

written by Lilianne | 2 May 2021



Private Picture Copyright: WWW.MBSM.PRO

Compressor, CR32KQ-PFV, CR32K6-PFV-875, Copeland, américain, 3 CV, 2.5 3 Ton, 208 230 Volt A/C, 1 PH, 32,000 BTU, R22, R407C, Hermetic (Reciprocating) Compressor Replacement

**Compressor, NPT12FSC,
CUBIGEL, R290, 12,10ccm, LBP,
3/8HP, 220 V 50/60 Hz**

written by Lilianne | 2 May 2021



Private Picture Copyright : WWW.MBSM.PRO

Compressor, NPT12FSC, CUBIGEL, R290, 12,10ccm, LBP, 3/8HP, 220 V 50/60 Hz

R134A, LBP, Motor, Danfu, Compressor, PW2.0VK, 1/15hp

written by Lilianne | 2 May 2021



PW2.0VKMF   
220-240V~50/60Hz A002364 
SINGLE PHASE R134a
THERMALLY PROTECTED
Sichuan Danfu Environment Technology Co., Ltd.

REDMI NOTE 9 PRO
AI QUAD CAMERA

Private Picture Copyright: WWW.MBSM.PRO

R134A, LBP, Motor, Danfu, Compressor , PW2.0VK, 1/15hp

**LG, Refrigerator, Compressor,
FC75LBNA, TCA35271202,
Inverter, AR125VC, R134A,
1/3hp, 0-220V 53HZ**

written by Lilianne | 2 May 2021



LG, Refrigerator, Compressor, FC75LBNA, TCA35271202, Inverter,
AR125VC, R134A, 1/3hp, 0-220V 53HZ

**Kulthorn, Kirby, Compressor,
AE2425ZK, ae 2425zk-sr, R404,
1/2HP, Hermetic piston
compressor, AE2425ZK-SR,
Application: low temperature,
Displacement: 14.14 cm³,
Cooling capacity: 613 W, 220
V / 50 Hz / 1 phase.**

written by Lilianne | 2 May 2021

16L3

KULTHORN
AE 2425ZK-SR 03D
220 - 240 V ~ 50Hz R404A/R507
RLA 2.71 LRA 16.3 CE

KK
KULTHORN KIRBY
MADE IN THAILAND

03D17L13023143

Q-MARK

RoHS TIS.812-2548

Private Picture Copyright : WWW.MBSM.PRO

Kulthorn, Kirby, Compressor, AE2425ZK, ae 2425zk-sr, R404, 1/2HP, Hermetic piston compressor, AE2425ZK-SR, Application: low temperature, Displacement: 14.14 cm³, Cooling capacity: 613 W, 220 V / 50 Hz / 1 phase.

**LG, CSB075NJEG, 1/6HP, R600A,
alu wire, refrigerator,
compressor, refrigerator,
BBS130, BBD230, BBC208S**

written by Lilianne | 2 May 2021

-+ CSB057NJEG 1 / 10HP

-+ CSB069NJEG 1 / 8HP

-+ CSB075NJEG 1 / 6HP



BUD-DCTAE186	19	CC128-BB	25	CPP330	280	DCPL166-2BD-ETP	33	DCTCE146	15	DR
BUD-DCTAE187	19	CC128-BP	25	CPP470	280	DCPL166-2BD	33	DCTCE147	15	DR
BUD-DCTAE206	19	CC155-BB	25	CPP650	17	DCPL166-2BD-ETP	33	DCTCE148	15	DR
BUD-DCTAE207	19	CC155-BP	25	CPP11000	17	DCPL166-2BD-ETP	33	DCTCE149	15	DR
BUD-DCTCE66	19	CC156-BB	25	CPP12000	17	DCPL166-2BD	33	DCTCE150	15	DR
BUD-DCTCE77	19	CC156-BP	25	CPP13000	17	DCPL166-2BD-ETP	33	DCTCE151	15	DR
BUD-DCTCE106	19	CC186-BB	25	CPP14000	17	DCPL166-2BD	33	DCTCE152	15	DR
BUD-DCTCE107	19	CC186-BP	25	CPP16000	17	DCPL166-2BD-ETP	33	DCTCE153	15	DR
BUD-DCTCE128	19	CCA	337	CPP19000	17	DCPL166-2BD-ETP	33	DCTCE154	15	DR
BUD-DCTCE127	19	CDD1/1	171	CRP5A	15	DCPL167-2BD	33	DCTCE155	15	DR
BUD-DCTCE146	19	CDD1/2	171	CRP20	48	DCPL167-2BD-ETP	33	DCTCE156	15	DR
BUD-DCTCE147	19	CDD1/3	171	CS6/10	15	DCPL167-2BD	33	DCTCE157	15	DR
BUD-DCTCE157	19	CDD1/4	171	CS10	15	DCPL167-2BD-ETP	33	DCTCE158	15	DR
BUD-DCTCE166	19	CDD1/6	171	CS70	235	DCPL167-2BD	33	DCTCE159	15	DR
BUD-DCTCE167	19	CDD2/1	171	CSB075NJEG	235	DCPL186-2BD-ETP	33	DECEP14-PM	44	DR
BUD-DCTCE186	19	CDD2/3	171	CSR16	48	DCPL186-2BG	33	DECEP-PM	44	DR
BUD-DCTCE187	19	CD-GH-818	137	CSR18	48	DCPL186-2BG-ETP	33	DEF	44	DR
BUD-DCTCE206	19	CDR-1	90, 229	CSR20	48	DCPL187-2BD	33	DEL-0500	343	DR
BUD-DCTCE207	19	CDR-2	90, 229	CT 1758TD	113	DCPL187-2BD-ETP	33	DESSUS-TH168	361	DR
BUD-ETPL83	63	CF4-78ET	339	CT 1760TD	113	DCPL187-2BG	33	DESSUS-TH207	361	DR
BUD-ETPL84	63	CF4-78GP	338	CTR11000	175	DCPL187-2BG-ETP	33	DEV-FIC	21, 305	DR
BUD-ETPL103	63	CF0380-37	388	CTR12000	175	DCPL206-2BD	33	DIFP90BI	88	DR
BUD-ETPL104	63	CF0380-50	388	CTR13000	175	DCPL206-2BD-ETP	33	DIFP90BL	88	DR
BUD-ETPL123	63	CH11000	171	CTR14000	175	DCPL206-2BG	33	DIFP90R	88	DR
BUD-ETPL124	63	CH12000	171	CTR16000	175	DCPL206-2BG-ETP	33	DIFP90VE	88	DR
BUD-ETPL143	63	CH13000	171	CTR19000	175	DCPL207-2BD	33	DIFP90YE	88	DR
BUD-ETPL144	63	CH14000	171	CTR21000	175	DCPL207-2BD-ETP	33	DIPA	163	DR
BUD-ETTU104	63	CH16000	171	CTRE11000	175	DCPL207-2BG	33	DIPA600	163	DR
BUD-ETTU124	63	CH21000	171	CTRE12000	175	DCPL207-2BG-ETP	33	DIST91	94	DR
BUD-ETTU124	63	CH21000	171	CTRE13000	175	DCPLV128-1BD	37	DIST91A	94	DR

Private Picture Copyright : WWW.MBSM.PRO

Pièces détachées

▼ PIÈCES DÉTACHÉES POUR ARRIÈRES DE BAR

DÉSIGNATION	RÉF.	€	DÉSIGNATION	RÉF.	€
Compresseurs			Joint de porte		
Compresseur LG modèle CMA098NHEM (R600A) pour BBT350, BBC330S	CMA098NHEM	266	Joint de porte pour BBD230, BBT350	BBT350L.28	8,80
Compresseur LG modèle CSB075NJEG (R600A) pour BBS130, BBD230, BBC208S	CSB075NJEG	153	Joint de porte pour BBS130	BBS130L.25	14,00
Condenseurs			Portes vitrées		
Condenseur pour BBC208S, BBD230	BBD230L.08	59	Porte vitrée battante droite pour BBD230, BBT350	BBD230L.25.1	222
Condenseur pour BBC330S, BBT350	BBT350L.09	53	Porte vitrée battante gauche pour BBD230, BBT350	BBD230L.25	222
Condenseur pour BBS130	BBS130L.07	59	Porte vitrée battante pour BBS130	BBS130L.24	222
Évaporateurs			Porte vitrée coulissante pour BBC208S	BBD230S.26	205
Évaporateur pour BBC208S	BBD230S.47	117	Porte vitrée coulissante avec serrure pour BBC208S	BBD230S.26.1	205
Évaporateur pour BBC330S, BBT350	BBT350L.53	141	Porte vitrée coulissante gauche pour BBC330S	BBT350S.26.1	222
Évaporateur pour BBS130	BBS130L.47	117	Porte vitrée coulissante droite pour BBC330S	BBT350S.26.3	222
			Porte vitrée coulissante milieu pour BBC330S	BBT350S.26.2	222
			Roulette pour porte coulissante pour BBC208S, BBC330S	BBD230S.26.01	1,70
			Thermostat DIXELL XR02CX pour BBS130, BBD230, BBT350, BBC208S, BBC330S	XR02CX	158

Private Picture Copyright : WWW.MBSM.PRO

Compressor, TEE, TURK ELEKTRIK, R600a, MTS200MT, MTS170MT, MTS185MT

written by Lilianne | 2 May 2021



Compressor, TEE, TURK ELEKTRIK , R600a, MTS200MT, MTS170MT, MTS185MT

LG rotary, compressor, model, QJS222PMA, 12700BTU 5.6Amps, EER = 10.7, air conditioner

written by Lilianne | 2 May 2021

LG rotary, compressor, model, QJS222PMA, 12700BTU 5.6Amps, EER = 10.7, air conditioner

**no frost, egl99aa zmc
refrigerator, DF40, silver,
ideal, zanussi, IDEAL
ZANUSSI, EGL99AA ZMC, DF 40
Elgance, Compressor, ACC
Cubigel, Huayi, Electrolux,
ZEM GL99AA, GL99AA, LBP ,
R134a, 220-240V/1/50Hz, 1/4
HP, discharge 9.93 cm³, motor
type RSIR, LRA 14.4A**

written by Lilianne | 2 May 2021



Mbsm_dot_pro_private_PDF_GL99AA-compresseur-acc-cubigell-
gl99aaTélécharger

Mbsm_dot_pro_private_PDF_GL99AATélécharger

Compressor ACC Cubigel Huayi Electrolux ZEM GL99AA, LBP –
R134a, 220-240V/1/50Hz, 1/4 HP, discharge 9.93 cm³, motor type
RSIR, LRA 14.4A, expansion device: capillary, cooling:
static, weight 11 kg , the statutory warranty period shall
apply (24 months), Delivery time Info: with “immediately
available” and “scarce stock”, usually delivery within 2 days.

For “currently not available” delivery time usually 2 weeks or delivery time in urgent cases contact us.

Refrigerant:	R134a
Power range(W):	101 – 200 W
Performance range (C):	-35 C to -10 C
Connecting size:	4,9 mm
Suction:	6,5 mm
Working area:	LBP
Design type:	Hermetic
Model series:	GL
Use with:	Capillary
Power range(HP):	0-2
Power supply:	230 V
Oil type:	ISO VG 22 Ester
Engine type:	RSIR
Article condition:	New
Info:	Oil filled
Shipping weight:	13,00 Kg
Dimensions (length × width × height):	23,10 × 16,20 × 18,60 cm
Cooling capacity condition:	T0 -25 C, Tk +55 C
Manufacturer:	ACC Cubigel Huayi Electrolux ZEM
Model:	GL99AA
Stroke volume (cm3):	9,93
Cooling capacity (W):	174
Power (HP):	0,25
Max. Starting current (A):	14,4

Max. Operating current (A):	1,31
Engine type:	RSIR
COP:	0,92
Note:	Static cooling
Conveying and suction volume (m3):	1,72
Oil quantity (l):	0,295
Compressor type:	Piston
Cooling:	Static
RPM:	2900
Power range:	-35 C to -10 C
Alternative:	HLY90AA, NL11F
Pressure line (mm):	4,9
Suction line (mm):	6,5

ZMC

C

GL99AA 0326

220-240V~50Hz



CE

R 134 a

MADE IN EGYPT



482

3975 6

GL99AAa VE09
220-240V 50Hz ~1

COMPRESSOR

Displacement (cm ³)	9.95
Diameter (mm)	25.4
Stroke (mm)	19.62
Net Weight (Kg)	9.6
Oil type	ISO VG 22 ESTER
Oil charge (cm ³)	295

MOTOR

Approximate Power (CV)	1/4
Voltage/Frequency (V/Hz)	220V 50Hz
Voltage range (V)	187-264
Code	-
Type	RSIR
Phase number	1 PH
Locked rotor current (A)	14.0
Main W. resist. at 25°C (Ω)	9.96
Start W. resist. at 25°C (Ω)	20.39

ELECTRICAL COMPONENTS

Relay	PTC 3003 - K100		
Nominal voltage (V)	200 - 240		
Resistance μ	14.00		
Protector	MRP336JZ	T0377	AE11FU

APPLICATION

Application	Low back pressure
Refrigerant	R134a
Evaporating (°C)	-35 to -10
Expansion	Capillar
Comp. cooling	Static
Max. ambient temp. (°C)	43

NOMINAL PERFORMANCE

	CYCLE A	CYCLE B
Cooling capacity (W)	175	238
Input power (W)	189	200
EER (kcal/Wh)	0.79	1.02
COP (W/W)	0.92	1.19
Current (A)	1.31	1.34

TEST CONDITIONS

Evaporating temp. (°C)	-25.0	-23.3
Condensing temp. (°C)	55.0	55.0
Liq.t. entering expan. (°C)	55.0	32.0
Ambient t. and return (°C)	32.0	32.0
Tens/Freq (V/Hz)	220V 50Hz	220V 50Hz



KGT1 موديل		الشركة العالمية لصناعة الأجهزة المنزلية - الاسكا		
السعة، ١، ٣ اقدم	٢٢٠ فولت	٥٠ هيرتز	١٩٥ وات	١، ٢ امبير
الشحنة، ١٧٠ جم ف ١٣٤ ا		التصنيف: ST		درجة الحماية، IPX2
صنع في مصر Made in Egypt		٢٠٠٥/٢٢٠	٣ ٢	No. 1 سنة الانتاج 200



Private Picture Copyright: WWW.MBSM.PRO



Private Picture Copyright: WWW.MBSM.PRO



Private Picture Copyright: WWW.MBSM.PRO




REDMI NOTE 9 PRO
AI QUAD CAMERA

Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO

ZMC EGL99AA 1002

220-240V~50Hz

R 134 a

MADE IN EGYPT



3 480

0250659 2

IDEAL ZANUSSI

MODEL

DF 40 Elegance

TYPE

Nofrost

COLOR

WHITE

CODE



922213401

SERIAL NUMBER :



DF40 Feb. 10 11018589

REFRIGERANT	GAS CHARGE	CAPACITY
R134 a	130 g	340 Lit
VOLTAGE	FREQUENCY	CURRENT
220V	50 Hz	1.4 A

Made In Egypt By
Delt Engineering Industrials
6th October City

Under License Of
Electrolux International SpA - Italy

