

**KCE444HAG , 3/8 Hp , 230V ,
50Hz, 1Phase , High / Medium
temperature (HBP / CBP) ,
R-134a**

written by Lilianne | 12 May 2020

KCE444HAG , 3/8 Hp , 230V, 50Hz, 1Phase , High / Medium
temperature (HBP / CBP), R-134a

**3HP , 2CC-3.2 , Bitzer , Semi
hermetic , Refrigeration
, Compressor , for cold storage**

written by Lilianne | 12 May 2020

3HP , 2CC-3.2 , Bitzer , Semi hermetic , Refrigeration
, Compressor , for cold storage

**NL10MF , 1/3 HP , 10,5kg 1/3HP
, Hermétique, Compressor ,**

**DANFOSS , SECOP , R134a
, 220-240V 50Hz , 208-230V
60Hz , MBP (Medium Back
Pressure) , CSIR – RSIR
(Resistance Start – Capacitor
Run)**

written by Lilianne | 12 May 2020

NL10MF , 1/3 HP , 10,5kg 1/3HP , Hermétique, Compressor , DANFOSS
, SECOP , R134a , 220-240V 50Hz , 208-230V 60Hz , MBP (Medium Back
Pressure) , CSIR – RSIR (Resistance Start – Capacitor Run)

**Compressor , Embraco Aspera
, NJ2212GK, LBP – R404A, R507,
220-240V/1/50Hz, 1.5 HP,
34.38 cm³, LRA 36.0 A, CSR,
lubricant charge 750ml POE
22, 1547 W , at -23.3 / +54.4
°**

written by Lilianne | 12 May 2020



Private Picture Copyright : WWW.MBSM.PRO

Compressor ,Embraco Aspera ,NJ2212GK, LBP – R404A, R507, 220-240V/1/50Hz, 1.5 HP, 34.38 cm³, LRA 36.0 A, CSR, lubricant charge 750ml POE 22, 1547 W ,at -23.3 / +54.4 °

**Compresseur, Samsung , 1/5
HP, 155/160w , r600a
,220/240v~50, Mk4a5qr1u,
Mk4a5q-R1u, 5.5Lra, 1PHASE**

written by Lilianne | 12 May 2020

Compresseur, Samsung , 1/5 HP, 155/160w , r600a ,220/240v~50,
Mk4a5qr1u, Mk4a5q-R1u, 5.5Lra, 1PHASE

Tecumseh , CAJ4511A ,Compressor , 1 HP, 208-230V, 1 PHASE, R12, Hermetic ,Reciprocating Compressor Replacement

written by Lilianne | 12 May 2020

Tecumseh , CAJ4511A ,Compressor , 1 HP, 208-230V, 1 PHASE,
R12, Hermetic ,Reciprocating Compressor Replacement

**Compressor ,ACC Cubigel
,Huayi Electrolux ,ZEM GL80AA
/ GVY75AA, LBP – R134a, 220 –
240V/1/50Hz, 1/4 HP,
discharge 7.52 cm³, motor
type RSIR / RSCR, oil type
ester, oil charge 180 cm³,
150 W at -25 / +55 °, input
power, current 146 W, 1.16 A,**

**expansion device: capillary,
cooling: static, weight 8.6
kg**

written by Lilianne | 12 May 2020

Compressor ,ACC Cubigel ,Huayi Electrolux ,ZEM GL80AA /
GVY75AA, LBP – R134a, 220 – 240V/1/50Hz, 1/5 HP, discharge
7.52 cm³, motor type RSIR / RSCR, oil type ester, oil charge
180 cm³, 150 W at -25 / +55 °, input power, current 146 W,
1.16 A, expansion device: capillary, cooling: static, weight
8.6 kg

**Danfoss Refrigeration,
R134a, GL90TG , 220-240V
50-60Hz, R134A ,HBP ,CSIR
,compressor Haute pression
avec condensateur**

written by Lilianne | 12 May 2020

Danfoss Refrigeration, R134a, GL90TG , 220-240V 50-60Hz, R134A
,HBP ,CSIR ,compressor Haute pression avec condensateur

**Compresor Embraco, T/M-B
FFU160HAX 1/2 HP, 1,533
BTU/h, R-134 A, MBP**

written by Lilianne | 12 May 2020

Compresor Embraco, T/M-B FFU160HAX 1/2 HP, 1,533 BTU/h, R-134 A
, MBP

**Compressor, Moteur HP, CSIR
, Avec Condensateur, CUBIGEL
, GL80TB, R-134a 1/5HP, 230V
, HMBP, High-Medium Back
Pressure**

written by Lilianne | 12 May 2020

Compressor, Moteur HP, CSIR, Avec Condensateur, CUBIGEL
, GL80TB, R-134a 1/5HP, 230V, HMBP, High-Medium Back Pressure