

Mbsm.pro, Danfoss, compressors, R134a, medium, temperature, HMBP

Category: compressor

written by Jamila | 31 December 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Danfoss, compressors, R134a, medium, temperature, HMBP

Mbsm.pro, compressor, Panasonic, 1/3 hp, Lbp, E Series, R134a, ETI57C13DCH, ENI68C13DCH, Reciprocating, Compressors, Variable

Speed, inverter, BLCD, from 63 to 240 w, 240v+-, from 60 to 268 hz, from 25 rps to 72 rps

Category: compressor

written by Jamila | 31 December 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, Panasonic, Lbp, E Series, R134a, ETI57C13DCH, ENI68C13DCH, Reciprocating, Compressors, Variable Speed, inverter, from 63 to 240 w, 240v+-, from 60 to 268 hz, from 25 rps to 72 rps

Mbsm.pro, Hermetic, Copeland, Compressors, CRHQ-0275-PFV, crhq0275pfv, crhq-0275-pfv-501, crhq0275-pfv-501, crhq0275-pfv, 4 Hp, r22, 33800 btu

Category: compressor

written by Lilianne | 31 December 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Hermetic, Copeland, Compressors, CRHQ-0275-PFV, crhq0275pfv, crhq-0275-pfv-501, crhq0275-pfv-501, crhq0275-pfv, 4 Hp, r22, 33800 btu

Mbsm.pro, Copeland, Reciprocating, Hermetic, Compressors, CRNQ-0500-TFD, 5 hp, R22, HCFC, R-22, 50 Hz, 3 – Phase, 380/420 V , CR QR Series

Category: compressor

written by Lilianne | 31 December 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Copeland, Reciprocating, Hermetic, Compressors, CRNQ-0500-TFD, 5 hp, R22, HCFC, R-22, 50 Hz, 3 – Phase, 380/420 V , CR QR Series

Mbsm.pro, compressors, L88AV, 1/4 hp++, 1/3 hp-, R12, HMBP , rcir

Category: compressor

written by Lilianne | 31 December 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressors, L88AV, 1/4 hp++, 1/3 hp-, R12, HMBP , rcir

Mbsm.pro, Bristol, Compressor, H24B22QABJC, 21800 btu/h, H24BQ SERIES, 6397 W, 230 v, 1 Phase, I_{ra} 52 A, Compressors, Chillers & Condensers, high temperature, R22, basic model, model B, PSC capacitor,

line break internal, capillarie,
0.64/80 cm, 0.70/100 cm

Category: air conditioner,Archivation,compressor
written by Lilianne | 31 December 2022



91

PART NO. 701517-02-0024 MADE IN USA 

SERIAL NO. 14895022415

MODEL NO. H24B220ABJD

CUST #/N

1/2" XXX

PROTECTOR

V 230/208

HZ 50 PH 1

LRA 52

V

HZ

LRA

Mbsm.pro, Bristol, Compressor, H24B22QABJC, 21800 btu/h, H24BQ SERIES, 6397 W, 230 v, 1 Phase, Ira 52 A, Compressors, Chillers & Condensers, high temperature, R22, basic model, model B, PSC capacitor, line break internal, capillarie, 0.64/80 cm, 0.70/100 cm

Mbsm.pro, Compressors, LG, CMA series, CMA053LHEG, 1/6 HP, Cma069lhem, 1/4 HP, Lbp, 195W, 667BTU, 220-240V 50Hz, 1 ph, Refrigerator, 19 Cf, T wansa 530, WRTW-530-NFSSC5, 530 L, 200 w, R134a, 153 G

Category: compressor

written by Lilianne | 31 December 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressors, LG, CMA series, CMA053LHEG, 1/6 HP, Cma069lhem, 1/4 HP, Lbp, 195W, 667BTU, 220-240V 50Hz, 1 ph, Refrigerator, 19 Cf, T wansa 530, WRTW-530-NFSSC5, 530 L, 200 w, R134a, 153 G,

Mbsm.pro, Scroll, Danfoss, HRP051T4LP6, compressors, Hermetic, 49.15 kBtu/h, R22, R407C, 4 1/4Hp, 3Ph, POE, Lra 60A

Category: compressor

written by Lilianne | 31 December 2022

bsm.pro, Scroll, Danfoss, HRP051T4LP6, compressors, Hermetic, 49.15 kBtu/h, R22, R407C, 4 1/4Hp, 3Ph, POE, Lra 60A

Catalogue, DANFOSS, All Compressor, PDF Catalogs, Documentation

Category: compressor,Files

written by Lilianne | 31 December 2022

Catalogue, DANFOSS, All Compressor, PDF Catalogs, Documentation

Mbsm_dot_pro_private_PDF_DANFOSS-FRCC.PK_.046.A1.02Télécharger

Mbsm_dot_pro_private_PDF_Danfoss_scroll_compressors_HXX_R410ATélécharger

Mbsm_dot_pro_private_PDF_DANFOSS-1Télécharger

Mbsm_dot_pro_private_PDF_DANFOSSTélécharger



Private Picture Copyright : WWW.MBSM.PRO

Whirlpool, Aspera, NE2125E, LBP, capacitive, start inductive run, hermetic compressor, R22, 1/4Hp++ or 1/3Hp-

Category: compressor

written by Lilianne | 31 December 2022

compressor Aspera NE2125E, LBP – R22, 220-240V / 1 / 50Hz, stroke volume 8.78 cm³, LRA 11.0A, motor type CSIR, capillary tube / expansion valve operation, oil AB 46.Cooling


capacity measured for condensation temperature of: 45 ° C, Measurement conditions: ASHRAE

Unfortunately the compressor is no longer available.

If you would like an offer for an identical alternative, please email us or give us a short call, we will prepare an offer for you.Cooling capacity (W) at To

– 10 ° C – 15 ° C – 20 ° C – 25 ° C – 30 ° C

651 517 401 304 226




Private Picture Copyright: WWW.MBSM.PRO

R22 - LBP Applications

COMPRESSOR	FREQUENCY	DIMENSION	
		(from -30°C to -5°C evap. temp.)	-
NE2125E	50 Hz	0.91 mm I.D. × 3.2 m	-
	60 Hz	0.91 mm I.D. × 2.85 m	-
NE2134E	50 Hz	0.91 mm I.D. × 2.8 m	-
	60 Hz	0.91 mm I.D. × 2.5 m	-
T2140E	50 Hz	0.91 mm I.D. × 2.6 m	-
	60 Hz	0.91 mm I.D. × 2.3 m	-
T2155E	50 Hz	1.20 mm I.D. × 3.9 m	-
	60 Hz	1.20 mm I.D. × 3.5 m	-
T2168E	50 Hz	1.20 mm I.D. × 3.3 m	-
	60 Hz	1.20 mm I.D. × 2.8 m	-
NJ2178E	50 Hz	1.20 mm I.D. × 3.0 m	-

PictureS Mbsm Dot Pro : www.mbsm.pro

Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO









Private Picture Copyright: WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_ne2125e-Embraco_VerdichterTélécharger

Shipping Class	Default
Scope Of Application	LBP
Delivery Time	2-3 Weeks
Stock Availability	In Stock
Type	Reciprocating Piston
Condensation Temperature	45 ° C
Manufacturer	Aspera
Manufacturer No.	NE2125E
Power In Hp	1/4 +
Starting Torque	HST
Stroke Volume In Cm3	8.78
Measurement Conditions	Ashrae
Refrigerant	R22
Oil Type	IS046
Series	NE
Condensing Units Compressors	Compressor

Tension
Weight In Kg

220-240V

10.4