

Mbsm.pro , Compressors ZMC, EGL90AA, R-134a ,1/4 HP LBP, 220 – 240 V

written by Lilianne | 9 October 2018

Mbsm.pro , Compressors ZMC, EGL90AA, R-134a ,1/4 HP LBP, 220 –
240 V

BRAND

• – ZMC

TECHNICAL SPECIFICATIONS :

- MODEL: **EGL 90 AA**
- POWER: **1/4 Hp**
- VOLTAGE: **220 – 240 V**
- WATT: **227.00 W**
- REFRIGERANT GAS: **R 134**
- K.CAL: **195.00 Cal.**

Features : The compressors form the basis of the refrigerant system and function to compress the gas from the evaporation to the condensation pressure.

USAGE PLACES :

It is used in Refrigerator devices belonging to all brands and models.

INSTRUCTIONS FOR USE:

Zmc EGL90AA;It is recommended to be used by a specialist authorized or authorized service.



Picture5 Mbsm Dot Pro : www.mbsm.pro

Mbsm_dot_pro_private_PDF_catalogo_cubigel_R134aTélécharger
Mbsm_dot_pro_private_PDF_cubigel-katalogTélécharger

**Mbsm.pro , COMPRESSOR
TECUMSEH, CAJ4511Y, R134a,
HMBP (HBP – High Back
Pressure), 1 HP, 1PH, 220-240
VOLTS , High Start Torque
(HST) ,**

written by Jamila | 9 October 2018
Mbsm.pro , COMPRESSOR TECUMSEH,

L'unité hermetique Compressor

CAJ4511Y, R134a, HMBP(HBP – High Back Pressure), 1 HP, 1PH,
220-240 VOLTS , High Start Torque (HST)

Condensateur Perm./ Run capacitor : 15 µF / 400 V

Données techniques

- Modèle: **CAJ4511Y**
- Gaz: **R-134a**
- Température/Pression: **Haute Pression**
- Puissance: **1 HP**
- Voltage: **230 V**
- Type De Courant: **Monophasé**
- Fréquence: **50 Hz**
- Type De Compresseur: **Hermétique**
- Décalage: **32.7 cm³**
- Cons.Énergie -5°C: **920 W**

- Cons.Énergie 0°C: **1030 W**
- Cons.Énergie +5°C: **1140 W**
- Cons.Énergie +10°C: **1250 W**
- T° De Condensation: **55 °C**
- Capacidad Frigorífica -5°C: **1376 Kcal/h**
- Capacidad Frigorífica 0°C: **1737 Kcal/h**
- Capacidad Frigorífica 5°C: **2150 Kcal/h**
- Capacidad Frigorífica 7.2°C: **2347 Kcal/h**
- Capacidad Frigorífica 10°C: **2614 Kcal/h**
- Tipo Test: **EN.12900**





PictureS Mbsm Dot Pro : www.mbsm.pro