

Mbsm.pro, Compressor, embraco, aspera, nj6220z, 3/4 hp++, Hbp, 1hp, 1ph, Cooling, r134a

written by Amina | 10 October 2023



Mbsm.pro, Compressor, embraco, aspera, nj6220z, 3/4 hp++, Hbp, 1hp, 1ph, Cooling, r134a

Mbsm.pro, Fufw12caw-ag, air conditioner, Fresh, turbo,

Cooling, heating, 12000 Btu, 1.5 hp, 1 ton, r410a, 850 grams, 8 Bar, 115 psi

written by Lilianne | 10 October 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Fufw12caw-ag, air conditioner, Fresh, turbo, Cooling, heating, 12000 Btu, 1.5 hp, 1 ton, r410a, 850 grams

**MBSM.pro, air conditioner,
Royalcool, RCW-12CH,
RCO-12CH, 12000 btu, Cooling,
Heating, 1 ton**

written by Lilianne | 10 October 2023



Private Picture Copyright : WWW.MBSM.PRO

MBSM.pro, air conditioner, Royalcool, RCW-12CH, RC0-12CH, 12000 btu, Cooling, Heating, 1 ton

**Mbsm.pro, Air conditioner,
Sharp, AE-a12fme, 12000 btu,
r22, 860 g, 1.5 hp, 1 ton,
cooling, heating, T1, PH 1**

written by Lilianne | 10 October 2023

SHARP

SPLIT TYPE ROOM AIR-CONDITIONER

MODEL AE-A12FME (OUTDOOR UNIT) **IPX 4**

ISO 5151 TYPE T1
ES 4814-2005

220-240V ~50Hz 1 ϕ

COOLING CAPACITY 3.50kW
(12000BTU/h)

HEATING CAPACITY 4.00kW
(13700BTU/h)

R22 860g

WEIGHT 37kg

MAXIMUM INPUT 1.6kW/7.5A

RATED INPUT POWER

COOLING 1.13-1.20kW

HEATING 1.10-1.18kW

RATED INPUT CURRENT

COOLING 5.2-5.5A

HEATING 5.2-5.5A

L.R.C 34A

 15A

MAXIMUM OPERATING PRESSURE
Hi: 2.3MPa LO:1.5MPa

إنتاج شركة العربي لصناعة التكييف والتبريد
Produced By EL ARADY CO. FOR AIR-CONDITIONING & COOLING INDUSTRY

MADE IN A.R.E

صنع في ج.م.ع



CAUTION



• Make sure that the compressor is
the refrigerant pipes. Otherwise, it

من العمل قبل فك مواسير التبريد والتكييف

• Do not take air or gas into the refrig

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Air conditioner, Sharp, AE-a12fme, 12000 btu, r22, 860 g, 1.5 hp, 1 ton, cooling, heating, T1, PH 1

Mbsm.pro, air conditioner, Gibson, GS18K11BCHI, 18000 btu, 15 A, 2900 w, Cooling, Heating, r410a, 1400 G, 220v50hz, T1

written by Lilianne | 10 October 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, air conditioner, Gibson, GS18K11BCHI, 18000 btu, 15 A, 2900 w, Cooling, Heating, r410a, 1400 G, 220v50hz, T1

**Mbsm.pro, Air Conditioner,
GAC-C12A4, General Gold,
12000 btu/h, Cooling,
Heating, 1.5 hp, 1 ton, R22,
580 g, T1**

written by Lilianne | 10 October 2023



Private Picture Copyright : WWW.MBSM.PRO


Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Air Conditioner, GAC-C12A4, General Gold, 12000 btu/h, Cooling, Heating, 1.5 hp, 1 ton, R22, 580 g, T1

**Mbsm.pro, SFW13C/IW, Air
conditioner, Fresh, 12500
btu/h, Cooling, heating, 3664
w, r22, t1 ,1.5 hp, 1 Ton**

written by Lilianne | 10 October 2023



FRESH	
Model / الموديل	SFW13C/IW
Cooling Capacity / سعة التبريد	12500Btu/h 3664 W
Heating Capacity / سعة التدفئة
Refrigerant / فريون	R22
Max Operating Pressure for the Discharge / suction Side	2.5Mpa
	0.6Mpa
Weight / وزن الوحدة	10Kg
Rated Voltage / الجهد المقنن	220-240V~
Rated Frequency / التردد	50Hz
Rated Current / التيار المقنن	Cooling 8 A
	Heating
Rated Input / القدرة الكهربائية	Cooling 1400W
	Heating
Max current / تيار بدء التشغيل	22A
Isolation	I
Climate Type / مناخ التبريد	T1
Sound Pressure Level	38dB(A)
Moisture Protection	IP24
SPLIT AIR CONDITIONER INDOOR UNIT	
	
0111100111100116000429	
	
63229966203	

59082 SFW13C/IW

FRESH

Private Picture Copyright: WWW.MBSM.PRO

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, SFW13C/IW, Air conditioner, Fresh, 12500 btu/h, Cooling, heating, 3664 w, r22, t1 ,1.5 hp, 1 Ton

Mbsm.pro, Compressor, GMCC, PZ80E1F, cooling, capacity, 147W, 1/5 Hp, R600A, 1bp

written by Lilianne | 10 October 2023



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, GMCC, PZ80E1F, cooling, capacity, 147W, 160W, 1/5 Hp, R600 A, 1bp

Refrigerator, compressor,

E1134CZA, 1/2 hp, E1130CZA, E1121CZA, 3/8HP, commercial, freezer, R134a

written by Lilianne | 10 October 2023

Refrigerator, compressor, E1134CZA, E1130CZA, E1121CZA, 3/8HP, commercial, freezer, R134a

Whirlpool, Aspera, NE2125E, LBP, capacitive, start inductive run, hermetic compressor, R22, 1/4Hp++ or 1/3Hp-

written by Lilianne | 10 October 2023

compressor Aspera NE2125E, LBP – R22, 220-240V / 1 / 50Hz, stroke volume 8.78 cm³, LRA 11.0A, motor type CSIR, capillary tube / expansion valve operation, oil AB 46. Cooling capacity measured for condensation temperature of: 45 ° C, Measurement conditions: ASHRAE

Unfortunately the compressor is no longer available.

If you would like an offer for an identical alternative, please email us or give us a short call, we will prepare an offer for you. Cooling capacity (W) at To

- 10 ° C	- 15 ° C	- 20 ° C	- 25 ° C	- 30 ° C
----------	----------	----------	----------	----------


651

517

401

304


226

Private Picture Copyright : WWW.MBSM.PRO

R22 - LBP Applications

COMPRESSOR	FREQUENCY	DIMENSION	
		(from -30°C to -5°C evap. temp.)	-
NE2125E	50 Hz	0.91 mm I.D. x 3.2 m	-
	60 Hz	0.91 mm I.D. x 2.85 m	-
NE2134E	50 Hz	0.91 mm I.D. x 2.8 m	-
	60 Hz	0.91 mm I.D. x 2.5 m	-
T2140E	50 Hz	0.91 mm I.D. x 2.6 m	-
	60 Hz	0.91 mm I.D. x 2.3 m	-
T2155E	50 Hz	1.20 mm I.D. x 3.9 m	-
	60 Hz	1.20 mm I.D. x 3.5 m	-
T2168E	50 Hz	1.20 mm I.D. x 3.3 m	-
	60 Hz	1.20 mm I.D. x 2.8 m	-
NJ2178E	50 Hz	1.20 mm I.D. x 3.0 m	-

PictureS Mbsm Dot Pro : www.mbsm.proPrivate Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO







Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_ne2125e-Embraco_VerdichterTélécharger

Shipping Class	Default
Scope Of Application	LBP
Delivery Time	2-3 Weeks
Stock Availability	In Stock
Type	Reciprocating Piston
Condensation Temperature	45 ° C
Manufacturer	Aspera
Manufacturer No.	NE2125E
Power In Hp	1/4 +

Starting Torque	HST
Stroke Volume In Cm3	8.78
Measurement Conditions	Ashrae
Refrigerant	R22
Oil Type	ISO46
Series	NE
Condensing Units Compressors	Compressor
Tension	220-240V
Weight In Kg	10.4