





# Mbsm.pro, Compressor, Panasonic, Gp21tb, Gp21fb, 5/8 hp, 415 kcal, 351 w (cap/cool), ELECTROLUX, HERMETIC, R134a, LBP, 220-240/1/50

written by Lilianne | 10 February 2024

ELECTROLUX HERMETIC COMPRESSORS - R134a LBP  
VOLTAGE 220-240/1/50

Code	Model	Nom. hp	Displacem. cc	Expansion	Ashrae -23,3C° kcal/h	Cecomaf -25C° W
CMP100AC	GD24AA	1/20	2,44	C	41	34
CMP101AC	GD30AA	1/12	3,08	C	62	52
CMP102AC	GD36AA	1/12	3,62	C	72	61
CMP103AC	GD40AA	1/10	4,03	C	82	70
CMP104AC	AS45AA	1/8	4,56	C/V	112	82
CMP105AC	AS60AA	1/6	5,99	C/V	154	114
CMP106AC	AS75AA	1/5	6,64	C/V	176	129
CMP107AC	AS80AA	1/5	7,39	C/V	198	145
CMP108AC	GL45AA	1/8	4,55	C	96	81
CMP109AC	GL50AA	1/7	5,12	C	107	91
CMP110AC	GL60AA	1/6	5,99	C	126	107
CMP111AC	GL70AA	1/5	6,65	C	142	121
CMP112AC	GL75AA	1/5	7,39	C	155	132
CMP113AC	GL80AA	1/5	8,10	C	170	144
CMP114AC	GL90AA	1/5	9,08	C	193	165
CMP115AC	GL99AA	1/4	9,93	C	205	175
CMP116AC	GP12FB	1/3	12,00	C/V	225	190
CMP117AC	GP14FB	3/8	14,00	C/V	270	228
CMP118AC	GP16FB	3/8	16,14	C/V	315	266
CMP119AC	GP18FB	3/7	18,40	C/V	345	291
CMP120AC	GP21FB	2/3	20,72	C/V	415	351
CMP121AC	GVY35AA	1/10	3,36	C/V	84	62
CMP122AC	GVY40AA	1/9	3,87	C/V	107	79
CMP123AC	GVY44AA	1/8	4,38	C/V	122	91
CMP124AC	GVY57AA	1/7	5,73	C/V	150	109
CMP125AC	GVY66AA	1/5	7,00	C/V	181	132
CMP126AC	GVY75AA	1/5	7,52	C/V	205	150
CMP127AC	GQY35AA	1/10	3,66	C/V	91	67
CMP128AC	GQY40AA	1/9	4,01	C/V	104	76
CMP129AC	GQY45AA	1/8	4,56	C/V	121	90

Mbsm.pro, Compressor, Panasonic, Gp21tp, 5/8 hp, 415 kcal, 351 w (cap/cool), ELECTROLUX, HERMETIC, COMPRESSORS, R134a, LBP, 220-240/1/50

# Mbsm.pro, Electrolux, HPY14AA, LBP, R600a, 1/5 HP, 220-240V/1/50Hz

written by Lilianne | 10 February 2024



Mbsm.pro, Electrolux, HPY14AA, LBP, R600a, 1/5 HP,  
220-240V/1/50Hz

---

**Mbsm.pro, ZEL, Acc,  
Electrolux, piston, hermetic,  
compressor, 1/8 hp, 110 w,  
1bp, 4.4 cm<sup>3</sup>, 95 kcal, 0f789,  
R134A, 220-240V/50Hz**

written by Lilianne | 10 February 2024





Mbsm.pro, ZEL, Acc, Electrolux, piston, hermetic, compressor,  
1/8 hp, 110 w, 4.4 cm<sup>3</sup>, 95 kcal, 0f789, R134A, 220-240V/50Hz

---

**Commercial refrigerator,  
compressors, GLY16RG, 3/8  
hp++, R134a, HMBP, 1492W,  
r134, Compressor ACC,  
Cubigel, Huayi, Electrolux,  
ZEM**

written by Amina | 10 February 2024



Commercial refrigerator, compressors, GLY16RG, 3/8 hp++,  
R134a, HMBP, 1492W, r134, Compressor ACC, Cubigel, Huayi,  
Electrolux, ZEM

---

**Mbsm.pro, Compressor,  
ELECTROLUX, ACC, GL60AA,  
GVY57AA, 1/6 hp, r134**

written by Jamila | 10 February 2024



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, ELECTROLUX, ACC, GL60AA, GVY57AA, 1/5 hp, r134

---



**Mbsm.pro, Electrolux,  
Hermetic, Compressor, r600,  
LBP, CubiGel, Zem**

written by Lilianne | 10 February 2024



Mbsm.pro, Electrolux, Hermetic, Compressor, r600, LBP, CubiGel, Zem

---

**Mbsm.pro, Compressor,  
gd30fdc, 1/8 Hp, 0 to 100 w,  
Inverter, bdc, 12 v/ 24 V,  
Car compressor, Compressor  
ACC, R-134A, Cubigel, Huayi,  
Electrolux, ZEM, GD30FDC,  
LBP-MBP-HBP**

written by Lilianne | 10 February 2024



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, gd30fdc, 1/8 Hp, 0 to 100 w, Inverter, bdc, 12 v/ 24 V, Car compressor, Compressor ACC, R-134A, Cubigel, Huayi, Electrolux, ZEM, GD30FDC, LBP-MBP-HBP

---

**Mbsm.pro, compressor,  
Electrolux, ZEM, GL45AA, LBP,  
1/8 hp**

written by Lilianne | 10 February 2024

**PHILIPS**

Réfrigérateur

Modèle: 290 L2

Classe: ST

220 - 240V - 50Hz - 110W - 0,8A

Volume Int.	Tot.	Refr.	Cong.	CCl <sub>2</sub> F <sub>2</sub>
	250 dm <sup>3</sup>	250 dm <sup>3</sup>	dm <sup>3</sup>	0,100 Kg

n° série : 441 010312 08607

Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, compressor, Electrolux, ZEM, GL45AA, LBP, 1/8 hp



# Mbsm.pro, PDF, File, Cubigel Katalog, r134a, Huayi, Electrolux, ZEM

written by Lilianne | 10 February 2024

R134a HMBP HBP 50 Hz										R134a compressors compatible with R12										
MODEL	DISPLACEMENT cm <sup>3</sup>	POWER hp	APPLICATION	CPR COOLING	VOLTAGE FREQUENCY	MOTOR	STARTING	EXPRESSION	REFRIGERATION CAPACITY °C										WEIGHT Kg	DESIGN
									COP in W/W 1 W = 0.864 kcal/h = 3.415 BTU/h Evaporating Temperature °C											
									Cecomaf (W)					Ashrae						
									-25	-15	5	10	15	20	25	30	35	40		
GLY45Ra	4.56	1/6	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	71	139	373	1.85	452	385	2.25	9	Lb			
GLY45Rab	4.56	1/6	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	71	159	373	2.12	452	385	2.45	9	Lb			
GLY60Ra	5.98	1/5	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	106	191	486	2.09	586	500	2.36	9.9	Lc			
GLY60Rab	5.98	1/5	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	106	191	486	2.25	586	500	2.60	9.9	Lc			
GLY80Ra	8.10	1/5	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	159	275	681	2.17	819	700	2.50	10.4	Lc			
GLY80Rab	8.10	1/5	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	159	275	681	2.35	819	700	2.71	10.4	Lc			
GLY90Ra	9.09	1/4	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	169	298	748	2.06	901	770	2.37	10.5	Lc			
GLY90Rab	9.09	1/4	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	169	298	748	2.27	901	770	2.61	10.5	Lc			
GLY99Ra (**)	9.95	3/8	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	189	328	814	2.01	972	836	2.31	10.8	Ld			
GLY99Rab (**)	9.95	3/8	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	189	328	814	2.18	972	836	2.49	10.8	Ld			
GPY12Ra	12.10	3/8	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	228	401	993	2.05	1192	1020	2.35	12.6	Pd			
GPY12Rab	12.10	3/8	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	228	401	993	2.24	1192	1020	2.58	12.6	Pd			
GPY14Ra	14.32	3/8	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	296	492	1161	1.98	1386	1190	2.27	12.6	Pd			
GPY14Rab	14.32	3/8	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	296	492	1161	2.18	1386	1190	2.50	12.6	Pd			
GPY16Ra	16.15	3/8	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	315	522	1248	2.20	1490	1351	2.31	12.8	Pd			
GPY16Rab	16.15	3/8	HMBP	F	220-240V 50Hz -1	CSR	R	C-V	315	522	1248	2.38	1490	1351	2.50	12.8	Pd			

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, PDF, File, Cubigel Katalog, r134a, Huayi, Electrolux, ZEM

# Mbsm.pro, Pdf, Book, Catalog, Electrolux, Compressor, r12, R22

written by Lilianne | 10 February 2024

Mbsm\_dot\_pro\_private\_PDF-Electrolux-Compressor-r12-

R22-1ph-1Télécharger