


Mbsm.pro, Embraco, compressor, Embraco aspera, T6220E, 1HP, r22

written by Lilianne | 12 January 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Embraco, compressor, Embraco aspera, T6220E, 1HP,
r22

Compressor Embraco Aspera NEK6210GK, MBP – R404A, R507, 220 – 240V/1/50Hz, 1/2 HP,

discharge 8.77 cm³, motor type CSIR, lubricant type POE 22, lubricant charge 350 ml.1318 W at +7.2 / +54.4 °, expansion device: capillary or valve, cooling: fan cooling, weight 11 kg

written by Lilianne | 12 January 2024
Compressor ASPERA NEK6210GK | NEK 6210 GK

Compressor Embraco Aspera NEK6210GK, MBP – R404A, R507, 220 – 240V/1/50Hz, 1/2 HP, discharge 8.77 cm³, motor type CSIR, lubricant type POE 22, lubricant charge 350 ml.1318 W at +7.2 / +54.4 °, expansion device: capillary or valve, cooling: fan cooling, weight 11 kg

Refrigerant	R404A/R507
Working range[stC] MBP	-20 do +10
Nominal capacity [W] (evaporating temperature +7,2C, Condensing temperatur +54,4C)	1303
Power supply	220-240V 50Hz
Engine type	CSIR
Displacement [cm ³]	8,77
Weight [kg]	11

Evaporating temperature +55 C

Evaporating Temperature	Cooling Capacity +/-5%	Power Consumption +/-5%	Current Consumption +/-5%	Gas Flow Rate +/-5%	Efficiency +/-7%
-------------------------	------------------------	-------------------------	---------------------------	---------------------	------------------

°C	(kcal/h)	(W)	(Btu/h)	(W)	(A)	(kg/h)	(kcal/Wh)	(W/W)
-20	384	447	1.525	365	2,36	11,99	1,05	1,22
-15	467	544	1.855	419	2,58	14,69	1,12	1,30
-10	574	668	2.278	470	2,79	18,18	1,22	1,42
-5	704	819	2.795	519	3,00	22,51	1,36	1,58
0	858	998	3.405	565	3,20	27,73	1,52	1,77
5	1.036	1.204	4.109	609	3,40	33,90	1,70	1,98
10	1.237	1.438	4.907	650	3,59	41,06	1,90	2,21

Substitutes for this compressor are: Electrolux ML90TB ,
L'Unite Hermetique/Tecumseh AE4450Z

Refrigerant:	R404A, R507
--------------	-------------

Embraco aspera

NEK6210GK



THERMALLY PROTECTED

220 - 240V - 50Hz

R 404A

POE: OIL 350°C

1 PH

SUCTION

MADE IN SLOVAKIA

NO START WITHOUT STARTING DEVICE



958CA51

LX

N10ZGP43

Compresseur hermétique Embraco EMX55CLC, LBP, R600a, 1 / 6Hp, RSCR, Volume balayé : 9,04 cm³

written by Lilianne | 12 January 2024

Marque:	EMBRACO
UPC:	3070381
Référence constructeur:	EMX55CLC
Application:	LBP
Source de courant:	220 / 240V 50Hz
Capacité de refroidissement:	154 W
Puissance:	1/6 HP
Déplacement:	9,04 cm ³
Réfrigérant:	R600a
Poids:	7,85 kg
Type de moteur:	RSCR
Type:	Compresseur à piston hermétique

Compresseur hermétique Embraco EMX55CLC – LBP – R600a
220-240/1/50 – RSCR Volume balayé : 9,04 cm³

Caractéristiques techniques

- Marque : EMBRACO ASPERA
- Modèle : EMX55CLC

- CYLINDRÉE (CM³) 9,04
- FLUIDER-600a
- APPLICATIONLBP
- PLAGE D'APPLICATION-35/-10
- PUISSANCE (W) 130
- PUISSANCE FRIGORIFIQUE (TK+40°C) -10/306 -20/192 -30/112
-35/82
- TENSION (V) 240/1/50
- DÉMARRAGERSCR
- I.MAX (A) 0,55
- Ø ASPIRATION 6,1
- Ø REFOULEMENT 4,94



Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_Catalogue_EmbracoTélécharger
Mbsm_dot_pro_private_PDF_EMX55CLC-datasheetTélécharger

**Compressor ,Embraco Aspera
,NJ2212GK, LBP – R404A, R507,
220-240V/1/50Hz, 1.5 HP,
34.38 cm³, LRA 36.0 A, CSR,
lubricant charge 750ml POE
22, 1547 W ,at -23.3 / +54.4
°**

written by Lilianne | 12 January 2024



Compressor ,Embraco Aspera ,NJ2212GK, LBP – R404A, R507,
220-240V/1/50Hz, 1.5 HP, 34.38 cm³, LRA 36.0 A, CSR, lubricant
charge 750ml POE 22, 1547 W ,at -23.3 / +54.4 °

MBSM.PRO , Compressor, Electrolux-Zem GL60AA R134A ,1/6 HP , 1PH , 220-240 V 50 Hz

written by Jamila | 12 January 2024

MBSM.PRO , Compressor, Electrolux-Zem GL60AA R134A ,1/6 HP ,
1PH , 220-240 V 50 Hz



PictureS Mbsm Dot Pro : www.mbsm.pro

- Puissance en cheval 1/6 CV
- Cylindrée 5.99 cm³
- 220-240 V 50 Hz
- Gaz R134a LBP
- Température d'utilisation max. 32°C
- Avec boîtier et système de démarrage

La photo montre l'aspect du compresseur, pas son étiquette

réelle

Codes fabricants

- ACC-GL60AA
- ACC-GL60AB
- ACC-GL60AH
- CUBIGEL-GL60AA
- CUBIGEL-GL60AB
- CUBIGEL-GL60AH
- MONDIAL ELITE-4106004
- MONDIAL ELITE-1147031
- Embraco Aspera- B1112Z



ZEM

R 134a



GL

CE



BEAB
Approved

3 25

220-240V

MA
R

017



PictureS Mbsm Dot Pro : www.mbsm.pro



PictureS Mbsm Dot Pro : www.mbsm.pro

Mbsm_dot_pro_private_PDF_GL60AATélécharger
Mbsm_dot_pro_private_PDF_-GL60AATélécharger

590689

GL60AA 99H27NA

GL60AA

08283

03254

267799

THERMALLY 220 - 240 V~ 50 Hz PH1
PROTECTED

R134a



CE H



Type: Hermetic piston compressors**Producer: ACC****Series: HMBP**

Model: GL60AA

General data

Refrigerant:	R134a
Discharge element:	C
Cooling:	S
Maximum ambient temperature [°C]:	43

Compressor's data

Cylinder capacity [cm ³]:	6
Displacement [m ³ /h]:	1
Weight [kg]:	9,1
Oil charge [cm ³]:	265
Oil type:	ISO VG 19 ESTER

Engine's data

Engine type:	RSIR
Power [KM]:	1/6
Starting element:	LST
Power supply:	220V 50Hz
Voltage range:	187-264
Locked rotor current [A]:	9,9
Running winding resistance (25°C) [Ω]:	15,6
Starting winding resistance (25°C) [Ω]:	21,31

Electrical data

Relays:	3003
Shielding element:	MRA38028, T0508, AF18FU
Starting capacitor volume [μF]:	

Connections

	milimeters	inches
Suction tube:	6,5	
Service tube:	6,5	
Discharge tube:	4,9	

Mbsm.pro , Compresseur frigorifique, Embraco Aspera ,T2178GK , 1Hp ,PIÈCES FRIGO, 404A , 220-240 V 50 Hz

written by Jamila | 12 January 2024



PictureS Mbsm Dot Pro : www.mbsm.pro

Mbsm.pro , Compresseur frigorifique, Embraco Aspera ,T2178GK , 1Hp ,PIÈCES FRIGO, 404A , 220-240 V 50 Hz



Select text



GAS R-404A / R-404A GAS



- Compresor hermético / *Hermetic compressor*
 - Monofásico / *Single-phase*
 - Voltaje / *Voltage: 220V - 50 Hz*

- Serie J, equipados con
with case and valve

BAJA TEMPERATURA / LOW TEMPERATURE


Código Code	Modelos Models	HP HP	cm ³ cm ³	Temperatura de evap	
				-25°C	
				W	
14341	NE2125GK	1/3	8.78	300	
20792	NE2134GK	3/8	12.12	420	
20793	T2155GK	1/2	14.50	520	
20796	T2168GK	5/8	17.40	680	
21086	T2178GK	1	20.40	830	
21082	NJ2192GK	3/4	26.20	1020	
20850	NJ2212GK	1 1/4	34.37	1330	

ALTA TEMPERATURA / HIGH TEMPERATURE

Código Code	Modelos Models	HP HP	cm ³ cm ³	Temperatura de evaporac	
				-10°C	-5°C
				W	W
21069	NB6144GK	1/5	4.52	300	380
21070	NB6152GK	1/5	5.02	350	440
36596	NB6165GK	1/4	6.05	430	530
21075	NE9213GK	1/2	12.12	860	1080
20762	T6217GK	5/8	14.50	960	
36557	T6220GK	3/4	17.40	1160	
21076	NJ9226GK	1	21.70	1580	



Mbsm_dot_pro_private_PDF_compresseur-embraco-aspera-t2478gkTélécharger



Détails techniques

puissance 1 HP – cylindrée 20,40 cc

220/240V 50HZ

ASPERA

FRIULINOX

Friulinox Armoire réfrigérée AF12 -20, AF12 PA, AF12-14, AF12-14 VTR, AF12-14 VTRP, AF14, AF14 -22 SILVER VTR, AF6-1, AF6-7, AF6-7 VTR, AF7, AF7 -20 VTR, AF7 -22 SILVER VTR, AF7 ICE, AF7

VTR, AF7-14, AG60 GOLD, AG60 H2O, AG60 SILVER, AG60 SILVERP, AG60P, AL-EN SUPER, AL-EN1, AL-EN1 SUPER, AL-EN1P, AL-EN2, AL-EN2 SUPER, AL-ENP, AP12-14, AP14, AP6, AP6-12, AP6-7, AP7, AP7-14, AR12-14, AR12-14 VTR, AR14, AR6-12, AR6-12 VTR, AR6-7, AR6-7 VTR, AR7, AR7-14, AR7-14 VTR, AR-EN GOLD, AR-EN SILVER, AR-EN1, AR-EN1 GOLD, AR-EN1 VTR, AR-EN2, AR-ENP, ARF142, ARF212 VTR, ARP142, ARP-EN1, ARP-EN2, ARRF21 VTR, EN GOLD, EN P, EN SILVER, EN1, EN1 GOLD, EN1 H2O, EN1 H2O SILVER, EN1 SILVER, EN1 VTR, EN2, EN2 H2O

FriulinoxCellulede refroidissement ARP122

FriulinoxVitrineréfrigérée AFP122, AFP142, ARF122

ZANUSSI

ZanussiArmoireréfrigérée ALF110 (110071), ALNF220 (110073), ALF110 (110074), ALF120 (110075), ALNF220 (110079), ADN111 (110757), AKP110 (111000), AKS110 (111001), AKP120 (111002), AKN110 (111009), AKN120 (111010), AKP110UK (111121), AKN110UK (111123), AKNF220 (111127), AKF110UK (111129), AKF110 (111137), AKF120 (111138), ASF110 (112030), ASF110 (112032), AZP2203 (113228), AZP220360 (113229), ALN2203 (113231), AZP13430 (113234), AZF2203 (113236), AZF13430 (113237), MRF601/86 (726059), ETZ601 (726165), ETZ602 (726166), ESQC41F (726171), ESQC41FR (726172), ESQF41F (726173), ETE601 (726178), ETE602 (726179), ETE601L (726184), ETZ601L (726185), RS13RX2F (726321), RS13FX2F (726323), RS13DX2F (726335), RS13PX2F (726459), RS13PX2F6 (726461), RS13P42F (726462), RS13FX42F (726464), RS13DFX2F (726465), RS13R32F (726467), SB1300X2F (726468), RS13PW2F (726475), RS13FW2F (726476), MRF601/86 (726500), RS13FX2F6 (726688), EKZ601 (726890), EKZ602 (726891), EKE601 (726939), EKE602 (726940), EKE601L (726949), EKZ601L (726950), RS13RX2FG (726967), RS13FX2FG (726968), RS13P42F (727128), RS13FX42F (727129), RS13RX4H (727157), RS13FX4H (727158), KLP1300R (728059), KLP1300F (728060), RS13PX2FD (728063), E06C0M1V (728077), E06C1M1V (728078), E06C0D1V (728081), C06FD1G (728173), FGD36 (728271), RH06RD1G (728408), C06FD1G (728415), RS05RD1G (728433),

E05N0D1C (728457), E05C0D1C (728458), E06N0D1C (728465),
E06N0D2C (728466), E06N0D1V (728467), E06C0D1C (728468),
E06C0D2C (728469), E06C0D1V (728470), E06N0D1C (728522),
E06C0D1C (728523), KLN1300R (728605), KLP1300R (728606),
KEP1300R (728607), KLP1300R (728608), KLP1300F (728609),
KEP1300F (728610), KLP1300F (728611), EMVN500 (730005),
DVP500V11C (730677), DVP501V11C (730678), DVP600V11C (730683),
DVP601V11C (730684), DVP602V11C (730685), DVP600V12C (730686),
DVP601V12C (730687), DVP602V12C (730688), DVN600V11C (730701),
DVN601V11C (730702), DVN602V11C (730703), DVN600V12C (730704),
DVN601V12C (730705), DVN602V12C (730706), DVN500V11C (730721),
DVN501V11C (730722), MVP600V11C (730725), MVP601V11C (730726),
MVP602V11C (730727), MVP600V12C (730728), MVP601V12C (730729),
MVN600V11C (730741), MVN601V11C (730742), MVN600V12C (730743),
MVN601V12C (730744), DVP500V11C (730768), MVP501V11C (730769),
MVP502V11C (730770), MVN500V11C (730780), MVN501V11C (730781),
MLC601V11C (730938), MLC602V11C (730939), DVC500V11C (731242),
DVC501V11C (731243), MVC502V11C (731244), DVC600 (731250),
DVC601 (731251), MVC602 (731252), DVC600 (731255), DVC601
(731256), MVC600V11C (731282), MVC601V11C (731283), MVC600V12C
(731284), MVC601V12C (731285), MVC500V11C (731294), MVC501V11C
(731295), DVC602 (731302), DVC602 (731303), DVNN13022C
(732073), DVNN13122C (732074), MVNN13022C (732079), MVNN13122C
(732080), DVNC13022C (732095), EDVC13122C (732096), MVNC13022C
(732103), MVNC13122C (732110), MLC600V11C (732251), MLC601V11C
(732255), MLC602V11C (732257), DVP6VP12CC (734079),
PDVN901V11C (737216), PDVN901V12C (737217), PDVN907V11C
(737218), PDVN907V12C (737219), PDVC901V11C (737220),
PDVN907V12C (737221), PDVC907V11C (737222), PDVC907V11C
(737223), ILF120 (770508), RVPE061 (771100), RSPE061 (771101),
RVPE062 (771102), RVNE061 (771108), RVNE062 (771109), KVPE662
(771115), RPPE061 (771155), ILF110 (771537), ZLNF220 (771539),
RD13PX2F (790018), RD13FX2F (790019)

ZanussiCellulede refroidissement ESQC41F (691044), ESQC41FR
(691045), ESQF41F (691046), ESQF41FR (691047), ESQF41FR
(726144)

ZanussiCongélateurcoffre MRF4808660 (726042), MRF401/86 (726058), MRF240/86 (726060), MRF480/86 (726061)

ZanussiTableréfrigérée STRP1101 (113084), STRP1102 (113088), STRP1601 (113092), TRN224C (113102), TRN224D (113103), TRN224E (113104), STRP1602 (113105), STRP1603 (113106), STRP2201 (113107), STRP2202 (113108), STRP2203 (113109), STRP1101S (113128), STRP1601S (113129), STRP2201S (113130), STRP1602R (113131), TRN132A (113150), TRN132B (113151), TRN132C (113152), TRNA132A (113153), TRNA132B (113154), TRNA132C (113155), TRRN132A (113156), TRRN132B (113157), TRRN132C (113158), TRN183A (113159), TRN183B (113160), TRN183C (113161), TRN183D (113162), TRNA183A (113163), TRNA183B (113164), TRNA183C (113165), TRNA183D (113166), TRRN183A (113167), TRRN183B (113168), TRRN183C (113169), TRRN183D (113170), TRN224A (113171), TRN224B (113172), TRNA224A (113173), TRNA224B (113174), TRRN224A (113175), TRRN224B (113176), TRF132A (113177), TRFA132A (113178), TRRF132A (113179), TRF183A (113180), TRFA183A (113181), TRRF183A (113182), TRN132AE (113183), TRN183AE (113184), TRN224AE (113185), TRF132AE (113186), TRF183AE (113187), STRP1603R (113192), STRP2201R (113193), STRP2202R (113194), STRP2203R (113195), STRP1101R (113196), STRP1102R (113197), STRP1601R (113198), TCGS/1V7T (121856), TCGS/2V7T (121857), TCGS/1VC27 (121858), TCGS/2V2C7 (121859), TCGRS/1V7T (121866), TCGRS/2V7T (121867), TCGRS/1VC2 (121868), TCGRS/2V2 (121869), TCGS2VC27T (121905), RCSN2M2 (726139), RCSN2M12 (726140), RCSN3M3 (726141), RCSN3M22 (726145), RCSN3M14 (726146), RCSN4M4 (726147), RCSN4M32 (726148), RCSN4M24 (726170), RCSN2M2U (726182), RCSN3M3U (726188), RCSN4M4U (726197), RCDR4M24 (726199), RCDR4M16 (726200), RCDR4M08 (726201), RCSN2M2R (726202), RCSN2M12R (726203), RCSN3M3R (726210), RCSN3M22R (726211), RCSN3M14R (726212), RCSN4M4R (726213), RCSN4M32R (726220), RCSN4M24R (726221), RCDR2M20 (726408), RCDR2M12 (726409), RCDR2M20U (726410), RCDR2M12U (726411), RCDR2M04R (726412), RCDR3M22 (726413), RCDR3M0U (726414), RCDR3M22U (726415), RCDE4M40 (726416), RCDR4M32 (726417), RCDR4M40U

(726418), RCDR4M32U (726419), RCDFM20UX (726421), RCDF3M30U
(726422), RCER2M2 (726423), RCER3M3 (726424), RCER4M4
(726425), RCEF2M2X (726426), RCEF3M3 (726427), RCDR2M20
(726550), RCDR2M12 (726551), RCDR2M04 (726552), RCDR2M20U
(726553), RCDR2M12U (726554), RCDR2M04U (726555), RCDR2M20R
(726556), RCDR2M12R (726557), RCDR2M04R (726558), RCDR3M30
(726559), RCDR3M22 (726560), RCDR3M14 (726561), RCDR3M06
(726562), RCDR3M0U (726563), RCDR3M22U (726564), RCDR3M14U
(726565), RCDR3M06U (726566), RCDR3M30R (726567), RCDR3M22R
(726568), RCDR3M14R (726569), RCDR3M06R (726570), RCDR4M40
(726571), RCDR4M32 (726572), RCDR4M40U (726573), RCDR4M32U
(726574), RCDR4M40R (726575), RCDR4M32R (726576), RCDF2M20
(726577), RCDFM20U (726578), RCDF2M20R (726579), RCDF3M30
(726580), RCDF3M30U (726581), RCDF3M30R (726582), RCSER2M2
(726583), RCSER3M3 (726584), RCSER4M4 (726585), RCEF2M2
(726586), RCEF3M3 (726587), RCSN2M2T (726668), RCSN3M3T
(726669), RCSN4M4T (726670), RCSER2M2U (726682), RCSER3M3U
(726683), RCER4M4U (726684), RCEF2M2U (726685), RCEF3M3U
(726686), RCSF2M24 (727009), RCSF3M34 (727010), HB2PNTR
(727108), HB3PNTR (727109), HB4PNTR (727110), HB2P (728086),
HB1P2C12 (728139), HB1P3C (728157), HB4C (728158), HB3P
(728207), HB2P2C (728235), EDON590124 (728238), EDON590116
(728239), EDON590108 (728240), HB1P4C (728241), HB6C (728242),
HB4P (728243), HB3P2C (728244), HB2P4C (728245), HB8C
(728246), HB2PR (728247), HB1P2CR (728248), HB1P3CR (728254),
HB4CR (728259), HB3PR (728264), HB2P2CR (728294), HB1P4CR
(728295), HB6CR (728296), HB4PR (728297), HB3P2CR (728298),
HB2P4CR (728299), HB8CR (728300), HB1P2C (728302), RCHBF1P2C
(728304), RCHBF2P2C (728305), S02P200I (728352), S02P120I
(728353), S04P300I (728354), S04P220I (728361), S04P140I
(728362), S05P400I (728363), S05P320I (728364), E29N200I
(728368), E29N120I (728369), E29N040I (728370), E29N200IA
(728371), E29N120IA (728372), E29N040IA (728373), E29N200R
(728374), E29N120R (728375), E29N040R (728376), E44N300I
(728377), E44N220I (728378), E44N140I (728379), E44N060I
(728380), E44N300IA (728381), E44N220IA (728382), E44N140IA
(728383), E44N060IA (728384), E44N300R (728385), E44N220R

(728386), E44N140R (728387), E44N060R (728388), E59N400I
(728389), E59N320I (728390), E59N400IA (728391), E59N320IA
(728392), E59N400R (728393), E59N310R (728394), E29C200I
(728395), E29C200IA (728396), E29C200R (728397), E44C300I
(728398), E44C300IA (728399), E44C300R (728400), S05P240I
(728401), ED0N2912SE (728492), ED0N4413SE (728493), ED0N5914SE
(728494), ED0C2912SE (728495), ED0C4413SE (728496), HB2PU
(728509), HB3PU (728510), HB4PU (728511), RCSF2M2 (728512),
RCSF3M3 (728517), RCSF2M12 (728518), RCSF3M22 (728519),
S04P220R (728536), S04P140R (728537), S05P400R (728538),
S05P320R (728539), S05P240R (728540), HB1P2CRN (728552),
HB1P3CRN (728554), HB4CRN (728556), HB2P2CRN (728558),
HB1P4CRN (728560), HB6CRN (728562), HB3P2CRN (728564),
HB2P4CRN (728566), HB8CRN (728568), HBF2PN (728569), HBF1P2CN
(728570), HBF3PN (728571), RCHBF2P2CN (728573), S02P200IA
(728585), S04P300IA (728586), S05P400IA (728587), S02P200R
(728588), S02P120R (728589), S04P300R (728590), RCHBF2P
(728635), RCHBF3P (728636)

...et d'autres dispositifs

– ALPENINOX

T2178GK – ASPERA

01AS0970 – ATEL – ELECTROLUX PROFESSIONAL

T2178GK – EMBRACO – FRIULINOX – INDESIT – UNIVERBAR –
WHIRLPOOL – ZANUSSI

...numéros de fabricant supplémentaires possibles