

Mbsm.pro, Codes and capacities of ZEL all compressors, pistons, motors, and refrigeration and air conditioning motors

written by Lilianne | 21 September 2023

| 意大利扎努西 ZEL — R134a | | |
|--------------------|------------|-----------|
| 220-240V / 50Hz | | |
| GML200A | 输入功率 .152W | 制冷量 .200W |
| GML180A | 输入功率 .144W | 制冷量 .187W |
| GML160G | 输入功率 .129W | 制冷量 .168W |
| GML140A | 输入功率 .108W | 制冷量 .140W |
| GML110A | 输入功率 .90W | 制冷量 .112W |

WOMA 旺码
广州旺码制冷设备有限公司
Email: davidhu815@gmail.com

C 63010440

ZEL GML200A 17-41
220-240V 50Hz
R134a SUCTION >
8 379 0004810 2

Private Picture Copyright : WWW.MBSM.PRO

GVY61AA, GVY75AA, GVY75AG, GTH86AA, GTH93AA, GTT66AA, GTT75AA, GKD86AA, GKD93AA, GXL140F, GXL200F , MODEL , GML70A, GML90A, GML110A, GML125A, GML140A, GML140A/I, GML160A, GML180A, GML200A, GML200A/I, GTM26AA, GTM75AA, GDL160A, GDL200A, GXL100A, GXL125A, GXL140A, GXL160A, GXL200A, GXL240A, GL60TP, GL80TP, GL90TP, GL90TP/I, GL10TP, GL12TP, GHP16AA, GHP18AA, GHP21AA , MODEL , HML100A, HML125A, HML140A, HML155A, HML170A, HML190A, HML200A, HDL100A, HDL125A, HDL140A, HDL155A,

HDL170A, HDL200A, HXL100A, HXL125A, HXL140A, HXL155A, HXL170A, HXL190A, HPL100A, HPL125A, HPL140A, HML125A(T), HML140A(T), HML170A(T), HMK12AA , , MODEL , HDL125F, HDL140F, HDL160F, HDL180F, HDL190F, HXL140F, HXL160F, HXL190F , HML125G , HML140G , HML170G , HDL140G , HDL170G , HXL155G , HXL185G , , MODEL , GML70A, GML80A, GML90A, GML110A, GML125A, GML140A, GML180A, GML200A(M), GML200A, GDL140A, GDL160A, GDL200A(M), GDL200A, GXL125A, GXL140A, GXL160A, GXL200A , , MODEL , GML70G , GML80G , GML90G , GML125G , GML140G , GML160G , GXL125G , GXL140G , GXL160G , GML110A(T), GML140A(T), GML200A(T) , MODEL , HDZ100A(M), HDZ100A, HDZ125A, HDZ140A, HDZ155A, HDZ170A, HXZ100A, HXZ125A, HXZ140A, HXZ155A, HXZ170A, HPZ100A, HPZ125A, HPZ140A, HPZ155A, HPZ170A, HDZ100F, HDZ125F, HDZ140F, HDZ160F, HDZ190F , , MODEL , HMM70A, HMM80A, HMM90A, HMM100A, HDM80A, HDM90A, HDM100A, HDM110A , , MODEL , GL90TB, GL90TB(B), GL10TB, GL12TB , GL60TG , GL90TG , GTM93AA, GTM10AA, GTM12AA , GTM93AG , GMM70A, GMM80A, GMM90A, GMM110A , , MODEL , NLT44AA, NLT53AA, NLT57AA, NLT61AA, NLT66AA, NLT75AA, NLT80AA, NLT86AA, NLT93AA, NLT44AA(I), NLT53AA(I), NLT57AA(I), NLT61AA(I), NLT66AA(I), NLT75AA(I), NLT80AA(I), NLL160A, NLL200A, NLL200A(I), NMT53AA, NMT57AA, NMT66AA, NMT75AA , , MODEL , HTT11AA, HPKD190A, HPKX190A, HTH14AA, HTH14AA(I), HKD14AA, HYV67AA.02, HTK12AA.02 , HPKD180G , HPKD200G , , MODEL , GVY57AA, GVY61AA, GVY66AA, GVY75AA, GTH86AA, GTH93AA, GTM93AA, GTT66AA, GTT75AA, GKD86AA, GKD86AA(I), GKD93AA , GVY53AG , GVY57AG , GVY75AG , GKD86AG , GKD93AG

COMPRESSEUR ZEL , 200w

,HDL200A, R600a, LBP ,1/4 hp

written by Lilianne | 21 September 2023



Private Picture Copyright : WWW.MBSM.PRO

| Model | Motor | Disp. | Power | Motor type | Freq. | Cooling capacity | Input power | Input power (RC) | COP | COP (RC) | Run capacitor | Height | Netweight |
|----------|-------|-------|-------|------------|-------|------------------|-------------|------------------|------|----------|---------------|--------|-----------|
| GDL145D | Cu | 4.4 | 1/8 | RSIR/RSCR | 60 | 145 | 94 | 87 | 1.55 | 1.67 | 10 | 161 | 7.3 |
| GDL175D | Cu | 5.3 | 1/6 | RSIR/RSCR | 60 | 175 | 112 | 106 | 1.56 | 1.65 | 10 | 161 | 7.3 |
| GML140A | Al | 4.9 | 1/6 | RSIR | 50 | 140 | 112 | 0 | 1.25 | 0 | 0 | 152 | 6.3 |
| GML160A | Al | 5.7 | 1/6 | RSIR | 50 | 160 | 128 | 0 | 1.25 | 0 | 0 | 161 | 6.9 |
| GML180A | Al | 6.5 | 1/5 | RSIR | 50 | 180 | 144 | 0 | 1.25 | 0 | 0 | 161 | 7.1 |
| GML200A | Al | 7 | 1/5 | RSIR | 50 | 200 | 160 | 0 | 1.25 | 0 | 0 | 164 | 7.3 |
| GML145D | Al | 4.4 | 1/7 | RSIR/RSCR | 60 | 145 | 97 | 92 | 1.5 | 1.57 | 10 | 164 | 7.1 |
| GML175D | Al | 4.9 | 1/6 | RSIR/RSCR | 60 | 175 | 118 | 112 | 1.48 | 1.56 | 10 | 164 | 7.1 |
| GPL175D* | Cu | 4.9 | 1/7 | CSCR | 60 | 175 | | 97 | | 1.8 | 10 | 161 | 7.6 |
| GXL175D | Cu | 4.9 | 1/7 | RSCR | 60 | 175 | | 101 | | 1.73 | 10 | 164 | 7.6 |

PictureS Mbsm Dot Pro : www.mbsm.pro

TECHNICAL CHARACTERISTICS

SCHEME COMPRESSORS

OF

ELECTRIC DIAGRAMS

ASSEMBLY

TECHNICAL SCHEMES

| Model | Motor | Speed range | Displ., cm ³ | Motor type | Freq. hz | Cooling Capacity, w -23.3 °C/(+7.2 °C)* | Input Power, BT | | COP, w/w | | Run Capacitor, µF | Height, mm | Net Weight, kg | Type of cooling, S/F |
|-------------|-------|-------------|-------------------------|------------|----------|--------------------------------------------|-----------------|---------|------------|---------|-------------------|------------|----------------|----------------------|
| | | | | | | | without RC | with RC | without RC | with RC | | | | |
| HDL100A | Al | - | 5,7 | RSCR | 50 | 98 | - | 60 | - | 1,64 | 2,5 | 161 | 6,9 | - |
| HDL100A(I) | Cu/Al | - | 5,7 | RSCR | 50 | 98 | - | 57 | - | 1,72 | 2,5 | 164 | 7,2 | - |
| HDL125A | Al | - | 7,0 | RSCR | 50 | 123 | - | 72 | - | 1,70 | 2,5 | 164 | 7,2 | - |
| HDL125A (I) | Cu/Al | - | 7,0 | RSCR | 50 | 123 | - | 69 | - | 1,79 | 2,5 | 164 | 7,2 | - |
| HDL140A | Al | - | 8,0 | RSCR | 50 | 140 | - | 80 | - | 1,74 | 2,5 | 164 | 7,2 | - |
| HDL160A | Al | - | 9,2 | RSCR | 50 | 160 | - | 90 | - | 1,77 | 3 | 164 | 7,2 | - |
| HDL170A | Al | - | 9,5 | RSCR | 50 | 172 | - | 101 | - | 1,70 | 4 | 164 | 7,2 | - |
| HDL190A | Cu/Al | - | 10,5 | RSCR | 50 | 185 | - | 106 | - | 1,75 | 4 | 164 | 7,2 | - |
| HDL200A | Cu/Al | - | 12,0 | RSCR | 50 | 200 | - | 118 | - | 1,70 | 4 | 164 | 7,2 | - |
| HDL80A | Al | - | 4,9 | RSCR | 50 | 80 | - | 49 | - | 1,62 | 2 | 161 | 6,9 | - |
| HML100A | Al | - | 5,7 | RSCR | 50 | 98 | - | 71 | - | 1,39 | 2 | 152 | 6,3 | - |
| HML125A | Al | - | 7,0 | RSCR | 50 | 125 | - | 83 | - | 1,45 | 2 | 152 | 6,3 | - |
| HML140A | Al | - | 8,0 | RSCR | 50 | 140 | - | 90 | - | 1,56 | 3 | 152 | 6,3 | - |
| HML170A | Al | - | 9,5 | RSCR | 50 | 165 | - | 114 | - | 1,45 | 3 | 161 | 6,9 | - |
| HML200A | Al | - | 12,0 | RSCR | 50 | 200 | - | 138 | - | 1,45 | 4 | 164 | 7,2 | - |
| HML80A | Al | - | 4,9 | RSCR | 50 | 80 | - | 55 | - | 1,45 | 2 | 152 | 6,3 | - |
| HPL100A | Cu | - | 5,7 | CSCR | 50 | 100 | - | 51 | - | 1,96 | 2 | 161 | 7,3 | - |
| HPL125A | Cu | - | 7,0 | CSCR | 50 | 125 | - | 64 | - | 1,96 | 2 | 161 | 7,3 | - |
| HPL140A | Cu | - | 8,0 | CSCR | 50 | 145 | - | 74 | - | 1,95 | 2 | 161 | 7,3 | - |
| HXL100A | Cu | - | 5,7 | RSCR | 50 | 98 | - | 52 | - | 1,87 | 2 | 161 | 7,3 | - |
| HXL125A | Cu | - | 7,0 | RSCR | 50 | 123 | - | 65 | - | 1,90 | 2 | 161 | 7,3 | - |
| HXL140A | Cu | - | 8,0 | RSCR | 50 | 140 | - | 73 | - | 1,91 | 2 | 161 | 7,3 | - |
| HXL170A | Cu | - | 9,3 | RSCR | 50 | 175 | - | 93 | - | 1,88 | 2 | 161 | 7,3 | - |
| HXL190A | Cu | - | 10,5 | RSCR | 50 | 190 | - | 103 | - | 1,85 | 3 | 164 | 7,3 | - |
| HXL190A (B) | Cu | - | 12,0 | RSCR | 50 | 200 | - | 108 | - | 1,85 | 3 | 164 | 7,3 | - |
| HXL50A | Cu | - | 4,9 | RSCR | 50 | 53 | - | 31 | - | 1,70 | 1,5 | 164 | 7,3 | - |

PictureS Mbsm Dot Pro : www.mbsm.pro



Private Picture Copyright : WWW.MBSM.PRO





PictureS Mbsm Dot Pro : www.mbsm.pro

×

×

**GML70G,
GML90G,**

**GML125G,
HMM70A,
HMM90A,
HML125AT,
GML140AT
GML200AT,
GTH88AA,
HML140AT,
HML200A,
HKD14AA,
GML125G,
GTH88AA,**

**GDL145D,
GDL175D,
GML140A,
GML160A,
GML180A,
GML200A,
GML145D,
GML175D,
GPL175D*,
GXL175D,
GXL200D,**

R600a**مواصفات كباسات التجميد LBP**

| Model الموديل | Voltage الفولت | Hz التردد | Cooling Capacity سعة التبريد - القدرة التبريدية | | |
|------------------|-------------------|--------------|----------------------------------------------------|-------|------|
| | | | W | HP | |
| HMM70A | 220 - 240 | 50 | 70 | 0.094 | 1/10 |
| HMM80A | 220 - 240 | 50 | 80 | 0.107 | 1/10 |
| HMM90A | 220 - 240 | 50 | 90 | 0.121 | 1/8 |
| HMM100A | 220 - 240 | 50 | 100 | 0.134 | 1/8 |
| HML100A | 220 - 240 | 50 | 103 | 0.138 | 1/8 |
| HML125A | 220 - 240 | 50 | 121 | 0.162 | 1/6 |
| HML125AT | 220 - 240 | 50 | 130 | 0.174 | 1/6 |
| HML140AT | 220 - 240 | 50 | 140 | 0.188 | 1/6 |
| HML155A | 220 - 240 | 50 | 155 | 0.208 | 1/5 |
| HML170AT | 220 - 240 | 50 | 170 | 0.228 | 1/5 |
| HML190A | 220 - 240 | 50 | 190 | 0.255 | 1/4 |
| HML200A | 220 - 240 | 50 | 200 | 0.268 | 1/4 |

PictureS Mbsm Dot Pro : www.mbsm.pro

✘

✘

✘

✘

✘

Mbsm_dot_pro_private_PDF_catalog_zelTélécharger
COMPRESSEUR ZEL HML170A AU R600A LBP 1/6HP 9.5CM3

✘