

**Zel, 0F605, 0F700, 0F789,
0F1033A, 0F1350A, GVY35AA,
GVY40AA, GVY44AA, GVY53AA,
GVY57AA, GVY66AA, GW75AA,
GTH86AA, GTH93AA, GTM93AA,
GTM10AA, GTM12AA, GML70A,
GML110A, GML 140A, GML140G,
GML160G, GML180A, GML200A,
GXL160A, GL60TG, Gt80TB,
GL90TB, GHP13AA, GHP16AA,
GHP184A, GHP21AA, HBP, high
back pressure, R134a,
refrigeration compressor for
refrigerator, 220/240V 50Hz**

written by Lilianne | 3 October 2023

◎ R134a LBP 220-240V/50Hz

系列应用工况	型号	排气量	电机功率	电机类型	制冷量 (W) 蒸发温度 (°C) / Cooling Capacity ASHRAE										输入功率	性能系数	高度	
					W / °C													
	Model	Displ.	Power	Motor type	-30	-25	-23.3	-20	-15	-10	-5	0	5	7.2	10	Input Power without RC	COP without RC	Height (h)
Tau 普效系列 / LBP	OF605	3.4	1/11	RSIR	45	59	76	95	119	149	185	228				78	0.98	163
	OF700	3.8	1/6	RSIR	55	72	94	118	147	184	229	282				93	1.01	163
	OF789	4.4	1/6	RSIR	65	85	110	138	172	216	268	330				102	1.08	174
	OF1033A	5.7	1/5	RSIR	83	109	141	176	220	276	344	423				118	1.19	174
	OF1350A	7.5	1/4	RSIR	105	137	178	223	278	349	434	534				158	1.13	183
Tau 中效系列 / LBP	GVY35AA	3.5	1/11	RSIR/RSCR	47	62	80	100	125	157	195	240				69	1.16	163
	GVY40AA	4.0	1/7	RSIR/RSCR	59	77	100	125	156	196	244	300				83	1.20	174
	GVY44AA	4.4	1/6	RSIR/RSCR	70	91	118	148	184	231	288	354				94	1.25	174
	GVY53AA	5.3	1/5	RSIR/RSCR	82	107	139	174	217	272	339	417				105	1.33	174
	GVY57AA	5.7	1/5	RSIR/RSCR	89	116	150	188	234	294	366	450				113	1.33	174
	GVY66AA	6.6	1/5	RSIR/RSCR	107	140	182	228	284	357	444	546				133	1.37	174
	GVY75AA	7.5	1/5	RSIR/RSCR	118	154	200	250	312	392	488	600				149	1.34	174
	GTH86AA	8.6	1/4	RSIR/RSCR	136	177	230	288	359	451	561	690				161	1.43	174
	GTH93AA	9.3	1/4	RSIR/RSCR	153	200	260	325	406	510	634	780				182	1.43	184
商用高效系列 / LBP	GTM93AA	9.3	1/4	RSIR	159	208	270	338	421	529	659	810				220	1.35	184
	GTM10AA	10.0	1/3	CSIR	177	231	300	375	468	588	732	900				222	1.35	184
	GTM12AA	12.0	1/3	CSIR	195	254	330	413	515	647	805	990				241	1.37	184

◎ R134a LBP 220-240V/50Hz

Lambda 系列 / LBP	GML70A*	3.4	1/12	RSIR	40	52	68	85	106	133	166	204				57	1.20	152
	GML110A	4.1	1/8	RSIR	66	86	112	140	175	220	273	336				90	1.25	152
	GML140A	4.9	1/6	RSIR	83	108	140	175	218	274	342	420				108	1.30	152
	GML140G*	4.9	1/6	RSIR/RSCR	83	108	140	175	218	274	342	420				108	1.40	152
	GML160G	5.7	1/6	RSIR/RSCR	99	129	168	210	262	329	410	504				129	1.30	161
	GML180A	6.5	1/5	RSIR/RSCR	110	144	187	234	292	367	456	561				144	1.30	164
	GML200A	7.0	1/5	RSIR/RSCR	118	154	200	250	312	392	488	600				152	1.32	164
	GXL160A	5.7	1/7	RSIR	104	136	176	220	275	345	429	528				/	/	164
	GXL200A	7.0	1/6	RSIR	126	164	213	266	332	417	520	639				/	/	164

◎ R134a M/HBP 220-240V/50Hz

中高背压系列 MBP/HBP	GL60TG	5.3	1/3	CSIR				172	213	260	329	410	502	540	605	240	2.25	174
	GL80TB	7.5	1/2	CSIR				204	252	308	390	486	595	640	717	262	2.44	184
	GL90TB	7.5	1/2	CSIR				239	296	361	458	570	698	750	840	323	2.32	184
	GL10TB	9.3	1/2	CSIR				249	307	375	476	593	725	780	874	342	2.28	184
	GHP13AA*	13.0	1	CSIR				281	347	423	537	669	818	880	986	429	2.05	184
	GHP16AA*	16.0	1	CSIR				351	433	529	671	836	1023	1100	1232	550	2.00	215
	GHP18AA*	18.0	1	CSIR				415	512	625	793	988	1209	1300	1456	650	2.00	215
	GHP21AA*	21.0	1	CSIR				510	630	770	976	1216	1488	1600	1792	730	2.20	215

OF605,
 OF700,
 OF789,
 OF1033A,
 OF1350A,
 GVY35AA,
 GVY40AA,
 GVY44AA,
 GVY53AA,
 GVY57AA,
 GVY66AA,
 GW75AA,
 GTH86AA,
 GTH93AA,
 GTM93AA,
 GTMI0AA,
 GTM12AA,

GML70A,
GMLII0A,
GML 140A,
GML140G,
GML160G,
GML180A,
GML200A,
GXL160A,
GL60TG,
Gt80TB,
GL90TB,
GHP13AA,
GHP16AA,
GHP184A,
GHP21AA,

**Mbsm.pro, Codes and
capacities of ZEL all
compressors, pistons, motors,
and refrigeration and air
conditioning motors**

written by Lilianne | 3 October 2023

意大利扎努西 ZEL — R134a

220-240V/50Hz

GML200A	输入功率.152W	制冷量.200W
GML180A	输入功率.144W	制冷量.187W
GML160G	输入功率.129W	制冷量.168W
GML140A	输入功率.108W	制冷量.140W
GML110A	输入功率.90W	制冷量.112W



Private Picture Copyright : WWW.MBSM.PRO

GVY61AA, GVY75AA, GVY75AG, GTH86AA, GTH93AA, GTT66AA, GTT75AA, GKD86AA, GKD93AA, GXL140F, GXL200F, MODEL, GML70A, GML90A, GML110A, GML125A, GML140A, GML140A/I, GML160A, GML180A, GML200A, GML200A/I, GTM26AA, GTM75AA, GDL160A, GDL200A, GXL100A, GXL125A, GXL140A, GXL160A, GXL200A, GXL240A, GL60TP, GL80TP, GL90TP, GL90TP/I, GL10TP, GL12TP, GHP16AA, GHP18AA, GHP21AA, MODEL, HML100A, HML125A, HML140A, HML155A, HML170A, HML190A, HML200A, HDL100A, HDL125A, HDL140A, HDL155A, HDL170A, HDL200A, HXL100A, HXL125A, HXL140A, HXL155A, HXL170A, HXL190A, HPL100A, HPL125A, HPL140A, HML125A(T), HML140A(T), HML170A(T), HMK12AA, MODEL, HDL125F, HDL140F, HDL160F, HDL180F, HDL190F, HXL140F, HXL160F, HXL190F, HML125G, HML140G, HML170G, HDL140G, HDL170G, HXL155G, HXL185G, MODEL, GML70A, GML80A, GML90A, GML110A, GML125A, GML140A, GML180A, GML200A(M), GML200A, GDL140A, GDL160A, GDL200A(M), GDL200A, GXL125A, GXL140A, GXL160A, GXL200A, MODEL, GML70G, GML80G, GML90G, GML125G, GML140G, GML160G, GXL125G, GXL140G, GXL160G, GML110A(T), GML140A(T), GML200A(T), MODEL, HDZ100A(M), HDZ100A, HDZ125A, HDZ140A,

HDZ155A, HDZ170A, HXZ100A, HXZ125A, HXZ140A, HXZ155A, HXZ170A, HPZ100A, HPZ125A, HPZ140A, HPZ155A, HPZ170A, HDZ100F, HDZ125F, HDZ140F, HDZ160F, HDZ190F , , MODEL , HMM70A, HMM80A, HMM90A, HMM100A, HDM80A, HDM90A, HDM100A, HDM110A , , MODEL , GL90TB, GL90TB(B), GL10TB, GL12TB , GL60TG , GL90TG , GTM93AA, GTM10AA, GTM12AA , GTM93AG , GMM70A, GMM80A, GMM90A, GMM110A , , MODEL , NLT44AA, NLT53AA, NLT57AA, NLT61AA, NLT66AA, NLT75AA, NLT80AA, NLT86AA, NLT93AA, NLT44AA(I), NLT53AA(I), NLT57AA(I), NLT61AA(I), NLT66AA(I), NLT75AA(I), NLT80AA(I), NLL160A, NLL200A, NLL200A(I), NMT53AA, NMT57AA, NMT66AA, NMT75AA , , MODEL , HTT11AA, HPKD190A, HPKX190A, HTH14AA, HTH14AA(I), HKD14AA, HYV67AA.02, HTK12AA.02 , HPKD180G , HPKD200G , , MODEL , GVY57AA, GVY61AA, GVY66AA, GVY75AA, GTH86AA, GTH93AA, GTM93AA, GTT66AA, GTT75AA, GKD86AA, GKD86AA(I), GKD93AA , GVY53AG , GVY57AG , GVY75AG , GKD86AG , GKD93AG

**Mbsm.pro, GTH93AA ,
compressor coolant R134a ,
220-240V 50Hz MBP 9,8kg,
1/4HP++, 1/3 hp- cylinder
capacity 9,3cm³, 260 W,**

written by Jamila | 3 October 2023

Mbsm.pro, GTH93AA , compressor coolant R134a , 220-240V 50Hz
MBP 9,8kg 1/4HP cylinder capacity 9,3cm³

Importer Name: Digital Design for Appliances Manufacturing
اسم المستورد: شركة ديجيتال ديزاين لتصنيع الأجهزة الإلكترونية

Importer Address: B3- Lot 12B, 10th of Ramadan City, Egypt
عنوان المستورد: القطعة B3 مدينة العاشر من رمضان مصر

Exporter Name: VESTEL
اسم المصدر: فيستيل

Country of Origin: TURKEY
بلد المنشأ: تركيا

Item Name: Refrigerator (No Frost)
المنتج: ثلاجة (نوفروست)



PictureS Mbsm Dot Pro : www.mbsm.pro

refrigerant

R134a

type	GTH93AA
voltage	220-240 V
frequency	50 Hz
application	MBP
weight	9,8 kg
power	1/4 HP
cylinder capacity	9,3 cm ³
motor system	RSIR/RSCR
height	184 mm
power at -20°C	– W
power at -15°C	– W
power at -10°C	– W
power at -5°C	– W
power at 0°C	– W
power at +5°C	– W

Mbsm_dot_pro_private_PDF_GTH93AA-compresseur-acc-cubigell-gl99aaTélécharger

Mbsm_dot_pro_private_PDF_catalog_zelTélécharger