

Mbsm.pro, Codes and capacities of ZEL all compressors, pistons, motors, and refrigeration and air conditioning motors

written by Lilianne | 21 September 2023

意大利扎努西 ZEL — R134a		
220-240V / 50Hz		
GML200A	输入功率 .152W	制冷量 .200W
GML180A	输入功率 .144W	制冷量 .187W
GML160G	输入功率 .129W	制冷量 .168W
GML140A	输入功率 .108W	制冷量 .140W
GML110A	输入功率 .90W	制冷量 .112W

WOMA 旺码
广州旺码制冷设备有限公司
Email: davidhu815@gmail.com

广州旺码制冷设备

Private Picture Copyright : WWW.MBSM.PRO

GVY61AA, GVY75AA, GVY75AG, GTH86AA, GTH93AA, GTT66AA, GTT75AA, GKD86AA, GKD93AA, GXL140F, GXL200F , MODEL , GML70A, GML90A, GML110A, GML125A, GML140A, GML140A/I, GML160A, GML180A, GML200A, GML200A/I, GTM26AA, GTM75AA, GDL160A, GDL200A, GXL100A, GXL125A, GXL140A, GXL160A, GXL200A, GXL240A, GL60TP, GL80TP, GL90TP, GL90TP/I, GL10TP, GL12TP, GHP16AA, GHP18AA, GHP21AA , MODEL , HML100A, HML125A, HML140A, HML155A, HML170A, HML190A, HML200A, HDL100A, HDL125A, HDL140A, HDL155A,

HDL170A, HDL200A, HXL100A, HXL125A, HXL140A, HXL155A, HXL170A, HXL190A, HPL100A, HPL125A, HPL140A, HML125A(T), HML140A(T), HML170A(T), HMK12AA , , MODEL , HDL125F, HDL140F, HDL160F, HDL180F, HDL190F, HXL140F, HXL160F, HXL190F , HML125G , HML140G , HML170G , HDL140G , HDL170G , HXL155G , HXL185G , , MODEL , GML70A, GML80A, GML90A, GML110A, GML125A, GML140A, GML180A, GML200A(M), GML200A, GDL140A, GDL160A, GDL200A(M), GDL200A, GXL125A, GXL140A, GXL160A, GXL200A , , MODEL , GML70G , GML80G , GML90G , GML125G , GML140G , GML160G , GXL125G , GXL140G , GXL160G , GML110A(T), GML140A(T), GML200A(T) , MODEL , HDZ100A(M), HDZ100A, HDZ125A, HDZ140A, HDZ155A, HDZ170A, HXZ100A, HXZ125A, HXZ140A, HXZ155A, HXZ170A, HPZ100A, HPZ125A, HPZ140A, HPZ155A, HPZ170A, HDZ100F, HDZ125F, HDZ140F, HDZ160F, HDZ190F , , MODEL , HMM70A, HMM80A, HMM90A, HMM100A, HDM80A, HDM90A, HDM100A, HDM110A , , MODEL , GL90TB, GL90TB(B), GL10TB, GL12TB , GL60TG , GL90TG , GTM93AA, GTM10AA, GTM12AA , GTM93AG , GMM70A, GMM80A, GMM90A, GMM110A , , MODEL , NLT44AA, NLT53AA, NLT57AA, NLT61AA, NLT66AA, NLT75AA, NLT80AA, NLT86AA, NLT93AA, NLT44AA(I), NLT53AA(I), NLT57AA(I), NLT61AA(I), NLT66AA(I), NLT75AA(I), NLT80AA(I), NLL160A, NLL200A, NLL200A(I), NMT53AA, NMT57AA, NMT66AA, NMT75AA , , MODEL , HTT11AA, HPKD190A, HPKX190A, HTH14AA, HTH14AA(I), HKD14AA, HYV67AA.02, HTK12AA.02 , HPKD180G , HPKD200G , , MODEL , GVY57AA, GVY61AA, GVY66AA, GVY75AA, GTH86AA, GTH93AA, GTM93AA, GTT66AA, GTT75AA, GKD86AA, GKD86AA(I), GKD93AA , GVY53AG , GVY57AG , GVY75AG , GKD86AG , GKD93AG

Mbsm . pro ,

Compressor ,

Gtm75aa, HERMETIC, Freezer, COMPRESSOR, ZEL, 1/5 hp, R134a, 220-240V/50HZ, Ariston no frost

written by Lilianne | 21 September 2023



Private Picture Copyright: WWW.MBSM.PRO

<https://www.mbsmgroun.tn/2433.htm>



Private Picture Copyright: WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_GTM

75

AA

	a 134	LBP			68	232	58		2,8			GML 70 A
C R MF 2	a 134	LBP			92	314	79		3,4			GML 90 A
C R MF 2.5	a 134	LBP			113	386	97		4,1			GML 110 A
	a 134	LBP			120	409	103		4,1			GML 125 A
	a 134	LBP			140	478	120		4,9		1/6	GML 140 A
C R MF 5	a 134	LBP			140	478	120		4,9		1/6	GML 140 A/I
					160	546	138		5,7		1/6	GML 160 A
C R MF 5	a 134	LBP			180	614	155		6,5		1/5	GML 180 A
C R MF 5	a 134	LBP			200	682	172		7		1/5	GML 200 A
C R MF 6	a 134	LBP			210	716	181		7		1/5	GML 200 A/I
					65				2,6		1/9	GTM 26 AA
					200				7,5		1/5	GTM 75 AA
					280				10		1/3	GTM 93 AA
					300				10,6		1/3	GTM 10 AA
					320				12		1/3	GTM 12 AA
C R MF 4	a 134	LBP			167	570	144		5,7			GDL160 A
C R MF 5	a 134	LBP			165	563	142		6,5			GDL200 A
C R MF 4	a 134	LBP			106	362	91		4,1			GXL100 A
C R MF 5	a 134	LBP			123	420	106		4,3			GXL125 A
C R MF 5	a 134	LBP			138	471	119		4,6			GXL140 A
C R MF 4	a 134	LBP			160	546	138		5,7			GXL160 A
C R MF 5	a 134	LBP			195	665	168		7			GXL 200 A
C R MF 5	a 134	LBP			240	819	206		8,6			GXL 240 A



Private Picture Copyright: WWW.MBSM.PRO

model	motor	Exhaust volume	Motor power	Motor type	frequency	Cooling capacity	input power	Input power (RC)	Coefficient of performance	Performance coefficient (RC)	run capacitor	high	net weight
GTM12AA	With	12	1/3	CSIR	50	320	241	0	1.33	0	50	184	10
GTM10AA	With	10.6	1/3	CSIR	50	300	226	0	1.33	0	50	184	10
GTM93AA	With	10	1/3	hatch	50	280	207	0	1.35	0	0	184	9.5
GTM75AA	To the	7.5	1/5	CSIR	50	200	160	0	1.25	0	50	184	9
GTM26AA	Cu / AL	2.6	1/12	hatch	50	65	59	0	1.1	0	0	163	7.5
GL10TB	With	9.3	1/2	CSIR	50	880	429	0	2.05	0	50	184	10.2
GL90TB	To the	9.3	1/2	CSIR	50	860	420	0	2.05	0	50	184	10
GL80TB	With	7.5	1/2	CSIR	50	740	326	0	2.27	0	50	184	10
HKD12FSL		12		PPM	0	96	49~122	0	Upto1.97	0	0	184	8.5
HKD10FSK		10		PPM	0	83	44~122	0	Upto1.97	0	0	184	8
HKD86FSL		8.6		PPM	0	67	34~88	0	Upto1.97	0	0	184	8.6
GKD93AA	With	9.3	1/4	RSCR	50	270		163		1.66	6	184	10.4
GTT75AA	With	7.5	1/5	RSCR	50	210		134		1.57	4	184	10.1
GTT66AA	Cu / AL	6.6	1/6	RSCR	50	200		125		1.6	4	184	9.5
GTH93AA	Cu / AL	9.3	1/4	RSIR/RSCR	50	260	187	174	1.39	1.49	5	184	9.7
GTH86AA	Cu / AL	8.6	1/4	RSIR/RSCR	50	240	175	163	1.37	1.47	5	174	9
GVY75AA	Cu / AL	7.5	1/5	RSIR/RSCR	50	200	153	140	1.31	1.43	4	174	8.9

GVY66AA	Cu / Al	6.6	1/5	RSIR/RSCR	50	180	134	124	1.34	1.45	4	174	8.6
---------	------------	-----	-----	-----------	----	-----	-----	-----	------	------	---	-----	-----

Mbsm_dot_pro_private_picture_GTM 75 AATélécharger