


# Mbsm.pro, Compressor, Cubigel, Huayi, Electrolux, ZEM, Freezer, ML45TB, HMBP, R404A, R507, 220 – 240V/1/50Hz, 1/5 HP, ++ Big, 1/4 Hp –, CSIR

written by Lilianne | 11 February 2022



Compressor ACC Cubigel Huayi Electrolux ZEM ML45TB, HMBP –  
R404A, R507, 220 – 240V/1/50Hz, 1/5 HP, discharge 4.5 cm<sup>3</sup>,  
motor type CSIR, oil type ISO VG46 ester, oil charge 300 cm<sup>3</sup>,  
528 W at +5 / +55 °, input power, current 352 W, 2.04A,  
expansion device: capillar or valve, cooling: fan, weight 10.1

kg

---

# Tecumseh, Compressor, 5/8HP, HMBP – R404A , R448A , R449A, MBP, CAJ9480Z, 230V

written by Lilianne | 11 February 2022

## Caractéristiques techniques

- Marque : TECUMSEH UNITÉ HERMÉTIQUE
- Modèle : CAJ9480Z-R
- CYLINDRÉE (CM<sup>3</sup>) 15,2
- FLUIDER404A , R448A , R449A
- APPLICATIONHMBP
- PLAGE D'APPLICATION-25/+15
- PUISSANCE (W)1159
- PUISSANCE FRIGORIFIQUE (TK+40°C)15/3350 5/2355 -10/1294 -25/609
- TENSION (V)240/1/50
- DÉMARRAGECSR
- I.MAX (A)6,7
- Ø ASPIRATION1/2
- Ø REFOULEMENT5/16
- DIMENSIONS (MM)235x178x280
- Gaz: **R-404a**
- Température/Pression: **Haute Pression**
- Puissance: **5/8 HP**
- Voltage: **230 V**
- Type De Courant: **Monophasé**

- Fréquence: **50 Hz**
- Type De Compresseur: **Hermétique**
- Décalage: **15.2 cm<sup>3</sup>**
- Cons.Énergie -25°C: **496 W**
- Cons.Énergie -10°C: **669 W**
- Cons.Énergie -5°C: **718 W**
- Cons.Énergie 0°C: **762 W**
- Cons.Énergie +5°C: **798 W**
- Cons.Énergie +10°C: **828 W**
- T° De Condensation: **40 °C**
- Capacité Frigorífica -25°C: **524 Kcal/h**
- Capacité Frigorífica -20°C: **692 Kcal/h**
- Capacité Frigorífica -15°C: **887 Kcal/h**
- Capacité Frigorífica -10°C: **1113 Kcal/h**
- Capacité Frigorífica -5°C: **1374 Kcal/h**
- Capacité Frigorífica 0°C: **1677 Kcal/h**
- Capacité Frigorífica 5°C: **2025 Kcal/h**
- Capacité Frigorífica 10°C: **2425 Kcal/h**
- Tipo Test: **EN.12900**

Compresseur L'unité Hermetique – Tecumseh CAJ9480Z – R404A, R449A, R407A, R452A

220 – 240V 1~ 50 Hz

Cylindrée = 15.2 CM3

APPLICATIONS = HBP / MHBP

Moteur type: CSR



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)





Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

- 
- 
- 
- 
- 
- 

Mbsm\_dot\_pro\_private\_PDF\_caj9480Z\_2494-spec Télécharger

Compresseur AJ = Le produit de référence associant silence, fiabilité et efficacité du froid commercial.

| Product Code | Model Number | Compressor Horsepower | Compressor Displacement    | Cooling | Oil Charge |
|--------------|--------------|-----------------------|----------------------------|---------|------------|
|              | CAJ9480Z-FZ  | 5/8 HP                | 15.2 cm <sup>3</sup> /rev  | Fan     | 475 ml     |
|              | CAJ9510Z-FZ  | 1 HP                  | 18.3 cm <sup>3</sup> /rev  | Fan     | 475 ml     |
|              | CAJ9513Z-FZ  | 1 1/8 HP              | 24.2 cm <sup>3</sup> /rev  | Fan     | 475 ml     |
|              | CAJ4517Z-FZ  | 1.25 HP               | 25.95 cm <sup>3</sup> /rev | Fan     | 475 ml     |

| <b>Product Code</b> | <b>Model Number</b> | <b>Compressor Horsepower</b> | <b>Compressor Displacement</b> | <b>Cooling</b> | <b>Oil Charge</b> |
|---------------------|---------------------|------------------------------|--------------------------------|----------------|-------------------|
|                     | TAJ4517Z-TZ         | 1.25 HP                      | 25.95 cm <sup>3</sup> /rev     | Fan            | 475 ml            |
|                     | CAJ4519Z-FZ         | 1.5 HP                       | 34.45 cm <sup>3</sup> /rev     | Fan            | 475 ml            |
|                     | TAJ4519Z-TZ         | 1.5 HP                       | 34.45 cm <sup>3</sup> /rev     | Fan            | 475 ml            |