

**Mbsm.pro, Refrigerator, No  
frost, Made in Egypt, Ideal,  
340NSL008, 2008, 338 L,  
compressor , 1/4 hp, HPL27YE  
– 5-K, r134a, 125 G,198 w,  
LBP**

written by Lilianne | 8 January 2024




Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Refrigerator, No frost, Made in Egypt, Ideal, 340NSL008, 2008, 338 L, compressor , 1/4 hp, HPL27YE – 5-K, r134a, 125 G,198 w, LBP

---

**Mbsm.pro, Ideal, Refrigerator, 268 L, 141 w, Es:320-2005, 2000nf, made in Egypt, Compressor, 1/5 hp, G160tb, egm75af, r134a, 105 g**

written by Lilianne | 8 January 2024



Mbsm.pro, Ideal, Refrigerator, 268 L, 141 w, Es:320-2005, 2000nf, made in Egypt, Compressor, 1/5 hp, G160tb, egm75af, r134a, 105 g

---

**no frost, egl99aa zmc**

**refrigerator, DF40, silver,  
ideal, zanussi, IDEAL  
ZANUSSI, EGL99AA ZMC, DF 40  
Elgance, Compressor, ACC  
Cubigel, Huayi, Electrolux,  
ZEM GL99AA, GL99AA, LBP ,  
R134a, 220-240V/1/50Hz, 1/4  
HP, discharge 9.93 cm<sup>3</sup>, motor  
type RSIR, LRA 14.4A**

written by Lilianne | 8 January 2024



Mbsm\_dot\_pro\_private\_PDF\_GL99AA-compresseur-acc-cubigell-  
gl99aaTélécharger

Mbsm\_dot\_pro\_private\_PDF\_GL99AATélécharger

Compressor ACC Cubigel Huayi Electrolux ZEM GL99AA, LBP –  
R134a, 220-240V/1/50Hz, 1/4 HP, discharge 9.93 cm<sup>3</sup>, motor type  
RSIR, LRA 14.4A, expansion device: capillary, cooling:  
static, weight 11 kg , the statutory warranty period shall  
apply (24 months), Delivery time Info: with “immediately  
available” and “scarce stock”, usually delivery within 2 days.  
For “currently not available” delivery time usually 2 weeks or  
delivery time in urgent cases contact us.

---

Refrigerant:	R134a
Power range(W):	101 – 200 W
Performance range (C):	-35 C to -10 C
Connecting size:	4,9 mm
Suction:	6,5 mm
Working area:	LBP
Design type:	Hermetic
Model series:	GL
Use with:	Capillary
Power range(HP):	0-2
Power supply:	230 V
Oil type:	ISO VG 22 Ester
Engine type:	RSIR
Article condition:	New
Info:	Oil filled
Shipping weight:	13,00 Kg
Dimensions ( length × width × height ):	23,10 × 16,20 × 18,60 cm
Cooling capacity condition:	T0 -25 C, Tk +55 C
Manufacturer:	ACC Cubigel Huayi Electrolux ZEM
Model:	GL99AA
Stroke volume (cm <sup>3</sup> ):	9,93
Cooling capacity (W):	174
Power (HP):	0,25
Max. Starting current (A):	14,4
Max. Operating current (A):	1,31
Engine type:	RSIR
COP:	0,92

Note:	Static cooling
Conveying and suction volume (m3):	1,72
Oil quantity (l):	0,295
Compressor type:	Piston
Cooling:	Static
RPM:	2900
Power range:	-35 C to -10 C
Alternative:	HLY90AA, NL11F
Pressure line (mm):	4,9
Suction line (mm):	6,5

ZMC

C

GL99AA 0326

220-240V~50Hz



CE

R 134 a

MADE IN EGYPT



482

3975 6

