

# **Mbsm.pro , Compresseur Aspera , Embraco NT6220Z , R134a , power 3/4 Hp, displacement 22.40 cc , gas R134a HMBP , 220/240V**

written by Lilianne | 12 October 2018

Mbsm.pro , Compresseur Aspera , Embraco NT6220Z , R134a , power  
3/4 Hp, displacement 22.40 cc , gas R134a HMBP , 220/240V

Compresseur hermetique de Aspera – Embraco NT6220Z – R134a

3/4 HP

220V 50Hz 1~

Cylindrée = 22.37 CM3

APPLICATIONS = HBP

Moteur type: CSIR

## **EMBRACO Asprea Compressor NT6220Z**

### **Technical Details**

- 220/240V
- 50Hz
- power 3/4 Hp, displacement 22.40 cc
- gas R134a HMBP

- ASPERA

SKU: 3070180

**Suitable For/Compatible With**

- NT6220Z ASPERA
- NT6220Z-CSIR ASPERA
- NT6220Z EMBRACO
- NT6220Z-CSIR EMBRACO




embraco NT



R134a

HBP

## EM/NE/NT/NJ



PictureS Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)



**Mbsm.Pro , Tecumseh  
Refrigeration Compressor,  
CAE9460Z , R404A refrigerant  
, 3/8 hp, mhbp, 1/2HP**

# **, 1PH(phase) , 220V to 240V**

written by Jamila | 12 October 2018

Mbsm.Pro , Tecumseh Refrigeration Compressor ,R404A  
refrigerant ,1/2HP ,1PH(phase) , 220V to 240V

- Brand Name:Tecumseh
- Certification:RoHS
- Application:Refrigeration Parts
- Type:Refrigeration Compressor

411445

   
6B88330200  
CAE9460Z

R404A LRA 17  
220-240V ~ 50Hz PLA 3.40

  
53 D1510 10 195819 A  
COUNTRY OF ORIGIN: FRANCE THERMALLY PROTECTED



---

**Mbsm.pro , China ,Freezer  
Compressor, for Small  
Refrigerator, Mk Series-  
Adw66, Adw66, R134A Gas,  
220V, 1/4-HP, 1/5++ hp ,  
220V, Lbp, Rsir , cooling  
capacity 165W**

written by Jamila | 12 October 2018



Mbsm.pro , China ,Freezer Compressor, for Small Refrigerator,  
Mk Series-Adw66, Adw66, R134A Gas, 220V, 1/4-HP, 1/5++ hp ,  
220V, Lbp, Rsir , cooling capacity 165W

---

**MBSM.PRO ,Copeland ,KCE432HAG  
,Compresseur Hermétique,  
1/4HP, R134, 1ph , Afcon**

# **Industrial Equipment, High / Medium temperature (HBP / CBP)**

written by Jamila | 12 October 2018



MBSM.PRO , Copeland , KCE432HAG , Compresseur Hermétique, 1/4HP, R134, 1ph , Afcon Industrial Equipment, High / Medium temperature (HBP / CBP)

---

## **Mbsm.pro , Compressors ZMC, EGL90AA, R-134a , 1/4 HP LBP, 220 – 240 V**

written by Lilianne | 12 October 2018

Mbsm.pro , Compressors ZMC, EGL90AA, R-134a , 1/4 HP LBP, 220 – 240 V

### **BRAND**

• – ZMC

### **TECHNICAL SPECIFICATIONS :**

– MODEL: EGL 90 AA

– POWER: 1/4 Hp



- VOLTAGE: 220 – 240 V
- WATT: 227.00 W
- REFRIGERANT GAS: R 134
- K.CAL: 195.00 Cal.

**Features** : The compressors form the basis of the refrigerant system and function to compress the gas from the evaporation to the condensation pressure.

## **USAGE PLACES :**

It is used in Refrigerator devices belonging to all brands and models.

## **INSTRUCTIONS FOR USE:**

**Zmc EGL90AA**;It is recommended to be used by a specialist authorized or authorized service.



Picture5 Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)

Mbsm\_dot\_pro\_private\_PDF\_catalogo\_cubigel\_R134aTélécharger  
Mbsm\_dot\_pro\_private\_PDF\_cubigel-katalogTélécharger

---

**Mbsm.pro, DAEW00 Compressor ,  
HSL27YE-5, 1/4HP , 1PH, R134a  
, 220-240V 50Hz, Puissance  
frigorigifique 244 W, 833 Btu /  
h**

written by Jamila | 12 October 2018



Mbsm.pro, DAEW00 Compressor , HSL27YE-5, 1/4HP , 1PH, R134a ,220-240V 50Hz,Puissance frigorifique 244 W, 833 Btu / h

---

**Mbsm.pro, QA57C12GAX5 , 1PH ,  
1/6 HP ,Panasonic ,Matsushita  
Electric, Company, Malaysia ,  
R134a , 220/240V 50Hz**

written by Jamila | 12 October 2018

Mbsm.pro, QA57C12GAX5 , 1PH , 1/6 HP ,Panasonic ,Matsushita  
Electric, Company, Malaysia , R134a , 220/240V 50Hz



**Mbsm.pro , L76AV  
,Compresseur, 1/5 HP ,149W,  
R12 ,E80101 ,Zem ,HMBP  
,Hermetic piston compressors  
, 220V/50 , 1PH(phase)**

written by Jamila | 12 October 2018



Mbsm.pro , L76AV ,Compresseur, 1/5 HP ,149W, R12 ,E80101 ,Zem  
,HMBP ,Hermetic piston compressors , 220V/50 , 1PH(phase)

---

**MBSM.PRO , HYE69YL  
,Compressor (LBP) , China  
R134a ,Huayi Compressor Co.,  
Ltd, 69 YL ,1/4 Hp ,168Kcal ,  
220V**

written by Jamila | 12 October 2018

MBSM.PRO , HYE69YL ,Compressor (LBP) , China R134a ,Huayi  
Compressor Co., Ltd, 69 YL ,1/4 Hp ,168Kcal , 220V

Test conditions	According to ASHRAE
Evaporating temperature	-23.3□

Condensing temperature	54.4□
Subcooling temperature	32.2□
Suction temperature	32.2□
Ambient temperature	32.2□
Working condition limit:R134a	
Max ambient temperature	43[□]
Evaporation temperature range	-35~-15[□]
Working voltage range.	187~254/98~127[V]
Max discharge pressure	2.0[Mpa](gauge pressure)
Max allowable housing temperature	95[□]
Max discharge temperature	125[□]
Max pressure housing endured	2.7[Mpa](gauge pressure)
Low voltage start	0.4/0.4Mpa(gauge pressure)187V/98V

Product model:HYE69YL

Cooling capacity:195W

COP□W/W□:1.15

Voltage□V□:220-240~

Frequency(Hz):50



PictureS Mbsm Dot Pro : www.mbsm.pro

**Products**

- R134a Compressor (LBP)
  - HYE Serie
  - HY Serie
  - HYB Serie
  - HYS Serie
- R600a Compressor (LBP)
  - HYE Serie
  - HY Serie
  - HYB Serie
  - HYS Serie
- R134a Compressor (MBP,HBP)
  - HY Serie
  - HYE Serie

[Newest Catalog Download](#)

Product model:HYE69YL  
 Cooling capacity:195W  
 COP (W/W) :1.15  
 Voltage (V) :220-240~  
 Frequency(Hz):50

Test conditions	According to ASHRAE
Evaporating temperature	-23.3°C
Condensing temperature	54.4°C
Subcooling temperature	32.2°C
Suction temperature	32.2°C
Ambient temperature	32.2°C
<b>Working condition limit:R134a</b>	
Max ambient temperature	43[°C]
Evaporation temperature range	-35~-15[°C]
Working voltage range.	187~254/98~127[V]
Max discharge pressure	2.0 [Mpa](gauge pressure)
Max allowable housing temperature	95[°C]
Max discharge temperature	125[°C]
Max pressure housing endured	2.7[Mpa](gauge pressure)
Low voltage start	0.40.4Mpa(gauge pressure)187V/98V

PictureS Mbsm Dot Pro : www.mbsm.pro





**AE 1330 Y**

**1 / 12 HP**



**AE 1340 Y**

**1 / 6 HP**



**AE 1350 Y**

**1 / 6 HP**



**AE 1360 Y**

**1 / 5 HP**



**AE 1370 Y**

**1 / 4 HP**



**AE 1390 Y**

**1 / 4 HP**



PictureS Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)



**Mbsm.pro , COMPRESSOR  
TECUMSEH, CAJ4511Y, R134a,  
HMBP (HBP – High Back**

# Pressure), 1 HP, 1PH, 220-240 VOLTS , High Start Torque (HST) ,

written by Jamila | 12 October 2018

Mbsm.pro , COMPRESSOR TECUMSEH,

## L'unité hermetique Compressor

CAJ4511Y, R134a, HMBP(HBP – High Back Pressure), 1 HP, 1PH,  
220-240 VOLTS , High Start Torque (HST)


Condensateur Perm./ Run capacitor : 15  $\mu$ F / 400 V

## Données techniques

- Modèle: **CAJ4511Y**
- Gaz: **R-134a**
- Température/Pression: **Haute Pression**
- Puissance: **1 HP**
- Voltage: **230 V**
- Type De Courant: **Monophasé**
- Fréquence: **50 Hz**
- Type De Compresseur: **Hermétique**
- Décalage: **32.7 cm<sup>3</sup>**
- Cons.Énergie -5°C: **920 W**
- Cons.Énergie 0°C: **1030 W**
- Cons.Énergie +5°C: **1140 W**
- Cons.Énergie +10°C: **1250 W**
- T° De Condensation: **55 °C**
- Capacidad Frigorífica -5°C: **1376 Kcal/h**
- Capacidad Frigorífica 0°C: **1737 Kcal/h**



- Capacidad Frigorífica 5°C: **2150 Kcal/h**
- Capacidad Frigorífica 7.2°C: **2347 Kcal/h**
- Capacidad Frigorífica 10°C: **2614 Kcal/h**
- Tipo Test: **EN.12900**



PictureS Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)



PictureS Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)