

# Compresseur, réfrigérateur, JIAXIPERA, 115W, 1/7HP, R600a, JM1110Y, RSIR, 220-240~ /50

written by Lilianne | 21 December 2020



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

压缩机型号	排量	电机型式	电压/频率	W	BTU/h	Kcal	W	W/W	BTU/Wh	W/W	启动电容 ( $\mu$ F)	
	(cm <sup>3</sup> )											
JM1080Y	6,0	RSIR	220-240 ~ / 50	100	341	86	75	1,45	4,95	1.13	/	CCC / VDE
JM1080Y	6,0	RSIR	220-240 ~ / 50	100	341	86	75	1,45	4,95	1.13	/	VDE, CCC
JM1110Y	7,0	RSIR	220-240 ~ / 50	118	403	101	89	1,45	4,95	1.13	/	CCC / VDE
JM1110Y	7,1	RSCR	220-240 ~ / 50	118	403	101	89	1,42	4,85	1.11	/	VDE, CCC
JK1080Y	6,0	RSCR	220-240 ~ / 50	100	341	86	75	1,55	5,29	1,21	4.0	CCC / VDE
JK1080Y	6,0	RSCR	220-240 ~ / 50	100	341	86	75	1,55	5,29	1,21	3.0	VDE, CCC
JK1110Y	7,0	RSCR	220-240 ~ / 50	118	403	101	89	1,55	5,29	1,21	4.0	CCC / VDE
JT1080Y	6,0	RSCR	220-240 ~ / 50	100	341	86	75	1,65	5,63	1,29	2,5	CCC / VDE
JT1110Y	7,0	RSCR	220-240 ~ / 50	118	403	101	89	1,65	5,63	1,29	2,5	CCC / VDE
JH1080Y	6,0	RSCR	220-240 ~ / 50	100	341	86	75	1,75	5,97	1,37	2,5	CCC / VDE
JH1111Y	7,4	RSCR	220-240 ~ / 50	128	437	110	96	1,75	5,97	1,37	3.0	CCC / VDE

Private Picture Copyright: WWW.MBSM.PRO

# Specifications

## Description

### Detailed Product Description

- 1.Low levels of noise and vibration
- 2.Standard,medium,high and very high levels of efficiency

Compressor Model	Displ. (cm <sup>3</sup> )	Cooling Type	Motor Type	Vol./Fre. (V~/Hz)	Capacity (W)		COP (W/W)	
					ASHRAE	CECOMAF	ASHRAE	CECOMAF
					(-23.3°C)	(-25°C)	(-23.3°C)	(-25°C)
JM1080Y	6.02	ST	RSIR	220-240~/50	100	75	1.45	1.13
JM1110Y	7.04	ST	RSIR	220-240~/50	115	86	1.25	0.98
JM1111Y	7.70	ST	RSIR	220-240~/50	125	94	1.30	1.01
JK1080Y	6.02	ST	RSCR	220-240~/50	100	75	1.55	1.21
JT1080Y	6.02	ST	RSCR	220-240~/50	95	71	1.65	1.29

## Description

### Detailed Product Description

1. Low levels of noise and vibration
2. Standard, medium, high and very high levels of efficiency



Compressor Model	Displ. (cm3)	Cooling Type	Motor Type	Vol./Fre. (V~/Hz)	Capacity (W)		COP (W/W)	
					ASHRAE	CECOMAF	ASHRAE	CECOMAF
					(-23.3°C)	(-25°C)	(-23.3°C)	(-25°C)
JM1080Y	6.02	ST	RSIR	220-240~/50	100	75	1.45	1.13
JM1110Y	7.04	ST	RSIR	220-240~/50	115	86	1.25	0.98
JM1111Y	7.70	ST	RSIR	220-240~/50	125	94	1.30	1.01
JK1080Y	6.02	ST	RSCR	220-240~/50	100	75	1.55	1.21
JT1080Y	6.02	ST	RSCR	220-240~/50	95	71	1.65	1.29