

**Mbsm.pro, COPLAND,  
Compressor, KCJ511HAE,  
KCJ511HAE-BXXX, HBP, 1-3/8  
hp big ++, R-22, 230 V, 50  
Hz, 1PH, FAN, 350 ft<sup>3</sup> / m**

written by Lilianne | 30 December 2021

Technical Specification	
Cooling Capacity (Btu/hr)	11275
Cooling Capacity (w)	3302
HP	1-3/8
LRA	54

**COMPRESSOR MECHANICAL AND PHYSICAL DATA**

Number of cylinders 2

Displacement @ 50 Hz, cu.m/h 3.2

Bore/Stroke, mm 3.5/1.9

Length/Width, mm 235/179

Height, mm 264

Net Weight, kg 21.5

Stub Suction, inch 5/16

Stub Discharge, inch 5/16

Oil Quantity, l 0.9

Base mounting (hole dia), mm NA (0.0)

Sound Pressure @ 1m (HT), dBA 57

Sound Power (HT), dBA 68

COMPRESSOR ELECTRICAL DATA (220/240V – 1~ – 50Hz)

Locked Rotor Current, A 25

Default Enclosure Class IP 21 (IEC 34)

ACCESSORIES OPTIONAL

Mounting Grommets Standard

Single Phase Equipment Relay, Start and Run Capacitor



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Horse Power

50HZ

Brand

COPLAND

Compressor Technology

HERMETIC

Model Name/Number

KCJ511HAE

Power

220V



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm\_dot\_pro\_private\_PDF\_KCJ511HAETélécharger  
Mbsm\_dot\_pro\_private\_PDF\_KCJ511HAE-1Télécharger