

Kulthorn, compressor, Kulthorn compressor, c- qn76l6f, c-qn76l6f-1, 1/10 Hp, 1Ph, Serie C-q, R134a, 76 watt, Low back pressure, 200-220V/50hz, 220v/60hz, Compressor modifier

written by Lilianne | 7 January 2021

Kulthorn, compressor, Kulthorn compressor, c-qn76l6f, 1/10 Hp, 1Ph, Serie C-q, R134a, 76 watt, Low back pressure, 200-220V/50hz, 220v/60hz, Compressor modifier

Compressor Motor Protectors

Each compressor incorporates a motor protection device or system. Generally, the larger the compressor, the more sophisticated the motor protector.

It is essential that an electric motor is protected against conditions that could otherwise result in damage to the motor or to the electrical supply system. For this reason, every Kulthorn compressor is supplied with a motor protector, sometimes referred to as an overload. The more expensive the compressor, the greater is the economic justification for specifying a motor protector that has the ability to protect over a wider range of conditions.

1. External Motor Protectors

A smaller compressor (such as an AZ, AE or WJ) is fitted

with an external motor protector. Most commonly, this is a compact, cylindrical device that contains a snapaction bimetallic disc. The protector is mounted in contact with the surface of the compressor housing, inside the terminal guard.

The compressor current passes through the bimetallic disc. The resistance of this disc causes the disc temperature to increase as the motor current increases. There is usually a small heater, located under the disc and connected in series with the disc itself. This heater further raises the temperature of the disc. There is also the impact of the compressor shell temperature, and a hot compressor will further increase the disc temperature. The temperature of the disc is thus influenced by the combined effects of –

- the compressor motor current
- the compressor shell temperature

When the bimetallic disc reaches a predetermined temperature (often either 105°C or 120°C) the disc will snap open, and power supply to the compressor will be interrupted.


The compressor will cool, and at a reduced disc temperature the protector will reset and the compressor will restart, or attempt to restart. If the abnormal condition that caused the protector to trip in the first place still exists, the compressor is likely to continue to cycle on the overload until that condition is corrected.

There are two situations where a motor protector is expected to operate.

2. When the compressor is running under extreme conditions.
3. When the compressor is in a locked rotor condition. This is a situation where the compressor cannot start because the voltage is too low,

the system pressures are outside the range for which the compressor is approved, there is internal damage to the compressor, or there is some other reason why the compressor is incapable of starting





Mbsm_dot_pro_private_PDF_2019-06-13_110312_technical_bulletinT
 télécharger

Mbsm_dot_pro_private_PDF_kpccatalogTélécharger

Mbsm_dot_pro_private_PDF_KULTHORN-CATALOGUE_webTélécharger

Mbsm_dot_pro_private_PDF_Kulthorn-CatalogTélécharger

Mbsm_dot_pro_private_PDF_Model-Number-SystemTélécharger



KULTHORN
COMPRESSOR

Private Picture Copyright : WWW.MBSM.PRO



**Kulthorn, Kulthorn
Compressor, C-QType (RSCR),
C-QH Series, C-B Type, CKVE,
CKVR Series BLDC Compressor,
C-BR Series, C3B (3 Phase)
Type, CKVH Series BLDC
Compressor, C-BZN Series,
compresseur, réfrigérateur,
Sanyo, C-QN75L6F-L, 1/10Hp,
83w, 191 Btu / h, C-QN60L6,
C-QN75L6, C-QN90L6, C-QN75L6,
C-QN30L6, C-QN40L6, C-QN50L6**

written by Lilianne | 7 January 2021

Kulthorn produit le compresseur de réfrigérateur Sanyo, le compresseur de réfrigérateur identique à Sanyo est maintenant produit par le fabricant de compresseurs thaïlandais (Kulthorn), des nouvelles d'une source ont déclaré que l'usine de fabrication de compresseurs de Sanyo avait été achetée par Kulthorn Kirby Public Company Limited (Thaïlande) en collaboration avec le Premier Group Cette acquisition de compresseurs frigorifiques, autrefois synonyme de la marque Sanyo, porte désormais le nom de Kulthorn.

Je ne sais pas quand ce produit circulait sur le marché indonésien, dans le passé, le nouveau compresseur de réfrigérateur Sanyo était rarement vendu et même si son prix était assez cher mais il était de très bonne qualité, j'espère qu'il y a des importateurs qui veulent le distribuer ici et espèrent que le prix pourra être compétitif avec d'autres compresseurs de réfrigérateur. Je partage la liste des petits réfrigérateurs et des réfrigérateurs de taille moyenne (type CB). – **C-QN30L6** 31 watts, 106 Btu / h. – **C-QN40L6** 45 watts, 154 Btu / h – **C-QN50L6** 56 watts, 191 Btu / h – **C-QN60L6** 65 watts, 222 Btu / h – **C-QN75L6** 83 watts, 283 Btu / h – **C-QN90L6** 93 watts , 317 Btu / heure

– **C-BZN50L6**

50 watts, 171 Btu / h.

– **C-BZN60L6**

64 watts, 218 Btu / h.

– C-BZN75L6

80 watts, 273 Btu / h.

– C-BZN90L6

99 watts, 338 Btu / Hr

– C-BZN100L6

108 watts, 369 Btu / Hr

– C-BZN110L6

140 watts, 478 Btu / Hr.

– C-BZN120L6

154 watts, 526 Btu / h.

– C-BZN140L6

168 watts, 573 Btu / h.

– C-BZN150L6

190 watts, 648 Btu / h.

- C-BZN160L6
194 watts, 662 Btu / h.
- C-BZN175L6
208 watts, 710 Btu / h.
- C-BZN200L6
241 watts, 822 Btu / h.



Private Picture Copyright : WWW.MBSM.PRO

Compresseur Sanyo C-BZN201L6Y, 1 / 4cv



1/10 hp



Mbsm_dot_pro_private_PDF_KPC_CatalogTélécharger

Mbsm_dot_pro_private_PDF_pdfNd10Télécharger

C-B Compressors, Kulthorn, 1/5 HP, C-bz176L6Z, Refrigeration Compressor, R134A, 176W, , Original Specification, 220-220V/50Hz, 220V/60Hz, Low Back Pressure

written by Lilianne | 7 January 2021

C-B Compressors, Kulthorn, 1/5 HP, C-bz176L6Z, Refrigeration
Compressor, R134A, 176W, , Original Specification,
220-220V/50Hz, 220V/60Hz, Low Back Pressure

Kulthorn , R134A, High Temperature , Compressor, C-BZ SERIE , 220-240 v 50/60Hz

written by Lilianne | 7 January 2021

Kulthorn , R134A, High Temperature , Compressor, C-BZ SERIE
, 220-240 v 50/60Hz