

**Mbsm.pro, Compressor,
SIKELAN, Refrigeration
,ADW91, 1/3 HP, 220 W, 751
btu, LBp, WQ series, R134A,
LBP, 220V**

written by Lilianne | 14 February 2022



Mbsm.pro, Compressor, SIKELAN, Refrigeration ,ADW91, 1/3 HP, 220 W, 751 btu, Lbp, WQ series, R134A, LBP, 220V

Mbsm.pro, PDF, Files, EG AS100HLR, Compressor, Lbp, 1/3 Hp, EMBARACO

written by Lilianne | 14 February 2022

| embraco | | COMPRESSOR TECHNICAL DATA | |
|---|-----------------------------------|---------------------------|-----------------|
| COMPRESSOR DEFINITION | | | |
| Designation | EG AS100HLR | | |
| Nominal Voltage/Frequency | 220-240 V 50-60 Hz | | |
| Engineering Number | 513701174 | | |
| A - APPLICATION / LIMIT WORKING CONDITIONS | | | |
| 1 Type | Hermetic reciprocating compressor | | |
| 2 Refrigerant | R-134a | | |
| 3 Nominal voltage and frequency | 220-240 / 50-60 | | [V / Hz] |
| 4 Application type | Low Back Pressure | | |
| 4.1 Evaporating temperature range | -35°C to -10°C | | (-31°F to 14°F) |
| 5 Motor type | RSIR | | |
| 6 Starting torque | LST - Low Starting Torque | | |
| 7 Expansion device | Capillary tube | | |
| 8 Compressor cooling | Operating voltage range | | |
| | | 50 Hz | 60 Hz |
| 8.1 LBP (32°C Ambient temperature) | Fan | 198 to 264 V | - |
| 8.2 LBP (43°C Ambient temperature) | Fan | 198 to 264 V | - |
| 8.3 HBP (32°C Ambient temperature) | - | - | - |
| 8.4 HBP (43°C Ambient temperature) | - | - | - |
| 9 Maximum condensing pressures/temperature | | | |
| 9.1 Operating (gauge) | 16.2 | [kgf/cm.] (230 psig) | / °CC - °CF |
| 9.2 Peak (gauge) | 20.6 | [kgf/cm.] (293 psig) | / °CC - °CF |

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, PDF, Files, EG AS100HLR, Compressor, Lbp, 1/3 Hp, EMBARACO

**Mbsm.pro, Compressor, B43H,
HUAYI, 1/7 Hp, LBP, ACC,
CUBIGEL, Danfoss, RSIR ,
r134a**

written by Lilianne | 14 February 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, B43H, HUAYI, 1/7 Hp, LBP, ACC, CUBIGEL, RSIR , r134a

Mbsm.pro, COMPRESSOR, EMBRACO, HERMETIC, FREEZE, ICE CREAM, NT2192GK, 1.2 HP, 1v2 HP , 220-240V, LBP, 1262 W, R404A/R507, CSR

written by Lilianne | 14 February 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, COMPRESSOR, EMBRACO, HERMETIC, FREEZE, ICE CREAM,
NT2192GK, 1.2 HP, 1v2 HP , 220-240V, LBP, 1262 W, R404A/R507,
CSR

**Mbsm.pro, compressor,
Cubigel, Huayi, LBP, R290,
220 – 240V/1/50Hz, 1/3 hp,
CSIR**

written by Lilianne | 14 February 2022

Mbsm.pro, compressor, Cubigel, Huayi, LBP, R290, 220 –
240V/1/50Hz, 1/3 hp, CSIR

**Mbsm.pro, Compressor, DONPER,
Refrigeration, S30CZ, R134a,
1/12 HP, LBP, 220V-240V 50HZ,
Disp. 3.0cc**

written by Lilianne | 14 February 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, DONPER, Refrigeration, S30CZ, R134a, 1/12 HP, LBP, 220V-240V 50HZ, Disp. 3.0cc

Mbsm.pro, Compressor, Mk172Q-L2U, 1/4 Hp, 205 W, 699 BTu/H, Samsung Compressor, Mk Serie, R134A, 7.21 cc, 220-240 v, LBP, Static Compressor, RSIR

written by Lilianne | 14 February 2022



Mbsm.pro, Compressor, Mk172Q-L2U, 1/4 Hp, 205 W, 699 BTu/H,
Samsung Compressor, Mk Serie, R134A, 7.21 cc, 220-240 v, LBP,
Static Compressor, RSIR

**Mbsm.pro, Compressor,
BP1072Z, 221CA32, 1/10 Hp,
66W, EMBRACO, ASPERA, r134A,
Lbp, HERMETIC COMPRESSORS,
Oil 200 cc, 220 V/ 60 Hz**

written by Lilianne | 14 February 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, BP1072Z, 221CA32, 1/10 Hp, 66W, EMBRACO, ASPERA, r134A, Lbp, HERMETIC COMPRESSORS, Oil 200 cc, 220 V/ 60 Hz

**Mbsm.pro, Compressor,
inverter, LG Refrigerator,
BMG110NHMV, BMG/BMA LG, Lbp,
1/4 Hp , R600A**

written by Lilianne | 14 February 2022



Mbsm.pro, Compressor, inverter, LG Refrigerator, BMG110NHMV,
BMG/BMA LG, Lbp, 1/4 Hp , R600A

**Mbsm.pro, Compressor, R290,
0.110Kg, SC15CNX.2, Secop,
DANFOSS, SC15CNX, 15,28cm³,
LBP, 230V, Hermetic piston
compressors, 5/8 Hp, 104h
8568, 104h8568**

written by Lilianne | 14 February 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, R290, 0.110Kg, SC15CNX, 15,28cm³, LBP, 230V, Hermetic piston compressors, 5/8 Hp, 104h 8568, 104h8568